

# **Record of Environmental Consideration**

See 44 Code of Federal Regulation Part 10.

**Project Name/Number:** Police Parking & Radio Repair Facility / PW 14010

**Project Location:** 2761 Gravier Street, New Orleans, Louisiana, Orleans Parish 70119  
(N29.9612, W-90.0926)

**Project Description:** Project activities include removing and replacing (4) 5 ton condensing units, 160 LF of ½" refrigerant piping with insulation, (1) two post auto lift (S-9F, superlifts.com), and (2) pipe, flanged, welded and special type flanged joints, C.I. standard weight 8" pipe size (tee, and straight). Remove 8' X 10', 1,085 LF of chain link fence, posts and fabric. Hazard mitigation will be achieved by compliance with codes and standards and good construction practices.

- ☐ (Short version) All consultation and agreements implemented to comply with the National Historic Preservation Act, Endangered Species Act, and Executive Orders 11988, 11990 and 12898 are completed and no other laws apply. **(Review Concluded)**
- ☒ (Long version) All applicable laws and executive orders were reviewed. Additional information for compliance is attached to this REC.

## **National Environmental Policy Act (NEPA) Determination**

- ☐ Statutorily excluded from NEPA review. **(Review Concluded)**
- ☐ Programmatic Categorical Exclusion - Category **(Review Concluded)**
- ☐ Categorical Exclusion - Category
- ☐ No Extraordinary Circumstances exist.  
Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Extraordinary Circumstances exist (See Section IV).  
☐ Extraordinary Circumstances mitigated. (See Section IV comments)  
Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Environmental Assessment
- ☐ Supplemental Environmental Assessment (Reference EA or PEA in comments)
- ☒ Environmental Impact Statement

**Comments:** Although this project would have qualified as a CATEX (XV) under 44 CFR Part 10.8 (D) (2), this project meets the definition of Critical Infrastructure (Government & Administration Building) under the Alternative Arrangements for NEPA Compliance. This project has conditions and requires mitigation under the other Environmental and Historic Preservation (EHP) Laws, which are listed under the NEPA Level of Environmental Review in the Project Worksheet. Any changes to this approved Scope of Work will require submission to, and evaluation and approval by, the state and FEMA prior to initiation of any work, for compliance with the National Environmental Policy Act. The applicant is required to obtain and comply with all local, state and federal permits and requirements. Non-compliance with the requirements noted above may jeopardize the receipt of federal funding.

## **Reviewer and Approvals**

☐ Project is Non-Compliant (See attached documentation justifying selection).

FEMA Environmental Reviewer.

Name: June R. Griffin, Environmental/Floodplain Specialist

Signature \_\_\_\_\_ Date 9/29/06

FEMA Regional Environmental Officer or delegated approving official.

Name: Howard R. Bush, ELO

Signature  Date 9/29/06

### **I. Compliance Review for Environmental Laws (other than NEPA)**

#### **A. National Historic Preservation Act**

- ☐ Not type of activity with potential to affect historic properties. **(Review Concluded)**
- ☒ Applicable executed Programmatic Agreement, December 03, 2004. Otherwise, conduct standard Section 106 review.
- ☒ Activity meets Programmatic Allowances, Appendix A, Section I (E, II.A1, II. A2, II.A4, II.B1, & II.C1).
- Are project conditions required? ☒ Yes (see Section V) ☐ No **(Review Concluded)**

#### **HISTORIC BUILDINGS AND STRUCTURES**

- ☐ No historic properties that are listed or 45/50 years or older in project area. **(Review Concluded)**
- ☐ Building or structure listed or 45/50 years or older in project area and activity not exempt from review.
- ☐ Determination of No Historic Properties Affected (FEMA finding/SHPO/THPO concurrence on file)
- Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Determination of Historic Properties Affected (FEMA finding/SHPO/THPO concurrence on file)
- ☐ Property a National Historic Landmark and National Park Service was provided early notification during the consultation process. If not, explain in comments
- ☐ No Adverse Effect Determination (FEMA finding/SHPO/THPO concurrence on file).
- Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Adverse Effect Determination (FEMA finding/SHPO/THPO concurrence on file)
- ☐ Resolution of Adverse Effect completed. (MOA on file)
- Are project conditions required ☐ Yes (see section V) ☐ No **(Review Concluded)**

#### **ARCHEOLOGICAL RESOURCES**

- ☒ Project affects only previously disturbed ground. **(Review Concluded)**
- ☐ Project affects undisturbed ground.
- ☐ Project area has no potential for presence of archeological resources
- ☐ Determination of no historic properties affected (FEMA finding/SHPO/THPO concurrence or consultation on file). **(Review Concluded)**
- ☐ Project area has potential for presence of archeological resources
- ☐ Determination of no historic properties affected (FEMA finding/SHPO/THPO concurrence on file)
- Are project conditions required ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Determination of historic properties affected
- ☐ NR eligible resources not present (FEMA finding/SHPO/THPO concurrence on file).
- Are project conditions required ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ NR eligible resources present in project area. (FEMA finding/ SHPO/THPO concurrence on file)

- ☐ No Adverse Effect Determination. (FEMA finding/ SHPO/THPO concurrence on file)  
Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Adverse Effect Determination. (FEMA finding/ SHPO/THPO concurrence on file)  
☐ Resolution of Adverse Effect completed. (MOA on file)  
Are project conditions required? ☐ Yes (see section V) ☐ No  
**(Review Concluded)**

**Comments:** 9.29.06 - FEMA's Programmatic Agreement (PA), dated December 3, 2004, provides for expedited project review under Section 106 of the National Historic Preservation Act (NHPA). The scope of work as submitted in this PW has been reviewed and meets the criteria outlined in Appendix A, Programmatic Allowances, Section I.E; II.A.1; II.A.2; II.A.4; II.B.1; and II.C.1 of the document. In accordance with the PA, FEMA is not required to determine the National Register Eligibility of properties or to submit projects to the State Historic Preservation Officer (SHPO) for review where the work performed meets these allowances. In keeping with the stipulations of the PA, all proposed repair activities should be done in-kind to match existing materials and form. Any change to the approved Scope of Work will require resubmission for re-evaluation under Section 106 and consultation with the SHPO. Non-compliance may jeopardize the receipt of federal funding. This concludes the Section 106 review for this project. James Crouch, Historic Preservation Specialist.

**Correspondence/Consultation/References:**

## B. Endangered Species Act

- ☒ No listed species and/or designated critical habitat present in areas affected directly or indirectly by the Federal action. **(Review Concluded)**
- ☐ Listed species and/or designated critical habitat present in the areas affected directly or indirectly by the Federal action.
- ☐ No effect to species or designated critical habitat. (See comments for justification)  
Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ May affect, but not likely to adversely affect species or designated critical habitat (FEMA determination/USFWS/NMFS concurrence on file) **(Review Concluded)**  
Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Likely to adversely affect species or designated critical habitat  
☐ Formal consultation concluded. (Biological Assessment and Biological Opinion on file)  
Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

**Comments:** None

## C. Coastal Barrier Resources Act

- ☒ Project is not on or connected to CBRA Unit or Otherwise Protected Area **(Review Concluded)**.
- ☐ Project is on or connected to CBRA Unit or Otherwise Protected Area. (FEMA determination/USFWS consultation on file)
- ☐ Proposed action an exception under Section 3505.a.6? **(Review Concluded)**
- ☐ Proposed action not excepted under Section 3505.a.6.  
Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

**Comments:** None

**Correspondence/Consultation/References:**

**D. Clean Water Act**

- ☒ Project would not affect any waters of the U.S. **(Review Concluded)**
- ☐ Project would affect waters, including wetlands, of the U.S.
- ☐ Project exempted as in kind replacement or other exemption. **(Review Concluded)**
- ☐ Project requires Section 404/401/or Section 9/10 (Rivers and Harbors Act) permit, including qualification under Nationwide Permits.
- Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* Project is not in or adjacent to any waterways of the U.S.

*Correspondence/Consultation/References:*

**E. Coastal Zone Management Act**

- ☐ Project is not located in a coastal zone area and does not affect a coastal zone area **(Review concluded)**
- ☒ Project is located in a coastal zone area and/or affects the coastal zone
- ☒ State administering agency does not require consistency review. **(Review Concluded)**
- ☐ State administering agency requires consistency review.
- Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* This project is located within the Louisiana Coastal Management Zone. La DNR has determined that receipt of federal assistance is consistent with the Louisiana Coastal Resource Program. Projects within the Coastal Zone may still require a Coastal Use Permit or other authorization from DNR. Projects may be coordinated by contacting LA DNR at 1-800-276-4019. *Correspondence/Consultation/References:*

**F. Fish and Wildlife Coordination Act**

- ☒ Project does not affect, control, or modify a waterway/body of water. **(Review Concluded)**
- ☐ Project affects, controls or modifies a waterway/body of water.
- ☐ Coordination with USFWS conducted
- ☐ No Recommendations offered by USFWS. **(Review Concluded)**
- ☐ Recommendations provided by USFWS.
- Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* Project is not in or adjacent to any waterways of the U.S.

*Correspondence/Consultation/References:*

**G. Clean Air Act**

- ☒ Project will not result in permanent air emissions. **(Review Concluded)**
- ☐ Project is located in an attainment area. **(Review Concluded)**
- ☐ Project is located in a non-attainment area.
- ☐ Coordination required with applicable state administering agency..
- Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* Project will not result in permanent air emissions.

*Correspondence/Consultation/References:*

**H. Farmland Protection Policy Act**

- ☒ Project does not affect designated prime or unique farmland. **(Review Concluded)**
- ☐ Project causes unnecessary or irreversible conversion of designated prime or unique farmland.
- ☐ Coordination with Natural Resource Conservation Commission required.
- ☐ Farmland Conversion Impact Rating, Form AD-1006, completed.
- Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* None

Correspondence/Consultation/References:

## I. Migratory Bird Treaty Act

- ☐ Project not located within a flyway zone. **(Review Concluded)**
- ☒ Project located within a flyway zone.
- ☒ Project does not have potential to take migratory birds. **(Review Concluded)**
- Are project conditions required? ☐ Yes (see section V) ☒ No **(Review Concluded)**
- ☐ Project has potential to take migratory birds
- ☐ Contact made with USFWS
- Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* See letter from Don Fairley to Mr. Russ Watson with USF&WS, dated 09/14/2005. Specifically, FEMA has determined that restoration projects funded with federal resources will not have adverse impacts on migratory birds or other fish and wildlife reserves. These determinations are based on the understanding that the conditions outlined in the Louisiana Endangered Species Summary are met.

*Correspondence/Consultation/References:* [http://pacificflyway.gov/Documents/Mississippi\\_map.pdf](http://pacificflyway.gov/Documents/Mississippi_map.pdf).

## J. Magnuson-Stevens Fishery Conservation and Management Act

- ☒ Project not located in or near Essential Fish Habitat. **(Review Concluded)**
- ☐ Project located in or near Essential Fish Habitat.
- ☐ Project does not adversely affect Essential Fish Habitat. **(Review Concluded)**
- Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Project adversely affects Essential Fish Habitat (FEMA determination/USFWS/NMFS concurrence on file)
- ☐ NOAA Fisheries provided no recommendation(s) **(Review Concluded)**
- Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ NOAA Fisheries provided recommendation(s)
- ☐ Written reply to NOAA Fisheries recommendations completed.
- Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* None

*Correspondence/Consultation/References:*

## K. Wild and Scenic Rivers Act

- ☒ Project is not along and does not affect Wild or Scenic River (WSR) - **(Review Concluded)**
- ☐ Project is along or affects WSR
- ☐ Project adversely affects WSR as determined by NPS/USFS. **FEMA cannot fund the action.**  
(NPS/USFS/USFWS/BLM consultation on file) **(Review Concluded)**
- ☐ Project does not adversely affect WSR. (NPS/USFS/USFWS/BLM consultation on file)
- Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* None

*Correspondence/Consultation/References:*

**L. Other Relevant Laws and Environmental Regulations****II. Compliance Review for Executive Orders****A. E.O. 11988 - Floodplains**

- ☐ No Effect on Floodplains/Flood levels and project outside Floodplain - **(Review Concluded)**
- ☒ Located in Floodplain or Effects on Floodplains/Flood levels
- ☐ No adverse effect on floodplain and not adversely affected by the floodplain. **(Review Concluded)**  
Are project conditions required? ☐ Yes (see section V) ☐ No **(Review Concluded)**
- ☐ Beneficial Effect on Floodplain Occupancy/Values **(Review Concluded)**
- ☒ Possible adverse effects associated with investment in floodplain, occupancy or modification of floodplain environment
- ☒ 8 Step Process Complete - documentation on file  
Are project conditions required? ☒ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* 09/28/06- The City of New Orleans / Orleans Parish is enrolled in the National Flood Insurance Program (NFIP) as of 08-03-70, as determined per Flood Insurance Rate Map (FIRM) Panel Number 2252030160E, dated 03-01-84. Facility is located within an "A1" Zone, area of 100-yr flooding, Base Flood Elevations and Flood Hazard Factors. The project is the repair of building and the replacement of equipment and components, as per 44 CFR 9.11, mitigation or minimization standards must be applied. Where possible, building contents, materials, and equipment (mechanical or electrical) must be elevated to or above Advisory Base Flood Elevations. In compliance with EO 11988, an 8-Step Process was completed and is attached. Per 44 CFR 9.12, applicant must publish a final Public Notice 15 days prior to the start of construction activities. Final Public Notice is to be forwarded to the LAGOHS/OEP and FEMA for inclusion in the permanent Project Files. A Cramer FPM Specialist.

*Correspondence/Consultation/References:*

**B. E.O. 11990 - Wetlands**

- ☒ No Effects on Wetland(s) and project located outside Wetland(s) - **(Review Concluded)**
- ☐ Located in Wetland or effects Wetland(s)
- ☐ Beneficial Effect on Wetland - **(Review Concluded)**
- ☐ Possible adverse effect associated with constructing in or near wetland
- ☐ Review completed as part of floodplain review
- ☐ 8 Step Process Complete - documentation on file  
Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* None

*Correspondence/Consultation/References:*

**C. E.O. 12898 - Environmental Justice For Low Income and Minority Populations**

- ☒ No Low income or minority population in, near or affected by the project - **(Review Concluded)**
- ☐ Low income or minority population in or near project area
- ☐ No disproportionately high and adverse impact on low income or minority population- **(Review Concluded)**
- ☐ Disproportionately high or adverse effects on low income or minority population  
Are project conditions required? ☐ YES (see section V) ☐ NO **(Review Concluded)**

*Comments:* None

*Correspondence/Consultation/References:*

### **III. Other Environmental Issues**

Identify other potential environmental concerns in the comment box not clearly falling under a law or executive order (see environmental concerns scoping checklist for guidance).

Comments: None

Correspondence/Consultation/References:

### **IV. Extraordinary Circumstances**

Based on the review of compliance with other environmental laws and Executive Orders, and in consideration of other environmental factors, review the project for extraordinary circumstances.

\* A "Yes" under any circumstance may require an Environmental Assessment (EA) with the exception of (ii) which should be applied in conjunction with controversy on an environmental issue. If the circumstance can be mitigated, please explain in comments. If no, leave blank.

**Yes**

- ☐ (i) Greater scope or size than normally experienced for a particular category of action
- ☐ (ii) Actions with a high level of public controversy
- ☐ (iii) Potential for degradation, even though slight, of already existing poor environmental conditions;
- ☐ (iv) Employment of unproven technology with potential adverse effects or actions involving unique or unknown environmental risks;
- ☐ (v) Presence of endangered or threatened species or their critical habitat, or archaeological, cultural, historical or other protected resources;
- ☐ (vi) Presence of hazardous or toxic substances at levels which exceed Federal, state or local regulations or standards requiring action or attention;
- ☐ (vii) Actions with the potential to affect special status areas adversely or other critical resources such as wetlands, coastal zones, wildlife refuge and wilderness areas, wild and scenic rivers, sole or principal drinking water aquifers;
- ☐ (viii) Potential for adverse effects on health or safety; and
- ☐ (ix) Potential to violate a federal, state, local or tribal law or requirement imposed for the protection of the environment.
- ☐ (x) Potential for significant cumulative impact when the proposed action is combined with other past, present and reasonably foreseeable future actions, even though the impacts of the proposed action may not be significant by themselves.

Comments: None

### **V. Environmental Review Project Conditions**

#### **Project Conditions:**

1. In keeping with the stipulations of the PA, all proposed repair activities should be done in-kind to match existing materials and form. Any change to the approved Scope of Work will require resubmission for re-evaluation under Section 106 and consultation with the SHPO. Non-compliance may jeopardize the receipt of federal funding. This concludes the Section 106 review for this project.

2. Per 44 CFR 9.11, mitigation or minimization standards must be applied. Where possible, building contents, materials, and equipment (mechanical or electrical) must be elevated to or above Advisory Base Flood Elevations. In compliance with EO 11988, an 8-Step Process was completed and is attached. Per 44 CFR 9.12, applicant must publish a final Public Notice 15 days prior to the start of construction activities. Final Public Notice is to be forwarded to the LAGOHS/OEP and FEMA for inclusion in the permanent project files.
- 3 Removal and disposal of debris containing household hazardous waste and certain categories of liquid wastes must be performed in accordance with all applicable federal and state laws, regulations, executive orders and guidelines. Lac Title 33 Part VII requires that specified items, including lead acid batteries, used oil filters, used motor oil, scrap tires, CFC's (refrigerants), radioactive waste or regulated infectious wastes must be segregated from and excluded from non-hazardous debris collection, staging, processing and disposal sites.
4. In accordance with the Formosan Termite Initiative Act, (LA. R.S. 3:3391.1 thru 3391.13) the Louisiana Parishes of Calcasieu, Cameron, Jefferson Davis, Orleans, Jefferson, Plaquemines, St. Bernard, St. Charles, St. John the Baptist, St. Tammany, Tangipahoa and Washington are under quarantine. The movement of wood or cellulose material, temporary housing or architectural components (e.g. beams, doors and other wood salvaged from a structure) may not leave the quarantined parishes without written authorization from the commissioner of the Louisiana Department of Agriculture and Forestry or his designee(s).
5. The applicant is responsible for ensuring that these devices are recovered, recycled, reused or sequestered in accordance with the Louisiana Department of Environmental Quality (LDEQ) "Declaration of Emergency; mercury-containing devices and electronic equipment as universal waste" letter dated October 3, 2005.

**Monitoring Requirements:** None