# Record of Environmental Consideration

REVISED FOR FEMA ENVIRONMENTAL -- LOUISIANA - April 2007

See 44 Code of Federal Regulation Part 10

Project Name/Number: Plaquemines Medical Center /FIPS # 075-UWJE6-00, PW # 10364v2

**Applicant Name:** Plaquemines Medical Center Services District # 1

Project Location: 374 Civic Dr., Port Sulfur, LA 70083, Latitude: 29.47451, Longitude: -89.69677

#### **Project Description:**

On August 29, 2005, the building envelope and internal components of Plaquemines Medical Center (PMC) were severely damaged by the coastal inundation and storm surge caused by Hurricane Katrina. Plaquemines Medical Center is a four wing, one story, masonry frame with brick façade, precast concrete roof deck and ballasted built-up roof facility, elevated eight feet above adjacent grade and measuring 26,833 square feet. It was built in 1962. The flooding was at a depth of over 12 feet above the finished floor. This building was substantially damaged and meets the 50% rule for replacement. This review only addresses the demolition and replacement of the existing Plaquemines Medical Center.

## National Environmental Policy Act (NEPA) Determination

	•			
	Statutorily excluded from NEPA review (Review Concluded)			
	Programmatic Categorical Exclusion - (Review Concluded)			
	Categorical Exclusion - Category xii,xv			
_	No Extraordinary Circumstances exist.			
	Are project conditions required?  Yes (see section V)  No (Review Concluded)			
	Extraordinary Circumstances exist (see Section IV).			
	Extraordinary Circumstances mitigated. (see Section IV comments)			
	Are project conditions required? Yes (see section V) No (Review Concluded)			
	Alternative Arrangements			
	Public Involvement Plan (see reference below)			
	Environmental Assessment			
	Supplemental Environmental Assessment (Reference EA or PEA in comments)			
	Environmental Impact Statement			
	Scope of work requires public involvement plan			
or di recoi	iments: This project is consistent with categorical exclusion xii, xv: Demolition of structures and other improvements sposal of uncontaminated structures and other improvements to permitted off-site locations, or both; repair, instruction, restoration, elevation, retrofitting, upgrading to current codes and standards, or replacement of any facility in inner that substantially conforms to the preexisting design, function, and location.			
	Project is Non-Compliant (see attached documentation justifying selection).			
Rev	viewer and Approvals			
EEA	MA Environmental Reviewer:			
ivan	ne: Tiffany Spann, Environmental Specialist, FEMA LA TRO			
Sign	Date 3 26 08.			

Record of Environmental Consideration (Version April 2007)

FEMA Environmental Liason Officer or Delegated Approving Official: Name: Cynthia Teeter, Deputy Environmental Liaison Officer, FEMA LA TRO

Reviewer Name: Tiffany Spann FEMA-1603/1607-DR-LA	Project Name/Env Database No: Plaquemines Medical Center PW 10364v2  Parish: Plaquemines
C $A$ $C$ $A$	•
	Date 27 Murch OS.
I. Compliance Review for Env	vironmental Laws (other than NEPA)
Activity meets Programmatic Agreement, December Are project conditions required? Yes (see Secti	tructures or archaeological resources (Review Concluded) 3, 2004. Appendix A: Allowance No. I A on V) No structures or archeological sites, must conduct standard Section 106
Are project conditions required? Yes ( Determination of Historic Properties Affect Property a National Historic Lands during the consultation process. If No Adverse Effect Determination Are project conditions required? Adverse Effect Determination (FE	or older in project area. (Review Concluded) In project area and activity not exempt from review. Ifected (FEMA finding/SHPO/THPO concurrence on file) Issee Section V) No (Review Concluded) Ited (FEMA finding/SHPO/THPO concurrence on file) In the mark and National Park Service was provided early notification
(Review Concluded)  ☐ Project area has potential for presence of ar ☐ Determination of no historic prop Are project conditions required ☐ ☐ Determination of historic properti ☐ NR eligible resources not p Are project conditions r ☐ NR eligible resources prese ☐ No Adverse Effect ☐ Are project condition ☐ Adverse Effect Determination of no historic propertion ☐ Adverse Effect Determination of no historic propertion ☐ Adverse Effect Determination of historic propertion of historic propert	isted with an historic structure  f archeological resources crties affected (FEMA finding/SHPO/THPO concurrence on file)  cheological resources crties affected (FEMA finding/SHPO/THPO concurrence on file)  Yes (see Section V)  No (Review Concluded) ces affected cresent (FEMA finding/SHPO/THPO concurrence on file) crequired Yes (see Section V) No (Review Concluded) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file) cent in project area (FEMA finding/SHPO/THPO concurrence on file)
Comments: FEMA, in consultation with the State Historical will be affected during the demolition and rebuilding of Correspondence/Consultation/References: Amber Man	
(Review Concluded)  ☐ Listed species and/or designated critical habitat pres ☐ No effect to species or designated critical h	see Section V) No (Review Concluded)

Reviewer Name: Tiffany Spann FEMA-1603/1607-DR-LA	Project Name/Env Database No: Plaquemines Medical Center PW 10364v2 Parish: Plaquemines
☐ May affect, but not likely to adversely affect of determination/USFWS/NMFS concurrence on file Are project conditions required? ☐ Yes (see ☐ Likely to adversely affect species or designate ☐ Formal consultation concluded. (Bio Are project conditions required? ☐	le) (Review Concluded) e Section V) \( \sum \) No (Review Concluded)
Comments: Correspondence/Consultation/References: Endangered Sdated September 15, 2005	Species Summary for USFWS Consultation, letter to Don Fairley
C. Coastal Barrier Resources Act  Project is not on or connected to CBRA Unit or Others Project is on or connected to CBRA Unit or Otherwise file)  Proposed action an exception under Section 3 Proposed action not excepted under Section 3	Protected Area. (FEMA determination/USFWS consultation on 5505.a.6 (Review Concluded)
Are project conditions required? YES (se	
Comments: Project is not within a CBRA zone.  Correspondence/Consultation/References: Louisiana Con	astal Barrier Resource System Maps referenced March 26, 2008
D. Clean Water Act  ☐ Project would not affect any waters of the U.S. (Revie) ☐ Project would affect waters, including wetlands, of the ☐ Project exempted as in kind replacement or or ☐ Project requires Section 404/401 of Clean Waincluding qualification under Nationwide Per Are project conditions required? ☐ YES (so ☐ Project would affect waters of the U.S. by discharging	ther exemption. (Review Concluded) atter Act or Section 9/10 of Rivers and Harbors Act permit, mits. ee Section V) \[ \sum \text{NO} \frac{(Review Concluded)}{\}
Comments: Correspondence/Consultation/References: USFWS Nation March 26, 2008	tional Wetlands Inventory map (http://www.fws.gov/nwi/) queried
Concluded).	the coastal zone ering agency does not require consistency review. (Review affect a waterway, state administering agency requires
Comments: This project is located within the Louisiana C Department of Natural Resources for permitting or other a Correspondence/Consultation/References: Louisiana Co.	
F. Fish and Wildlife Coordination Act Project does not affect, control, or modify a waterway/ Project affects, controls or modifies a waterway/body Coordination with USFWS conducted No Recommendations offered by USF Recommendations provided by USF Are project conditions required?	/body of water. (Review Concluded) of water.  SFWS. (Review Concluded)

FEMA-1603/1607-DR-LA	Parish: Plaquemines
Comments:	
Correspondence/Consultation/Referen	ces: Tiffany Spann, Environmental Specialist
	rea. (Review Concluded)
quality from vehicle emissions and fugit	des activities that would produce a minor, temporary, and localized impact on air tive dust particles. No long-term air quality impact is anticipated.
Project does not affect designated project causes unnecessary or irreve Coordination with Natural Farmland Conver	
Comments: Correspondence/Consultation/Referen	ces: http://websoilsurvey.nrcs.usda.gov/app/
I. Migratory Bird Treaty  ☐ Project not located within a flyway zone ☐ Project located within a flyway zone ☐ Project does not have poter Are project conditions requ ☐ Project has potential to take ☐ Contact made wit	Act zone (Review Concluded) e. ntial to take migratory birds (Review Concluded) uired? Yes (see section V) No (Review Concluded) e migratory birds.
USFWS migratory bird management pro	urbed area with little value to migratory birds and would not be included in the ogram.  ces: USFWS guidance letter dated September 27, 2005.
Project not located in or near Essent Project located in or near Essential F Project does not adversely after Essential F Are project conditions required Project adversely affects Essential F NOAA Fisheries p Are project conditions Project C	

# Comments: Project is not located in or near any surface waters with the potential to affect EFH species. Correspondence/Consultation/References: Tiffany Spann, Environmental Specialist

### K. Wild and Scenic Rivers Act

Reviewer Name: Tiffany Spann FEMA-1603/1607-DR-LA	Project Name/Env Database No: Plaquemines Medical Center PW 10364v2 Parish: Plaquemines				
Project is not along and does not affect Wild or Scenic Project is along or affects WSR  Project adversely affects WSR as determined (NPS/USFS/USFWS/BLM consultation on fil Project does not adversely affect WSR. (NPS Are project conditions required? YES (see	by NPS/USFS. FEMA cannot fund the action. le) (Review Concluded) S/USFS/USFWS/BLM consultation on file)				
Comments: Correspondence/Consultation/References: National Wile	d and Scenic Rivers http://www.nps.gov/rivers/wildriverslist.html.				
L. Resource Conservation and Recove	L. Resource Conservation and Recovery Act				
items (or evidence thereof) are discovered during impleme	d of in an approved manner and location. In the event significant entation of the project, applicant shall handle, manage, and as asbestos and lead based paint) and/or toxic waste in accordance g local, state and federal agencies.				
M. Other Relevant Laws and Environn	nental Regulations				
In accordance with the Formosan Termite Initiative Act, (I Plaquemines is under quarantine. The movement of wood components (e.g. beams, doors and other wood salvaged fi	LA R.S. 3:3391.1 thru 3391.13) the Louisiana Parish of,				
Are project conditions required?  Yes (see Beneficial Effect on Floodplain Occupancy/V Possible adverse effects associated with invessenvironment  8 Step Process Complete - document Are project conditions required?  A Final Public Notice is required	side Floodplain - (Review Concluded) Levels resely affected by the floodplain. (Review Concluded), Exercise Section V) \( \sum \) No (Review Concluded) Values (Review Concluded). Extraction on file YES (see Section V) \( \sum \) NO (Review Concluded)				
Comments: The Plaquemines Parish is enrolled in the Na is located within an "A99" zone, area of 100-yr flood to be flood elevations and flood hazard factors not determined. Correspondence/Consultation/References: Aaron Clark,	tional Flood Insurance Program (NFIP) as of 05/01/1985. The site e protected by flood protection systems under construction; base CFM, Floodplain				
B. E.O. 11990 - Wetlands  No Effects on Wetland(s) and/or project located outside Located in Wetland or effects Wetland(s)  Beneficial Effect on Wetland - (Review Concerns and Possible adverse effect associated with construction Review completed as part of floodples 8 Step Process Complete - document Are project conditions required?  Comments:  Correspondence/Consultation/References: USEWS NW	cluded) ructing in or near wetland ain review tation on file YES (see Section V) \( \sum \) NO \( \frac{(Review Concluded)}{(Review Concluded)} \)				

C. E.O. 128	198 - Environmental Justice for Low Income and Minority Populations						
Project scope	Project scope of work has no potential to adversely impact any population (Review Concluded)						
☐ No Low incom	ne or minority population in, near or affected by the project based on information gathered from [add a						
reference] (Revie	w Concluded)						
Low income o	r minority population in or near project area						
☐ No d	isproportionately high and adverse impact on low income or minority population (Review Concluded)						
	oportionately high or adverse effects on low income or minority population						
Are p	roject conditions required? YES (see Section V) NO (Review Concluded)						
Comments:	Communication / Deference on Tiffens Sugar Franciscommunical Supplicit						
Correspondence/	Consultation/References: Tiffany Spann, Environmental Specialist						
TTT 0/1 T	7						
III. Other I	Environmental Issues						
Comments: None							
Correspondence/	Consultation/Reference:						
IV Extraor	dinary Circumstances						
IV. Extraur	umary Circumstances						
••							
Yes							
	reater scope or size than normally experienced for a particular category of action						
	ctions with a high level of public controversy						
_ ` ′	Potential for degradation, even though slight, of already existing poor environmental						
	itions;						
	Employment of unproven technology with potential adverse effects or actions involving						
	ne or unknown environmental risks;						
	resence of endangered or threatened species or their critical habitat, or archaeological,						
	ral, historical or other protected resources;						
	Presence of hazardous or toxic substances at levels which exceed Federal, state or local						
	ations or standards requiring action or attention;						
	Actions with the potential to affect special status areas adversely or other critical resources						
	as wetlands, coastal zones, wildlife refuge and wilderness areas, wild and scenic rivers,						
	or principal drinking water aquifers;						
	Potential for adverse effects on health or safety; and						
	Potential to violate a federal, state, local or tribal law or requirement imposed for the						
	ction of the environment.						
	otential for significant cumulative impact when the proposed action is combined with						
	past, present and reasonably foreseeable future actions, even though the impacts of the						
propo	osed action may not be significant by themselves.						
Comments:							

### V. Environmental Review Project Conditions

**Project Conditions:** 

### The following conditions apply as a condition of FEMA funding reimbursement:

1. Unusable equipment, debris and material shall be disposed of in an approved manner and location. In the event significant items (or evidence thereof) are discovered during implementation of the project, applicant shall handle, manage, and dispose of petroleum products, hazardous materials (such as asbestos and lead based paint) and/or toxic waste in accordance to the requirements and to the satisfaction of the governing local, state and federal agencies.

Project Name/Env Database No: Plaquemines Medical Center PW 10364v2 Parish: Plaquemines

Reviewer Name: Tiffany Spann FEMA-1603/1607-DR-LA

2. In accordance with the Formosan Termite Initiative Act, (LA R.S. 3:3391.1 thru 3391.13) the Louisiana Parish of, Plaquemines is under quarantine. The movement of wood or cellulose material, temporary housing or architectural components (e.g. beams, doors and other wood salvaged from a structure) may not leave the quarantined parishes without written authorization from the Commissioner of the Louisiana Department of Agriculture and Forestry or his designee(s).

- 3. Per Clean Air Act National Emission Standards for Hazardous Air Pollutant regulations and Louisiana Administrative Code 33: III 5151, demolition activities related to Possible Asbestos-Containing Materials (PACM) must be inspected for ACM/PACM where it is safe to do so. ACM/PACM must be handled in accordance with local, state and federal regulations and disposed of at approved facilities that accept ACM. Demolition activity notification must be sent to the LDEQ before work begins.
- 4. Applicant should ensure that Best Management Practices are taken to minimize the generation of fugitive dust during construction activities.
- 5. This project is located within the Louisiana Coastal Management Zone. Applicant must check with Louisiana Department of Natural Resources for permitting or other authorization requirements.
- 6. If during the course of work, archaeological artifacts (prehistoric or historic) or human remains are discovered, the applicant shall stop work in the vicinity of the discovery and take all reasonable measures to avoid or minimize harm to the finds. The applicant shall inform their Public Assistance (PA) contacts at FEMA, who will in turn contact FEMA Historic Preservation (HP) staff. The applicant will not proceed with work until FEMA HP completes consultation with the SHPO. In addition, if unmarked graves are present, compliance with the Louisiana Unmarked Human Burial Sites Preservation Act (R.S. 8:671 et seq.) is required. The applicant shall notify the law enforcement agency of the jurisdiction where the remains are located within twenty-four hours of the discovery. The applicant shall also notify FEMA and the Louisiana Division of Archaeology at 225-342-8170 within seventy-two hours of the discovery. Failure to comply with these stipulations may jeopardize receipt of FEMA funding.
- 7. Project should be coordinated and comply with local floodplain administration and ordinance and obtain all (if any) permits required.