Reviewer Name: June R. Griffin

Applicant: St. Bernard Port Harbor & Terminal District

Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina / Public Assistance Program/Sanitary Sewer System

Record of Environmental Consideration

See 44 Code of Federal Regulation Part 10.

Project Name/Number: Sanitary Sewer System / PW 10667			
Project Location: 9020 River Road, St. Bernard, Louisiana, St. Bernard Parish (N29.93345, W-89.98186)			
<u>Project Description</u> : Project activities include removing and replacing the Motor Control Center (MCC) Cabinet, 3HP Submersible Pumps at Station SL5, SL7, SL8, SL9 and remove and replace Force Main from Pump Station SL8. Hazard Mitigation will be achieved by building a platform for the Motor Control Center (MCC) and by elevating the motor control center (MCC) to a height above 4 FT.			
(Short version) All consultation and agreements implemented to comply with the National Historic Preservation Act, Endangered Species Act, and Executive Orders 11988, 11990 and 12898 are completed and no other laws apply. (Review Concluded)			
(Long version) All applicable laws and executive orders were reviewed. Additional information for compliance is attached to this REC.			
National Environmental Policy Act (NEPA) Determination			
Statutorily excluded from NEPA review. (Review Concluded) Programmatic Categorical Exclusion - Category (Review Concluded) Categorical Exclusion - Category No Extraordinary Circumstances exist. Are project conditions required? Yes (see section V) No (Review Concluded) Extraordinary Circumstances exist (See Section IV). Extraordinary Circumstances mitigated. (See Section IV comments) Are project conditions required? Yes (see section V) No (Review Concluded) Environmental Assessment Supplemental Environmental Assessment (Reference EA or PEA in comments) Environmental Impact Statement			
Comments: This project meets the criteria for an Alternative Arrangement for (Utilities & Wastewater Treatment Plants) type of project. This project has conditions and requires mitigation under other EHP laws which are listed under the NEPA level of environmental review in the project worksheet. Any changes to this approved scope of work will require submission to, and evaluation and approval by, the State and FEMA prior to initiation of any work, for compliance with the National Environmental Policy Act. The applicant is required to obtain and comply with all local, state and federal permits and requirements. Non-compliance with the requirements noted above may jeopardize the receipt of federal funding.			

Re	viewer and Approvals
	Project is Non-Compliant (See attached documentation justifying selection).
FEN	AA Environmental Reviewer.
Nar	ne: June R. Griffin, Environmental Specialist
Sign	nature / Line 18, 21/06 Date 8/21/06
Ū	9
FEN	AA Regional Environmental Officer or delegated approving official.
	ne: Howard R. Bush, ELO
Sign	nature Date
I	Compliance Review for Environmental Laws (other than NEPA)
	National Historic Preservation Act
	Not type of activity with potential to affect historic properties. (Review Concluded) Applicable executed Programmatic Agreement, 12/03/04. Otherwise, conduct standard Section 106 review.
	Activity meets Programmatic Allowances, Appendix A, Section I (A & C).
	Are project conditions required? \(\sigma\) Yes (see section V) \(\sigma\) No (Review Concluded)
_	HISTORIC BUILDINGS AND STRUCTURES
	No historic properties that are listed or 45/50 years or older in project area. (Review Concluded)
☐ t	Building or structure listed or 45/50 years or older in project area and activity not exempt from review. Determination of No Historic Properties Affected (FEMA finding/SHPO/THPO concurrence on file)
	Are project conditions required? Yes (see section V) No (Review Concluded)
	Determination of Historic Properties Affected (FEMA finding/SHPO/THPO concurrence on file)
	Property a National Historic Landmark and National Park Service was provided early notification
	during the consultation process. If not, explain in comments
	No Adverse Effect Determination (FEMA finding/SHPO/THPO concurrence on file).
	Are project conditions required? Yes (see section V) No (Review Concluded) Adverse Effect Determination (FEMA finding/SHPO/THPO concurrence on file)
	Resolution of Adverse Effect completed. (MOA on file)
	Are project conditions required \(\text{Yes} \) Yes (see section V) \(\text{No } \) No \(\text{(Review Concluded)} \)
	ARCHEOLOGICAL RESOURCES
	Project affects only previously disturbed ground. (Review Concluded)
Ш 1	roject affects undisturbed ground. Project area has no potential for presence of archeological resources
	Determination of no historic properties affected (FEMA finding/SHPO/THPO concurrence or
	consultation on file). (Review Concluded)
	Project area has potential for presence of archeological resources
	Determination of no historic properties affected (FEMA finding/SHPO/THPO concurrence on file)
	Are project conditions required \(\sum \) Yes (see section V) \(\sum \) No \(\frac{(Review Concluded)}{(Review Concluded)} \)
	☐ Determination of historic properties affected ☐ NR eligible resources not present (FEMA finding/SHPO/THPO concurrence on file).
	Are project conditions required Yes (see section V) No (Review Concluded)
	NR eligible resources present in project area. (FEMA finding/ SHPO/THPO concurrence on
	file)
	☐ No Adverse Effect Determination. (FEMA finding/ SHPO/THPO concurrence on file)

Applicant: St. Bernard Port Harbor & Terminal District Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina / Public Assistance Program/Sanitary Sewer System
Are project conditions required? Yes (see section V) No (Review Concluded)
Adverse Effect Determination. (FEMA finding/ SHPO/THPO concurrence on file)
Resolution of Adverse Effect completed. (MOA on file)
Are project conditions required? Yes (see section V) No
(Review Concluded)
(Review Concluded)
Comments: 8/17/2006 - Historic review complete. Scope of work indicates ground disturbing activities associated with
repair to the lift station, the pumps, and pipes in addition to the hazard mitigation proposal. Upon consultation of SHPO
data, there are no known archaeological sites within .25 miles of the project area. Therefore, scope of work meets
Programmatic Agreement (12/3/2004) Allowances, Appendix A, Section I, E and I. If during the course of work,
archaeological artifacts (prehistoric or historic) or human remains are discovered, the applicant shall stop work in the
vicinity of the discovery and take all reasonable measures to avoid or minimize harm to the finds. The applicant shall
inform their Public Assistance (PA) contacts at FEMA, who will in turn contact FEMA's Historic Preservation Staff. The
applicant will not proceed with work until FEMA's Historic Preservation Staff have completed consultation with the
Louisiana State Historic Preservation Officer (SHPO). In addition, if unmarked graves are present, compliance with the
Louisiana Unmarked Human Burial Sites Preservation Act (R.S. 8:671 et seq.) is required. The applicant shall notify the
law enforcement agency of the jurisdiction where the remains are located within twenty-four hours of the discovery. The
applicant shall also notify FEMA and the Louisiana Unmarked Burial Sites Board (call the Louisiana Division of
Archeology at 225-342-8170) within seventy-two hours of the discovery. Failure to comply with these stipulations may jeopardize receipt of FEMA funding Katherine Zeringue, Historic Preservation Specialist/Archaeologist.
Correspondence/Consultation/References
B. Endangered Species Act
No listed species and/or designated critical habitat present in areas affected directly or indirectly by the Federal action.
(Review Concluded)
Listed species and/or designated critical habitat present in the areas affected directly or indirectly by the Federal action.
No effect to species or designated critical habitat. (See comments for justification)
Are project conditions required? Yes (see section V) No (Review Concluded)
May affect, but not likely to adversely affect species or designated critical habitat (FEMA)
determination/USFWS/NMFS concurrence on file) (Review Concluded)
Are project conditions required? Yes (see section V) No (Review Concluded)
Likely to adversely affect species or designated critical habitat
Formal consultation concluded. (Biological Assessment and Biological Opinion on file)
Are project conditions required? YES (see section V) NO (Review Concluded)
The project conditions required in 125 (500 section 1) in the <u>(11011011 contents)</u>
Comments: None
C. Coastal Barrier Resources Act
Project is not on or connected to CBRA Unit or Otherwise Protected Area (Review Concluded).
Project is not on or connected to CBRA Unit or Otherwise Protected Area. (FEMA determination/USFWS consultation on
file)
\sim
Proposed action an exception under Section 3505.a.6? (Review Concluded) Proposed action not excepted under Section 3505.a.6.
Are project conditions required? YES (see section V) NO (Review Concluded)
Are project conditions required?
Comments: None
Correspondence/Consultation/References:
D. Clean Water Act
Project would not affect any waters of the U.S. (Review Concluded)
Project would affect waters, including wetlands, of the U.S.
Project exempted as in kind replacement or other exemption. (Review Concluded)
Project exempted as in kind replacement of other exemption. (Review Concluded) Project requires Section 404/401/or Section 9/10 (Rivers and Harbors Act) permit, including qualification
under Nationwide Permits.

Applicant: St. Bernard Port Harbor & Terminal District Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina /Public Assistance Program/Sanitary Sewer System Are project conditions required? YES (see section V) NO (Review Concluded)
Comments: Project is not in or adjacent to any waterways of the U.S. Correspondence/Consultation/References:
E. Coastal Zone Management Act Project is not located in a coastal zone area and does not affect a coastal zone area (Review concluded)
 ✓ Project is located in a coastal zone area and/or affects the coastal zone ✓ State administering agency does not require consistency review. ✓ State administering agency requires consistency review.
Are project conditions required? YES (see section V) NO (Review Concluded)
Comments: This project is located within the Louisiana Coastal Management Zone. La DNR has determined that receipt of federal assistance is consistent with the Louisiana Coastal Resource Program. Projects within the Coastal Zone may still require a Coastal Use Permit or other authorization from DNR. Projects may be coordinated by contacting LA DNR at 1-800-276-4019. Correspondence/Consultation/References:
F. Fish and Wildlife Coordination Act ☑ Project does not affect, control, or modify a waterway/body of water. (Review Concluded)
Project affects, controls or modifies a waterway/body of water. Coordination with USFWS conducted
No Recommendations offered by USFWS. (Review Concluded)
Recommendations provided by USFWS. Are project conditions required? YES (see section V) NO (Review Concluded)
Comments: Project is not in or adjacent to any waterways of the U.S. Correspondence/Consultation/References:
G. Clean Air Act
Project will not result in permanent air emissions. (Review Concluded)
Project is located in an attainment area. (Review Concluded)
Project is located in a non-attainment area. Coordination required with applicable state administering agency
Are project conditions required? YES (see section V) NO (Review Concluded)
Comments: Project will not result in permanent air emissions.
Correspondence/Consultation/References:
H. Farmland Protection Policy Act
Project does not affect designated prime or unique farmland. (Review Concluded) Project causes unnecessary or irreversible conversion of designated prime or unique farmland.
Coordination with Natural Resource Conservation Commission required.
☐ Farmland Conversion Impact Rating, Form AD-1006, completed. Are project conditions required? ☐ YES (see section V) ☐ NO (Review Concluded)
Comments: None
Correspondence/Consultation/References:

Reviewer Name: June R. Griffin Applicant: St. Bernard Port Harbor & Terminal District Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina /Public Assistance Program/Sanitary Sewer System I. Migratory Bird Treaty Act Project not located within a flyway zone. (Review Concluded) Project located within a flyway zone. Project does not have potential to take migratory birds. (Review Concluded) Are project conditions required?

Yes (see section V)

No (Review Concluded) Project has potential to take migratory birds. Contact made with USFWS Are project conditions required? \(\subseteq \text{YES} \) (see section V) \(\subseteq \text{NO} \) (Review Concluded) Comments: See letter from Don Fairley to Mr. Russ Watson with USF&WS, dated 09/14/2005. Specifically, FEMA has determined that restoration projects funded with federal resources will not have adverse impacts on migratory birds or other fish and wildlife reserves. These determinations are based on the understanding that the conditions outlined in the Louisiana Endangered Species Summary are met. Correspondence/Consultation/References: http://pacificflyway.gov/Documents/Mississippi map.pdf, J. Magnuson-Stevens Fishery Conservation and Management Act Project not located in or near Essential Fish Habitat. (Review Concluded) Project located in or near Essential Fish Habitat. Project does not adversely affect Essential Fish Habitat. (Review Concluded) Are project conditions required?

Yes (see section V)

No (Review Concluded) Project adversely affects Essential Fish Habitat (FEMA determination/USFWS/NMFS concurrence on file) NOAA Fisheries provided no recommendation(s) (Review Concluded). Are project conditions required? Yes (see section V) No (Review Concluded) NOAA Fisheries provided recommendation(s) Written reply to NOAA Fisheries recommendations completed. Are project conditions required? YES (see section V) NO (Review Concluded). Comments: None Correspondence/Consultation/References: K. Wild and Scenic Rivers Act

\triangle	Project is not along and does not affect wild or Scenic River (WSR) - (Review Concluded)
	Project is along or affects WSR
	Project adversely affects WSR as determined by NPS/USFS. FEMA cannot fund the action.
	(NPS/USFS/USFWS/BLM consultation on file) (Review Concluded)
	Project does not adversely affect WSR. (NPS/USFS/USFWS/BLM consultation on file)
	Are project conditions required? YES (see section V) NO (Review Concluded)

Comments: None

Correspondence/Consultation/References:

L. Other Relevant Laws and Environmental Regulations

II. Compliance Review for Executive Orders

A. E.O. 11988 - Floodplains		
No Effect on Floodplains/Flood levels and project outside Floodplain - (Review Concluded)		
☐ Located in Floodplain or Effects on Floodplains/Flood levels		
No adverse effect on floodplain and not adversely affected by the floodplain. (Review Concluded),		
Are project conditions required? Yes (see section V) No (Review Concluded)		
Beneficial Effect on Floodplain Occupancy/Values (Review Concluded).		
Possible adverse effects associated with investment in floodplain, occupancy or modification of floodplain		
enviro <u>nment</u>		
8 Step Process Complete - documentation on file		
Are project conditions required? YES (see section V) NO (Review Concluded)		
Comments: 07/14/2006- The Parish of St. Bernard is enrolled in the National Flood Insurance Program (NFIP) as of		
3/13/1970. Per Flood Insurance Rate Map (FIRM) Panel Number 2252040290B dated 5/1/1985, project is located in Zone		
"B", area protected from the 100-yr flood by levee, dike or other structure subject to failure or overtopping during larger		
floods. Project is repair/replacement of contents and electrical components. Per 44 CFR 9.11 (d) (9), the replacement of		
building contents, materials and equipment, where appropriate, disaster proofing of the building and/or elimination of such		
future losses by relocation of those building contents, materials and equipment to or above the Advisory Base Elevation.		
K. Roof, Floodplain Management Specialist. Correspondence/Consultation/References:		
B. E.O. 11990 - Wetlands		
No Effects on Wetland(s) and project located outside Wetland(s) - (Review Concluded)		
Located in Wetland or effects Wetland(s)		
Beneficial Effect on Wetland - (Review Concluded)		
Possible adverse effect associated with constructing in or near wetland		
Review completed as part of floodplain review		
8 Step Process Complete - documentation on file		
Are project conditions required? YES (see section V) NO (Review Concluded)		
Comments: None		
Correspondence/Consultation/References:		
C. E.O. 12898 - Environmental Justice For Low Income and Minority Populations No Low income or minority population in, near or affected by the project - (Review Concluded) Low income or minority population in or near project area		
No disproportionately high and adverse impact on low income or minority population-(Review Concluded)		
Disproportionately high or adverse effects on low income or minority population		
Are project conditions required? YES (see section V) NO (Review Concluded)		
, ,		
Comments: None		
Correspondence/Consultation/References:		
III. Other Environmental Issues		
Identify other potential environmental concerns in the comment box not clearly falling under a law or executive order (see environmental concerns scoping checklist for guidance).		
Comments: None		
Correspondence/Consultation/References:		

IV. Extraordinary Circumstances

Based on the review of compliance with other environmental laws and Executive Orders, and in consideration of other environmental factors, review the project for extraordinary circumstances.

* A "Yes" under any circumstance may require an Environmental Assessment (EA) with the exception of (ii) which should be applied in conjunction with controversy on an environmental issue. If the circumstance can be mitigated, please explain in comments. If no, leave blank.

Yes	
	(i) Greater scope or size than normally experienced for a particular category of action
	(ii) Actions with a high level of public controversy
	(iii) Potential for degradation, even though slight, of already existing poor environmental conditions;
	(iv) Employment of unproven technology with potential adverse effects or actions involving unique or unknown environmental risks;
	(v) Presence of endangered or threatened species or their critical habitat, or archaeological, cultural, historical or other protected resources;
	(vi) Presence of hazardous or toxic substances at levels which exceed Federal, state or local regulations or standards requiring action or attention;
	(vii) Actions with the potential to affect special status areas adversely or other critical resources such as wetlands, coastal zones, wildlife refuge and wilderness areas, wild and scenic rivers, sole or principal drinking water aquifers;
	(viii) Potential for adverse effects on health or safety; and
	(ix) Potential to violate a federal, state, local or tribal law or requirement imposed for the protection of the environment.
	(x) Potential for significant cumulative impact when the proposed action is combined with
_	other past, present and reasonably foreseeable future actions, even though the impacts of the proposed action may not be significant by themselves.
Comments:	None

V. Environmental Review Project Conditions

Project Conditions:

1. If during the course of work, archaeological artifacts (prehistoric or historic) or human remains are discovered, the applicant shall stop work in the vicinity of the discovery and take all reasonable measures to avoid or minimize harm to the finds. The applicant shall inform their Public Assistance (PA) contacts at FEMA, who will in turn contact FEMA's Historic Preservation Staff. The applicant will not proceed with work until FEMA's Historic Preservation Staff have completed consultation with the Louisiana State Historic Preservation Officer (SHPO). In addition, if unmarked graves are present, compliance with the Louisiana Unmarked Human Burial Sites Preservation Act (R.S. 8:671 et seq.) is required. The applicant shall notify the law enforcement agency of the jurisdiction where the remains are located within twenty-four hours of the discovery. The applicant shall also notify FEMA and the Louisiana Unmarked Burial Sites Board (call the Louisiana Division of Archeology at 225-342-8170) within seventy-two hours of the discovery. Failure to comply with these stipulations may jeopardize receipt of FEMA funding.

Reviewer Name: June R. Griffin

Applicant: St. Bernard Port Harbor & Terminal District

Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina / Public Assistance Program/Sanitary Sewer System

2. Per 44 CFR 9.11 (d) (9), the replacement of building contents, materials and equipment, where appropriate, disaster proofing of the building and/or elimination of such future losses by relocation of those building contents, materials and equipment to or above the Advisory Base Elevation.

- 3. Removal and disposal of debris or sediment containing hazardous or toxic waste and certain categories of liquid wastes must be performed in accordance with all applicable federal and state laws, regulations, executive orders and guidelines. LAC Title 33 Part VII requires that specified items, including lead acid batteries, used oil filters, used motor oil, scrap tires, CFC's (refrigerants), radioactive waste or regulated infectious wastes must be segregated from and excluded from non-hazardous debris collection, staging, processing and disposal sites. Failure to comply with applicable legal requirements in debris collection and/or disposal operations will jeopardize federal funding. The clean-up or restoration/repair of sites damaged as a result of such operations are ineligible for federal funding. Previously obligated funding is subject to deobligation if a determination of ineligibility is made. Applicants managing debris staging, processing, burning or disposal sites (other than previously permitted landfills) that have been permitted by Louisiana Department of Environmental Quality must also complete an Emergency Debris Management Site Certification (self certification) regarding compliance with all applicable substantive laws and executive orders. Certificate of compliance with applicable laws for staging processing, disposal of debris, sediment or other material or the burning of debris from this disaster at sites other than an approved landfill shall be provided to the State and FEMA prior to closeout.
- 4. The movement of wood or cellulose material, temporary housing or architectural components (e.g. beams, doors and other wood salvaged from a structure) may not leave the quarantined parishes without written authorization from the commissioner of the Louisiana Department of Agriculture and Forestry or his designee(s).

Monitoring Requirements: None