ATLANTIC SLOPE DRAINAGE

LVI

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 363.89 FEET, M.S.L. FLOOD STAGE, 13 FEET.

1960	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
	Day of month																																		
JAN	6.4	5.2	5.6	7.3	7.7	7.9	K11.8	13.9	10.6	5.9	7.5	8.8	8.9	9.0	8.8	7.1	5.1	9.0	10.6	9.9	9.4	5.9	7.9	6.7	5.4	6.2	6.0	4.6	4.6	10.5	15.2	15.2	31	4.6	28+
FEB	L15.1	10.2	7.4	6.8	8.7	10.3	13.9	M13.8	10.5	10.4	N14.7	13.1	10.7	21.0	17.2	12.0	10.5	10.8	11.8	11.1	6.8	Q13.9	11.9	10.9	11.0	11.3	10.7	4.3	10.0			P 21.0	14	4.3	28
MAR	10.5	10.5	11.0	11.8	7.8	6.7	9.7	10.4	8.7	7.8	8.5	9.4	7.9	10.1	9.7	9.8	10.9	10.6	10.4	6.5	9.4	9.8	9.6	8.5	9.4	6.1	3.6	7.4	4.0	11.3	13.8	R 15.1	30	3.6	27
APR	9.8	10.1	7.1	4.6	12.5	12.1	5.7	10.1	8.4	8.0	6.8	9.0	9.1	9.0	9.1	5.9	5.6	5.3	4.0	4.9	4.6	4.1	5.2	6.4	8.0	4.8	4.7	4.5	4.1	4.6		12.7	5	4.0	19
MAY	6.7	7.2	3.4	3.3	3.9	4.4	4.7	7.2	9.2	10.2	9.8	9.8	9.8	6.3	5.1	7.7	7.9	6.3	6.3	6.2	5.9	1.0	3.0	4.8	4.5	3.2	3.0	3.0	1.1	1.8	3.8	10.3	10	1.0	22
JUN	3.0	2.9	3.4	2.8	2.2	3.0	3.4	3.4	3.0	2.9	2.8	1.6	2.5	5.0	4.6	3.3	2.9	2.5	1.6	2.5	2.6	2.6	2.6	3.3	2.7	1.8	1.2	2.5	2.7	2.7		X 7.0	14	1.2	27
JUL	6.2	4.2	2.6	1.8	1.3	2.9	3.2	2.8	2.9	3.2	3.5	5.3	4.4	1.9	2.7	2.7	1.8	1.2	2.7	2.7	2.8	4.6	4.3	1.6	1.4	4.8	4.7	4.4	3.4	2.7	2.8	e 8.4	10	1.2	18
AUG	3.5	3.0	3.1	2.8	3.1	2.7	1.6	1.7	3.0	2.9	2.9	2.7	2.6	1.8	2.9	5.4	5.7	6.0	5.5	4.1	1.7	1.6	3.0	3.3	3.3	3.1	2.9	1.9	5.8	5.8	3.8	f 8.3	29	1.6	7+
SEP	2.9	2.7	2.0	1.7	1.3	1.6	3.7	3.1	3.0	3.5	1.9	1.5	2.8	2.7	2.7	2.6	2.7	0.8	1.7	2.8	2.9	4.1	2.0	2.6	0.8	0.5	2.6	2.6	3.1	2.7		g 7.6	9	0.5	26
OCT	2.7	1.1	1.5	2.7	2.7	2.7	2.8	2.9	1.8	3.3	3.2	3.1	3.2	3.3	5.0	1.2	1.8	5.5	5.9	5.6	5.6	5.0	1.2	1.4	3.1	3.4	3.3	3.3	3.3	1.2	1.8	5.9	19	1.1	2
NOV	3.3	3.6	3.0	3.0	2.3	1.5	3.5	3.0	3.0	2.7	2.8	2.6	1.0	1.7	2.6	2.6	2.8	2.6	2.6	1.2	1.3	3.1	2.9	2.3	1.9	1.9	0.9	0.9	2.7	2.8		3.6	2	0.9	27+
DEC	2.8	3.0	2.8	1.6	2.8	2.8	2.7	2.7	2.8	2.0	0.9	1.7	4.0	3.8	3.4	3.5	2.6	1.0	2.5	3.1	3.2	3.3	4.1	3.2	1.1	1.3	1.4	1.4	2.0	1.8	2.0	4.1	23	0.9	11

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1960	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.7	4.6	5.2	5.0	4.9	4.8	5.4	5.8	5.5	5.3	5.0	4.8	4.9	4.8	4.7	4.7	4.6	4.6	4.7	4.7	4.6	4.5	4.5	4.5	4.4	4.4	4.5	4.6	4.6	5.2	7.8	9.2	31	4.4	25+
FEB	9.0	6.4	5.6	5.3	5.6	12.0	8.2	6.2	5.6	5.3	7.3	6.8	6.3	6.8	5.7	5.3	5.8	6.5	9.9	7.1	6.5	6.0	5.9	5.6	5.9	6.4	5.8	5.6	5.3			S 12.1	6	5.3	4+
MAR	5.5	5.6	.	5.5	5.4	5.2	5.1	5.1	5.3	5.4	.	5.4	5.7	5.8	5.9	6.2	6.9	8.0	7.2	7.0	6.1	5.9	5.8	5.8	5.7	5.6	5.7	5.6	5.5	6.1	11.2	T 11.2	31	5.1	7+
APR	8.5	6.5	6.9	9.1	8.7	7.7	6.2	5.6	5.9	5.9	5.8	5.7	5.6	5.5	5.5	5.6	5.4	5.3	5.1	5.0	4.9	5.4	5.3	5.1	5.0	5.1	5.0	5.4	5.2	5.1		9.1	4	4.9	21
MAY	5.5	5.5	5.4	5.3	5.2	5.1	5.0	5.6	5.8	5.7	5.4	5.4	5.2	5.1	5.0	4.8	4.7	4.7	4.8	4.7	4.5	4.4	4.3	4.2	4.0	4.2	4.1	4.5	4.6	4.5	4.5	6.2	8	4.0	25
JUN	4.3	4.2	4.2	4.7	4.6	4.5	4.3	4.2	4.4	4.3	4.4	4.2	4.1	4.1	4.2	4.2	4.1	4.1	4.1	4.1	6.0	5.1	5.7	5.2	5.7	5.5	5.0	4.8	4.3	4.2		U 6.3	23	4.1	13+
JUL	4.2	4.2	4.2	4.2	4.0	4.2	4.5	4.4	4.2	4.2	4.1	4.2	4.5	4.2	4.2	4.3	4.0	3.9	3.9	4.0	4.0	4.1	4.1	4.3	4.1	4.1	4.2	4.6	4.5	4.3	4.2	h 5.8	4	3.9	18+
AUG	4.3	4.2	4.1	4.1	3.9	4.0	3.9	3.8	3.8	3.7	4.0	4.2	4.6	5.2	5.0	4.7	4.5	4.4	4.2	4.2	4.1	4.1	5.6	4.4	4.2	4.0	4.0	3.9	3.9	3.9	4.1	6.0	13	3.7	10
SEP	4.3	4.4	4.3	4.1	3.9	3.9	4.3	6.0	5.5	4.8	4.2	4.8	4.3	4.1	4.0	4.0	3.9	3.9	3.8	3.9	4.0	3.9	3.8	4.0	3.9	3.8	3.4	3.4	4.1	4.3		8.8	7	3.4	27+
OCT	4.1	4.0	4.0	3.9	4.0	4.3	5.4	5.5	5.8	5.2	4.8	4.6	4.3	4.0	4.0	4.1	4.0	3.9	4.0	4.1	4.3	4.2	4.0	3.9	3.8	3.7	3.7	3.8	3.9	3.9	3.8	5.8	9	3.7	26+
NOV	3.9	4.0	4.0	3.9	3.8	3.7	3.7	3.8	3.8	3.9	4.1	3.9	3.9	3.8	3.7	3.7	3.6	3.8	3.6	3.8	3.9	3.8	3.8	3.7	3.7	3.9	3.9	3.7	3.9	3.9		4.1	11	3.6	17+
DEC	4.0	3.9	3.9	3.8	3.7	3.8	3.9	3.8	3.8	4.0	4.3	4.4	4.5	4.6	4.6	4.4	4.2	4.1	4.0	3.9	3.9	4.0	4.0	3.9	3.8	3.8	3.9	3.9	4.0	4.0	4.1	4.6	14+	3.7	5

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1960	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	8.3	8.0	9.9	V14.0	12.4	10.5	13.0	W15.2	13.0	10.1	9.8	9.4	8.9	8.8	8.4	8.3	8.2	8.8	10.9	10.5	8.8	8.2	8.0	7.8	7.9	7.8	7.7	8.2	8.3	13.0	18.7	19.0	31	7.7	27
FEB	X19.6	19.6	14.7	11.4	11.8	19.0	22.9	19.1	14.1	11.4	15.2	Z16.6	14.0	a20.3	18.6	14.9	11.9	11.8	15.8	17.7	13.7	12.2	11.5	11.0	10.7	12.5	11.9	10.8	10.5			Y 23.2	7	10.5	29
MAR	10.0	10.1	10.0	10.2	10.4	10.5	10.3	10.0	10.0	10.2	10.5	10.5	10.8	11.0	10.8	11.8	16.8	15.6	15.0	13.1	11.8	11.5	10.9	10.6	10.4	10.3	10.1	9.7	9.4	13.8	18.7	19.9	31	9.4	29
APR	20.6	11.0	13.2	12.5	17.1	17.2	13.9	12.0	11.3	10.8	10.3	10.0	10.0	9.7	9.5	9.4	9.5	9.4	9.0	9.2	9.0	9.3	9.4	9.0	8.3	8.0	8.2	8.4	8.5	8.4		b 20.6	1	8.0	26
MAY	8.8	9.0	8.8	8.6	8.5	8.1	8.0	12.2	14.6	11.5	9.8	9.0	8.8	8.7	8.5	8.5	7.8	7.5	7.2	7.6	7.5	7.5	7.4	7.2	6.7	7.7	7.8	7.6	7.5	7.4	7.0	c 14.8	9	6.7	25
JUN	7.0	6.9	7.2	7.0	8.0	9.4	9.0	8.8	7.7	7.4	7.2	6.7	6.5	6.7	6.3	6.4	6.8	6.7	6.4	6.0	6.1	8.6	8.5	9.7	8.8	7.9	8.0	7.4	7.2	7.0		9.7	24	6.0	20
JUL	7.0	6.8	7.0	7.6	5.8	6.2	7.5	8.0	7.9	7.0	6.3	6.4	6.6	6.6	6.8	6.5	6.4	6.2	6.0	5.9	5.8	6.0	6.0	6.0	6.2	6.5	6.2	7.8	8.0	7.5	7.0	8.0	8+	5.8	5+
AUG	6.4	7.0	6.3	6.1	6.4	6.3	6.2	6.0	6.4	6.2	6.1	6.6	10.4	9.8	9.0	8.0	7.3	7.2	6.5	6.3	6.2	6.0	6.3	7.5	7.0	6.7	6.5	6.2	5.3	5.8	5.0	10.4	13	5.0	31
SEP	5.8	5.5	7.5	6.6	6.0	5.2	5.0	7.6	9.9	7.8	7.0	6.6	7.3	6.5	6.2	6.0	6.0	6.2	5.8	6.0	5.8	6.8	6.5	6.6	6.0	5.8	6.0	6.2	7.0	7.6		9.9	9	5.0	7
OCT	7.5	6.7	6.3	6.2	6.4	9.4	11.5	11.5	10.4	11.3	10.3	8.5	7.8	7.6	6.8	6.8	6.7	6.5	6.4	6.2	6.3	6.8	6.5	6.0	6.2	6.0	6.1	6.0	6.3	6.2	6.0	11.5	7+	6.0	24+
NOV	7.4	7.0	7.0	6.8	6.6	6.4	6.0	6.2	5.9	6.0	6.1	7.0	6.8	6.5	6.3	6.2	6.0	6.1	6.3	6.0	5.8	6.0	5.9	6.0	5.8	6.8	6.4	5.8	6.0	6.0		7.4	1	5.8	21+
DEC	6.1	5.9	6.0	5.8	5.7	5.8	6.0	5.8	5.8	6.2	5.5	8.0	E 6	7.2	6.8	6.7	6.7	6.3	6.0	5.8	6.2	6.0	6.0	6.6	6.3	5.8	5.2	5.7	6.0	6.1	6.2	8.6	13	5.2	27

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1960	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.7	4.4	4.4	7.8	8.0	8.1	9.3	11.8	10.8	7.4	5.4	5.2	5.1	4.9	4.9	4.6	4.6	4.5	5.8	5.9	7.3	7.1	6.7	4.6	5.6	6.1	4.4	4.3	4.4	6.2	15.5	16.1	31	4.3	28
FEB	15.9	16.8	12.8	8.6	8.3	10.8	16.4	18.1	12.2	8.1	9.5	12.3	12.3	17.6	18.4	15.0	11.7	9.8	11.3	14.8	13.0	11.0	10.5	9.7	9.2	10.7	10.5	8.5	7.9			d 19.3	14	7.9	29
MAR	6.1	7.6	7.4	8.9	8.3	7.4	5.9	7.4	7.8	8.2	6.2	8.2	6.6	6.2	8.4	8.2	12.5	12.5	10.8	8.9	7.0	6.6	6.3	5.9	5.8	6.5	5.4	5.3	5.3	8.1	14.5	'17.4	31	5.3	28+
APR	17.3	16.3	11.1	8.7	15.4	15.5	13.3	10.2	7.3	6.2	5.9	6.1	5.7	5.5	5.4	5.1	5.2	5.0	5.1	5.0	5.0	5.1	5.3	5.1	4.8	4.9	4.6	5.1	5.0	4.9		X 18.0	1	4.6	27
MAY	4.8	4.6	5.1	4.8	4.8	4.2	4.4	4.6	9.5	8.6	6.3	5.6	5.1	5.0	4.7	4.1	4.8	4.4	4.2	4.0	4.4	4.4	3.3	4.0	3.8	3.2	4.5	4.5	4.4	4.1	3.9	10.6	9	3.2	26
JUN	3.8	3.7	4.5	3.8	4.4	4.8	4.8	4.4	4.1	4.0	4.0	3.8	3.3	3.8	3.6	3.5	3.6	3.9	3.6	3.5	3.6	4.4	4.6	4.7	5.4	4.5	4.3	4.4	3.7	4.0		6.5	1	3.3	13
JUL	3.8	4.0	3.7	3.3	3.0	3.3	3.8	4.0	3.3	4.2	3.2	2.8	3.2	3.5	3.9	3.2	2.4	3.3	3.0	2.6	2.9	3.0	2.9	2.8	3.6	3.6	2.8	3.8	4.9	4.8	4.1	k 6.2	29	2.4	17
AUG	3.1	3.3	3.6	3.6	3.5	3.4	2.8	3.0	3.6	3.0	2.8	3.1	4.5	5.5	5.2	4.8	4.4	4.1	3.6	2.9	3.1	3.3	3.5	4.1	4.5	3.9	3.3	3.1	3.5	2.1	3.3	j 7.4	15	2.1	30
SEP	2.7	3.6	4.5	3.7	2.7	2.7	2.1	3.0	6.3	5.5	4.4	3.1	2.6	3.4	3.2	2.9	3.2	2.8	4.2	2.9	3.0	3.2	4.3	2.9	2.7	2.7	2.9	2.8	3.4	4.5		k 7.4	9	2.1	7
OCT	4.3	3.4	3.2	3.0	2.8	3.3	5.8	8.3	6.4	5.8	5.7	5.2	4.4	4.1	4.0	3.8	3.5	3.2	3.5	3.6	3.5	2.8	3.6	3.3	3.0	3.0	2.9	3.7	3.0	3.2	3.5	8.3	8	2.8	5+
NOV	3.4	3.4	2.8	3.0	3.7	3.3	3.5	3.4	3.1	3.1	3.2	3.7	3.0	2.9	3.2	3.2	2.5	3.2	2.9	2.7	2.7	2.9	3.0	3.8	3.5	3.1	3.0	3.0	2.7	2.8		3.8	24	2.5	17
DEC	2.8	3.2	3.0	3.3	3.2	2.9	2.8	2.7	2.5	3.4	2.9	4.0	4.8	4.5	3.7	3.3	3.4	3.3	3.2	2.9	3.2	3.2	3.5	3.3	3.2	3.6	3.2	2.1	3.0	3.1	3.1	4.8	13	2.1	28

K- CREST 14.12 AT 8 PM.
L- CREST 15.93 AT 1 AM.
M- CREST 15.60 AT 1 AM.
N- CREST 14.70 AT 7 AM.
P- CREST 21.00 AT 11 AM.

Q- CREST 14.30 AT NOON.
R- CREST 15.10 AT 11:45 PM.
S- CREST 12.07 AT 6:45 PM.
T- CREST 11.17 AT 1 PM.
U- CREST AT 2:45 PM.

V- CREST 14.2 DURING NIGHT.
W- CREST 15.5 DURING NIGHT.
X- CREST AT 5:30 PM.
Y- CREST AT 1 PM.
Z- CREST 17.0 DURING NIGHT.

a- CREST 20.5 AT 1 PM.
b- CREST AT 7 AM.
c- CREST IN EARLY MORNING
d- CREST 19.26 AT 11:30 PM.
e- CREST AT 12:15 AM.

f- CREST AT 9:30 PM.
g- CREST AT 7:30 PM.
h- CREST AT 5:45 PM.
j- CREST AT 5:15 PM.
k- CREST AT 2:15 PM.

ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA.

ATLANTIC SLOPE DRAINAGE

LVII

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 363.89 FEET. M.S.L. FLOOD STAGE, 13 FEET.

Day of month

1961	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	1.2	2.4	2.1	3.3	3.2	3.3	2.3	1.3	1.0	3.2	3.3	3.4	3.2	3.1	3.4	3.1	3.4	3.0	2.9	3.6	2.9	1.4	2.1	3.2	3.4	4.6	5.0	4.2	1.9	2.2	3.6	5.0	27	1.0	9
FEB	3.3	3.1	4.1	3.1	1.6	1.7	3.7	6.4	6.2	4.5	3.3	1.7	1.8	3.3	3.1	3.0	3.0	2.0	2.1	4.8	7.3	11.8	12.1	12.3	17.1	20.7	15.8	11.6				K 20.7	26	1.6	5
MAR	11.2	11.1	11.0	11.0	6.8	11.0	11.9	12.8	12.4	12.0	8.4	3.4	4.8	6.5	6.6	6.8	6.8	9.2	5.0	7.1	5.6	7.8	7.6	4.2	3.1	3.9	0.8	2.5	2.5	3.7	3.4	L 13.0	8	0.8	27
APR	14.6	11.2	4.0	7.3	5.0	5.0	6.2	8.4	3.5	8.8	7.0	3.0	13.4	12.4	9.3	8.2	11.6	10.3	9.1	8.1	7.1	6.0	4.3	5.4	6.9	7.2	7.2	7.6	7.3	2.9		M 14.6	1	2.9	30
MAY	1.7	3.2	5.4	5.1	5.0	5.3	1.5	1.1	5.6	5.1	7.7	6.6	6.5	4.3	5.6	7.5	6.7	7.2	6.5	5.5	1.4	1.0	2.3	2.2	2.1	2.3	5.8	3.5	5.3	6.5	3.1	7.7	11	1.0	22
JUN	3.2	3.4	2.3	0.8	1.6	3.5	3.4	3.1	3.2	2.8	1.2	1.6	2.3	3.3	3.7	3.0	2.7	0.6	1.9	3.3	3.3	4.0	3.5	9.0	6.8	8.8	10.0	11.8	13.1	6.9		N 13.2	29	0.6	18
JUL	3.3	1.8	1.9	1.8	1.5	2.3	2.5	5.4	6.2	2.4	3.5	3.7	4.9	4.6	4.2	3.0	2.8	5.0	8.0	6.7	3.5	7.6	1.8	3.3	7.4	7.6	7.0	3.3	3.0	1.6	4.1	8.0	19	1.5	5
AUG	5.0	2.2	2.0	2.2	2.0	0.8	1.8	2.1	7.0	6.9	7.2	7.1	3.0	6.1	6.1	5.8	6.2	6.7	7.1	7.2	4.0	6.3	6.0	4.9	2.7	7.4	4.7	6.4	7.3	6.9	6.7	7.4	26	0.8	6
SEP	7.4	7.4	5.5	6.2	3.6	4.4	4.9	4.8	3.7	1.3	2.6	3.2	3.0	2.8	2.3	1.9	0.7	1.3	2.2	3.0	3.5	3.5	3.0	1.0	2.6	5.3	3.2	2.7	2.6	1.8		7.4	1+	0.7	17
OCT	0.5	1.4	2.4	2.4	2.4	2.3	2.3	1.5	1.7	2.5	2.5	2.4	2.4	2.4	1.6	1.2	2.6	2.4	2.4	2.5	2.2	1.2	1.0	2.3	2.3	2.3	1.8	1.6	0.8	1.3	1.8	2.5	10+	0.5	1
NOV	2.4	2.6	2.6	2.3	0.8	1.2	2.6	2.6	2.5	2.3	1.6	1.1	1.4	2.0	2.1	2.1	2.0	1.8	0.8	2.2	2.4	2.4	2.4	2.1	2.3	0.8	1.1	3.2	3.7	3.9		3.9	30	0.8	5+
DEC	3.8	3.5	0.8	2.2	2.2	1.9	2.1	2.0	2.2	1.6	2.2	2.3	11.3	11.3	11.0	10.7	6.7	10.9	11.9	11.6	11.3	10.8	9.2	8.5	8.1	8.3	10.4	10.5	10.2	9.2	6.3	P 12.5	20	0.8	3

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET. M.S.L. FLOOD STAGE, 10 FEET.

1961	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.2	4.2	4.2	4.0	3.3	3.8	3.9	4.0	4.0	3.9	3.8	3.7	3.7	4.2	6.0	5.8	4.3	4.0	3.9	4.0	4.0	3.9	3.8	3.8	3.7	3.9	4.0	4.1	4.1	4.2	4.1	6.0	15	3.3	5
FEB	4.0	3.9	4.0	4.0	3.8	3.9	4.0	4.4	4.3	4.0	4.0	4.1	4.1	4.0	4.0	3.9	3.8	3.8	4.8	4.6	7.9	7.0	6.5	7.1	6.5	9.0	6.7	4.2				9.4	26	3.8	5+
MAR	4.2	5.0	4.5	4.8	4.7	4.6	4.5	4.7	5.8	5.1	5.0	4.6	4.4	5.1	5.0	4.5	4.3	4.5	4.1	4.0	4.2	6.1	6.0	5.8	5.0	4.3	4.1	3.9	3.9	4.1	4.1	Q 6.6	9	3.9	28+
APR	5.7	5.3	5.0	4.4	4.1	4.0	3.9	3.9	3.8	5.9	6.2	6.4	8.0	6.9	6.4	7.7	6.9	5.9	5.1	4.8	5.0	4.8	3.9	4.2	4.5	4.8	4.6	4.4	4.2	4.2		8.0	13+	3.8	9
MAY	4.1	4.2	4.0	4.0	4.2	4.2	3.8	4.1	4.1	3.9	4.0	4.9	6.2	5.5	5.0	4.4	4.8	4.6	4.6	4.3	4.2	4.1	3.9	4.1	4.1	4.6	4.5	4.4	4.1	3.9	3.9	6.2	13	3.8	7
JUN	4.1	4.0	3.9	3.9	3.8	3.9	4.3	4.2	4.0	4.0	4.2	4.4	4.3	4.6	4.5	5.6	4.8	4.6	4.4	4.0	4.3	9.5	10.0	5.9	5.6	5.1	5.6	5.5	5.4	5.2		R 11.0	22	3.8	5
JUL	4.6	4.3	4.0	4.5	4.3	4.0	4.8	4.6	4.3	4.1	4.0	4.1	4.3	4.3	5.1	4.8	4.4	4.0	4.3	4.1	4.2	5.0	4.2	4.0	3.9	3.8	4.1	4.2	4.0	3.8	4.0	5.1	15	3.0	30
AUG	4.0	4.3	6.1	6.0	5.0	5.9	4.6	5.7	5.6	5.4	4.6	4.4	4.5	3.6	3.9	4.0	4.0	3.7	3.5	4.3	3.7	3.6	4.0	3.9	5.7	7.5	6.4	6.6	5.0	4.5	4.0	7.5	26	3.5	19
SEP	4.3	4.1	4.2	4.0	4.0	4.0	4.1	4.0	3.9	3.8	3.7	3.5	3.8	3.7	3.9	3.9	3.7	3.7	3.2	3.8	4.3	3.9	3.6	3.7	3.6	3.2	3.7	3.6	3.6	3.6		4.3	1+	3.2	19+
OCT	3.6	3.5	3.2	3.5	4.0	3.8	3.6	3.6	3.5	3.5	3.5	3.8	3.7	3.6	3.5	3.2	3.2	3.5	3.5	3.5	3.6	3.5	3.5	3.5	3.6	3.6	3.5	3.6	3.5	3.2	3.5	4.0	5	3.2	3+
NOV	3.5	3.5	3.6	3.5	3.5	3.6	3.5	3.4	3.7	3.7	3.5	3.6	3.4	3.7	3.8	3.9	3.7	3.9	3.9	3.8	3.8	3.6	3.8	4.2	4.7	4.5	3.8	3.6	3.8	3.8		4.7	25	3.4	8+
DEC	4.0	3.7	3.8	3.6	3.7	3.7	3.6	3.9	3.7	3.5	4.2	7.8	10.8	6.7	5.7	5.5	5.2	6.1	9.4	6.1	5.3	5.0	4.8	4.8	4.5	4.6	4.5	4.6	4.4	4.3	4.3	S 11.3	13	3.3	10

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET. M.S.L. FLOOD STAGE, 14 FEET.

1961	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	7.8	9.5	8.4	7.5	7.2	6.8	6.8	6.4	6.3	6.2	6.0	6.0	6.3	6.6	9.8	11.8	10.4	8.7	8.4	7.6	7.3	7.0	6.8	6.7	6.8	6.7	7.2	8.0	7.5	6.8	6.6	11.8	16	6.0	11+
FEB	6.7	7.2	7.0	7.0	7.2	6.8	7.0	12.5	13.4	10.7	9.4	8.5	7.6	7.0	6.8	7.2	7.0	6.9	9.0	9.8	10.8	20.0	20.6	20.6	21.6	20.4	19.5	14.8				21.6	25	6.7	1
MAR	11.7	10.6	10.0	9.4	8.9	9.0	8.8	12.5	13.2	13.0	10.8	9.4	8.8	8.4	9.0	8.8	8.5	8.5	8.3	8.0	7.8	13.8	13.0	10.5	9.6	9.0	8.4	8.0	7.8	7.7	8.0	T 14.0	9	7.7	30
APR	14.4	13.0	10.8	9.4	8.8	8.5	8.4	8.2	7.7	11.3	15.0	12.0	14.6	15.7	13.2	13.0	16.5	14.2	11.8	10.2	9.7	9.3	8.6	8.5	7.8	7.8	7.7	8.5	8.0	7.6		U 16.6	17	7.6	30
MAY	7.0	7.6	7.5	7.4	7.6	7.5	7.0	6.4	6.5	6.4	9.7	10.4	11.5	10.7	10.0	9.1	8.4	7.8	7.7	7.7	6.8	7.0	7.1	7.0	7.2	7.0	7.3	7.5	7.4	7.2	7.0	11.5	13	6.4	8+
JUN	6.8	6.7	6.8	6.8	6.7	6.2	6.0	7.4	6.8	6.4	6.6	6.6	7.0	6.8	6.7	7.5	9.8	8.4	7.2	7.0	6.8	13.3	17.0	15.9	11.2	9.3	11.0	10.5	11.9	9.3		V 18.0	23	6.0	7
JUL	8.5	7.7	6.5	7.7	7.5	7.2	10.4	9.0	7.9	7.5	7.2	7.0	7.6	7.9	7.9	8.1	7.0	6.4	8.1	7.9	6.5	6.6	6.6	6.5	6.4	6.2	6.3	6.5	6.4	6.2	6.0	10.4	7	6.0	31
AUG	5.5	6.0	6.4	9.8	10.0	10.2	10.0	8.7	9.8	8.9	8.0	7.4	7.3	7.1	6.1	6.2	7.3	6.2	6.0	6.1	5.9	5.1	7.0	7.2	7.9	11.0	11.2	11.8	10.9	8.4	7.8	11.8	28	5.1	22
SEP	7.8	7.7	7.2	6.8	6.0	6.4	7.0	6.2	6.4	6.0	5.3	6.0	5.6	5.8	5.7	5.8	5.4	5.0	5.4	5.7	6.0	7.0	6.0	5.4	5.0	5.6	5.0	5.8	5.7	6.0		7.8	1	5.0	18+
OCT	5.5	5.0	5.5	5.8	5.9	6.0	5.8	5.5	5.0	5.5	5.4	5.4	5.2	5.5	4.9	4.8	5.0	5.1	5.3	5.2	5.0	5.0	4.8	5.0	5.1	5.0	4.9	5.0	4.8	4.8	5.0	6.0	6	4.8	16+
NOV	5.2	5.0	5.0	5.5	5.2	5.0	5.2	5.0	5.0	5.3	5.2	5.0	4.7	5.0	6.2	6.4	6.6	6.0	5.8	5.5	5.3	5.4	5.5	5.6	6.0	7.4	7.0	6.6	6.5	6.6		7.4	26	4.7	13
DEC	6.0	6.0	5.8	6.0	6.0	5.7	6.0	5.8	6.0	6.2	5.9	9.2	17.8	21.2	17.1	14.5	9.7	11.7	17.5	18.1	13.7	10.8	9.4	9.0	8.8	8.4	8.2	8.1	8.3	7.6	7.7	W 21.2	14	5.7	6

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET. M.S.L. FLOOD STAGE, 19 FEET.

1961	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	3.5	4.3	4.9	4.4	4.2	4.0	3.8	3.0	3.2	3.4	3.1	3.0	3.4	3.4	4.6	6.2	6.3	5.2	4.6	4.7	4.0	3.2	3.6	3.4	3.7	4.2	4.2	3.0	3.7	3.2	3.2	6.3	17	3.0	8+
FEB	3.0	3.5	4.0	3.5	3.7	3.6	3.5	6.0	8.2	7.1	5.3	4.8	4.2	4.0	3.8	3.8	3.7	3.6	4.1	5.1	6.2	11.5	15.7	16.6	20.5	18.7	17.2	13.1				X 21.1	25	3.0	1
MAR	9.0	6.6	6.2	5.6	5.0	4.9	5.1	7.4	10.5	12.3	8.2	5.6	5.0	5.0	5.0	5.1	4.8	4.4	4.5	4.0	4.6	5.2	9.0	6.7	5.7	5.0	4.7	4.3	4.4	4.4	4.7	12.3	10	4.0	20
APR	12.7	12.1	8.8	7.3	6.5	5.0	4.5	4.6	4.5	5.9	8.5	9.0	14.8	14.8	13.0	11.6	13.8	14.3	10.2	6.2	5.6	5.3	4.9	4.8	4.8	4.5	4.6	5.0	4.5	4.4		Y 15.3	13	4.4	30
MAY	4.3	5.4	4.2	4.3	4.4	4.3	4.2	3.8	4.1	4.1	4.7	5.8	5.9	6.2	5.4	5.0	4.8	4.5	4.0	4.2	4.2	3.9	3.8	3.8	3.5	3.8	4.2	4.2	3.7	3.8	3.0	Z 8.2	12	3.0	31
JUN	3.1	3.8	3.8	3.4	3.1	3.5	3.5	3.5	3.8	3.5	3.5	4.3	4.2	3.8	3.5	3.6	4.8	4.8	4.0	4.1	3.8	4.7	9.3	11.6	7.2	5.3	5.1	5.8	6.9	5.7		k 12.3	23	3.1	1+
JUL	4.7	4.3	3.6	3.7	3.7	4.1	3.8	5.0	4.7	4.1	3.8	3.8	4.2	4.5	4.3	4.2	4.5	4.7	4.0	4.7	4.3	3.9	5.1	4.2	4.3	3.6	4.0	3.3	3.4	3.3	3.3	5.1	23	3.3	28+
AUG	3.2	3.2	2.9	4.2	5.3	5.6	6.5	5.1	5.0	5.0	4.9	4.4	3.5	3.4	3.8	2.9	3.2	3.6	3.2	3.1	3.4	3.3	4.8	3.9	3.9	4.3	6.4	5.7	6.2	4.9	4.7	m 8.6	28	2.9	3+
SEP	4.3	4.4	4.2	3.7	3.5	3.3	2.8	3.0	3.3	3.0	3.4	2.9	3.0	3.0	2.9	2.9	2.9	2.7	2.9	2.9	2.9	2.7	2.9	2.9	2.6	2.9	2.5	2.5	2.2	2.5		4.4	2	2.2	29
OCT	2.9	2.3	2.9	2.9	2.4	2.8	3.1	2.6	1.6	1.9	2.7	1.9	2.4	3.2	3.1	2.2	2.5	3.0	3.2	3.0	3.4	3.1	2.2	2.6	2.9	3.0	2.9	2.8	2.6	2.5		3.4	21	1.6	7
NOV	2.4	2.4	2.0	3.0	2.8	2.5	2.9	2.9	3.2	2.9	2.9	3.4	2.7	2.4	3.3	3.6	4.1	4.1	3.1	2.7	2.9	2.5	3.6	3.2	3.6	4.3	3.4	3.6	3.0	3.3		4.1	17+	2.0	3
DEC	3.3	3.0	3.2	2.6	3.3	3.3	3.3	3.5	2.9	3.1	2.7	4.3	7.4	13.6	14.0	10.4	7.0	5.1	8.8	12.9	10.6	7.4	5.3	4.8	4.7	4.6	4.5	4.7	4.3	4.4	4.3	n 12.4	14	2.9	4

K- CREST 20.71 AT 6 AM.
L- CREST 12.95 AT 2 PM.
M- CREST 14.57 AT 7 AM.
N- CREST 13.21 AT 9:30 AM.

P- CREST 12.46 AT 11:30 PM.
Q- CREST 6.6 AT 4 AM.
R- CREST 11.00 AT 5:45 PM.
S- CREST 11.30 AT 12:45 AM.

T- CREST AT 6 PM.
U- AT 1 PM.
V- CREST AT 6 PM.
W- CREST AT 7 AM.

X- CREST 21.08 AT 2:15 PM.
Y- CREST 15.29 AT 12:30 PM.
Z- AT 1 PM.
k- CREST 12.31 AT 10:30 PM.

m- AT 4 PM.
n- CREST 16.39 AT 8:30 PM.
ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA.

ATLANTIC SLOPE DRAINAGE

LVIII

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 363.89 FEET, M.S.L. FLOOD STAGE, 13 FEET.

1962	Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	8.0	8.4	8.5	7.8	7.8	9.0	17.6	13.9	10.6	8.6	8.2	8.0	7.2	7.2	7.7	7.4	7.6	7.3	7.6	9.6	6.9	6.9	5.1	6.0	5.7	5.7	5.7	4.1	7.8	7.3	6.1	K 17.6	7	4.1	28
FEB	6.1	5.3	5.3	4.9	5.9	5.9	6.3	6.0	5.4	5.4	2.3	3.1	2.8	2.8	2.8	3.1	3.3	1.6	3.5	3.3	3.6	4.7	14.9	11.8	7.6	5.8	6.6	6.7				L 15.0	23	1.6	18
MAR	7.0	6.7	9.9	7.6	6.5	9.3	8.9	8.1	7.8	5.7	5.5	15.6	17.2	15.2	11.0	10.4	10.6	6.6	10.0	10.3	10.4	10.7	10.7	10.3	6.8	6.3	11.2	10.9	10.7	10.7	10.1	M 17.3	13	5.5	11
APR	8.1	9.1	11.0	10.8	10.7	10.4	10.4	7.9	9.4	10.8	10.8	11.7	13.4	15.4	11.6	10.3	10.5	10.5	10.5	10.5	10.5	6.4	9.4	10.3	10.3	10.2	7.6	6.5	5.6	7.3		N 16.2	14	5.6	29
MAY	5.4	4.5	3.7	3.1	2.5	1.1	3.3	5.6	6.1	6.2	5.4	3.3	2.2	2.7	3.6	3.6	3.6	4.0	3.8	1.1	2.0	2.9	3.1	2.9	2.9	2.8	1.4	2.8	2.8	2.7	2.7	6.2	10	1.1	6+
JUN	2.7	2.6	1.2	2.0	3.1	3.2	3.6	3.4	2.5	3.2	3.9	3.6	3.7	8.4	10.0	7.7	2.7	5.6	3.7	3.2	3.1	3.1	3.0	2.1	2.2	4.6	3.9	3.4	3.1	3.3		10.0	15	1.2	3
JUL	1.7	1.6	2.0	2.0	2.0	2.3	1.6	2.0	2.3	3.4	3.6	3.6	3.3	3.1	2.6	3.7	3.7	3.3	3.3	3.3	2.7	1.6	0.6	3.5	3.5	2.0	1.9	1.7	1.2	2.4	2.0	3.7	16+	0.6	23
AUG	2.0	1.9	1.9	2.0	1.2	1.3	2.2	2.0	2.0	2.0	1.2	1.2	1.3	1.2	1.2	1.2	1.2	1.3	1.3	1.9	2.7	1.9	2.5	2.0	1.5	1.0	1.3	1.2	1.2	1.3	1.3	2.7	21	1.0	26
SEP	1.2	1.0	1.9	1.3	2.5	2.5	1.5	1.1	1.1	1.3	2.0	3.4	3.0	3.0	2.0	1.0	1.6	2.0	1.6	1.2	1.2	1.2	0.8	1.2	1.2	1.2	1.2	1.4	1.6	1.5		3.4	12	0.8	23
OCT	1.3	2.4	2.4	2.7	3.9	4.6	1.8	3.5	3.0	2.6	2.6	2.3	1.5	1.1	1.6	2.4	2.4	2.4	2.4	1.5	0.8	1.3	2.5	2.5	2.5	2.3	1.5	1.3	1.5	2.3	2.3	P 6.0	4	0.8	21
NOV	2.3	2.3	1.5	0.7	2.0	2.3	2.3	2.3	Q 2.3	2.1	2.0	3.7	3.0	3.5	2.3	2.3	1.3	1.0	1.9	2.6	2.6	4.4	3.9	2.7	2.4	5.4	4.7	3.0	2.8	2.5		5.4	26	0.7	4
DEC	3.7	2.2	2.1	2.1	2.1	2.2	2.6	2.9	2.3	3.6	4.6	4.6	3.5	2.9	2.9	0.6	1.9	2.1	2.3	2.3	2.3	2.1	2.1	1.5	2.6	1.9	2.3	2.4	R 3.7	4.2	6.1	6.1	31	0.6	16

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1962	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.2	4.7	4.7	4.6	4.6	5.3	7.6	5.8	5.2	5.0	4.8	4.6	4.6	4.4	4.6	4.4	4.4	4.5	4.1	4.1	4.3	4.1	4.0	4.2	4.2	4.4	4.3	4.9	7.6	6.2	5.5	7.8	29	4.0	23
FEB	4.9	4.7	4.5	4.7	4.4	4.2	4.3	4.6	4.3	4.2	4.2	3.9	3.8	4.2	4.2	4.3	4.3	4.3	4.2	4.4	4.5	4.5	5.2	5.1	5.2	6.8	6.9	5.9				6.9	27	3.8	13
MAR	4.9	4.8	4.7	4.5	4.5	4.7	4.3	4.3	4.6	4.5	4.9	6.4	6.5	5.5	5.0	5.0	4.7	4.5	4.3	4.3	4.9	5.3	4.8	4.5	4.5	4.4	7.5	6.0	5.3	5.2	4.8	7.6	27	4.3	7+
APR	9.1	7.0	5.8	5.1	5.2	5.2	5.9	7.0	7.2	6.1	5.9	9.0	7.3	6.3	6.0	5.7	5.4	5.2	5.1	5.1	4.9	4.9	4.8	5.0	4.9	4.8	4.8	4.7	4.9	4.6		S 9.8	11	4.6	30
MAY	4.7	4.7	4.6	4.8	4.4	4.7	4.5	4.4	4.6	4.9	4.5	4.6	4.6	4.4	4.3	4.6	4.5	4.5	4.5	3.7	4.3	4.3	4.4	4.5	4.5	4.1	4.2	4.0	4.3	4.5	4.6	4.9	10	3.7	20
JUN	4.5	4.5	4.4	4.4	4.8	5.5	4.9	5.5	4.6	4.4	4.1	4.5	9.9	7.3	6.0	5.3	4.8	4.3	4.4	4.3	4.6	4.6	4.3	4.6	4.4	4.3	4.9	6.1	5.4	5.1		T 11.3	13	4.1	11
JUL	4.2	4.2	4.2	5.9	5.3	4.7	4.8	5.4	4.4	4.4	4.5	4.3	4.2	4.3	4.1	4.0	4.0	3.7	3.5	4.4	4.0	3.9	3.9	3.9	4.3	3.9	4.3	3.9	3.9	4.1	4.0	5.9	4	3.7	18
AUG	4.2	3.9	3.9	4.3	4.1	3.9	4.0	4.2	4.1	3.8	3.9	3.9	3.6	4.0	4.2	4.1	4.3	4.4	3.9	3.8	3.8	4.0	4.3	6.3	5.0	4.3	4.1	4.1	4.1	3.8	3.9	6.3	24	3.6	13
SEP	3.8	3.7	3.8	4.0	4.4	3.7	3.9	4.0	3.9	3.7	3.7	3.8	3.7	3.7	3.8	3.9	5.1	4.8	4.4	3.9	3.9	3.8	3.9	3.7	3.7	3.9	3.9	4.2	4.0	4.0		5.1	17	3.7	2+
OCT	3.8	3.6	3.9	4.1	5.7	5.0	4.5	4.4	4.1	4.1	4.0	3.9	4.0	4.0	3.8	3.6	3.9	3.9	4.0	3.7	3.7	4.0	4.4	3.8	3.8	3.7	3.9	3.9	3.7	3.6	4.0	5.8	4	3.6	2+
NOV	3.9	3.7	4.0	4.2	4.0	3.6	4.0	3.8	3.8	7.5	5.7	4.9	4.5	4.4	4.1	4.1	3.9	4.1	4.7	4.2	4.2	4.5	4.7	4.4	4.3	4.1	3.9	4.2	4.1	4.3		7.5	10	3.6	6
DEC	4.0	3.9	3.9	3.9	4.6	4.3	4.1	3.9	4.2	4.5	3.7	4.0	4.0	4.2	4.0	4.5	3.9	3.9	4.0	4.0	3.9	4.0	3.9	3.8	3.7	4.5	4.3	4.2	4.2	5.4	4.6	5.4	30	3.7	11+

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1962	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	8.0	10.0	10.4	9.8	9.0	9.2	23.0	20.7	14.1	10.6	10.0	9.6	8.8	8.5	8.0	8.2	7.8	7.6	8.2	9.3	9.0	8.4	8.2	7.8	7.7	8.2	8.3	10.0	10.3	15.7	11.8	U 23.3	7	7.6	18
FEB	10.5	9.6	9.0	8.2	8.2	8.0	7.7	7.8	7.6	8.2	7.8	7.4	6.8	8.0	7.6	7.5	7.4	7.7	8.0	8.6	8.7	11.0	17.4	15.7	13.0	12.5	W16.6	14.9				V 17.6	23	6.8	13
MAR	12.4	10.5	9.7	9.0	9.1	9.3	8.7	8.6	8.0	8.5	9.5	19.1	19.4	15.7	12.5	10.4	10.0	9.4	8.8	8.4	8.6	11.4	11.4	9.8	9.5	8.8	9.5	14.5	12.4	9.7	10.0	X 20.0	13	8.0	9
APR	14.4	Y18.9	16.2	13.5	10.5	10.0	10.8	13.0	16.0	14.6	12.5	18.2	Z21.2	18.0	14.4	11.8	11.0	10.2	10.0	9.8	8.7	8.8	9.0	8.6	8.7	8.8	8.5	8.2	8.0	7.9		Z 21.2	13	7.9	30
MAY	7.5	7.8	7.8	7.9	7.8	7.5	7.6	7.4	7.5	7.6	8.0	7.8	7.6	7.2	7.3	7.3	7.2	7.3	7.4	7.2	6.7	7.0	6.7	6.5	6.4	6.3	6.2	6.2	6.3	6.5	7.0	8.0	11	6.2	27+
JUN	7.1	7.4	7.6	8.0	7.8	7.8	8.0	8.3	8.7	8.1	6.4	6.7	7.4	15.7	12.0	8.1	8.3	7.5	7.3	6.5	7.2	7.5	7.4	7.2	7.2	7.0	6.8	10.0	10.5	10.1		16.7	14	6.4	11
JUL	8.6	8.4	8.0	7.9	7.8	8.0	7.4	7.4	8.5	7.6	7.4	6.9	7.6	6.9	6.6	6.4	6.4	5.8	6.0	6.3	6.6	6.0	5.8	5.7	5.7	6.8	6.0	6.6	6.3	5.8	6.0	8.6	1	5.7	24+
AUG	6.6	6.2	6.0	6.0	5.9	6.0	6.0	6.8	6.6	6.5	6.4	5.8	5.1	5.7	5.5	6.5	6.0	6.7	6.4	5.6	5.5	5.8	5.8	6.7	7.4	7.2	6.0	5.8	5.7	6.0	5.8	7.4	25	5.1	13
SEP	6.0	5.4	4.8	5.4	5.8	6.3	5.8	6.2	5.8	5.2	5.5	5.8	5.5	5.6	5.7	6.4	11.5	9.9	7.7	6.7	5.8	6.0	5.8	5.5	5.6	5.4	6.8	5.8	6.7	6.0		11.5	17	4.8	3
OCT	5.5	5.4	5.4	5.6	6.4	9.2	8.4	7.0	6.1	6.0	5.8	5.7	5.6	5.6	5.5	5.7	5.5	5.6	5.5	5.4	5.4	5.0	5.7	6.2	5.8	5.7	5.8	5.5	5.0	5.4	5.5	9.2	6	5.0	22+
NOV	5.7	5.8	5.5	5.7	5.5	5.5	5.4	5.7	6.0	7.4	11.0	9.7	7.8	7.4	7.2	6.7	6.4	6.8	6.8	7.3	7.0	7.4	7.8	8.2	7.5	6.4	6.1	6.0	6.7	6.3		11.0	11	5.4	7
DEC	6.4	6.6	6.5	6.6	7.8	7.7	6.8	6.7	6.3	5.6	5.8	6.0	6.1	6.0	6.0	6.4	6.5	6.0	6.0	5.8	6.2	6.3	6.0	5.8	6.0	8.0	9.4	7.8	7.7	11.0	9.9	11.0	30	5.0	10

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1962	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.3	4.8	5.8	5.5	5.1	4.9	16.1	b18.9	13.0	8.1	6.2	5.4	5.0	4.8	4.4	4.5	4.8	4.5	5.0	5.0	4.6	4.3	4.5	4.5	4.5	4.4	4.4	5.5	10.2	12.3	8.9	19.7	8	4.3	1+
FEB	6.5	5.5	5.0	4.5	4.6	4.5	4.3	4.4	4.3	4.7	4.4	4.3	4.3	4.0	4.4	4.3	3.8	4.1	4.2	4.4	4.5	5.1	a15.1	14.6	10.6	6.9	10.4	11.9				15.7	23	3.8	17
MAR	8.8	6.3	5.5	5.1	4.8	4.9	4.8	4.8	4.6	4.4	4.8	15.0	c18.8	16.1	11.3	8.3	7.4	5.2	4.6	4.8	7.1	7.3	7.6	6.0	5.0	4.8	7.1	10.2	8.5	6.5	5.6	19.0	13	4.4	10
APR	7.8	12.2	13.9	9.9	6.6	5.7	5.8	6.5	11.1	11.5	8.8	11.4	d17.1	17.0	13.0	9.4	6.6	5.9	5.8	5.6	5.2	4.9	4.8	4.8	4.7	4.7	4.8	4.7	4.6	4.1		17.9	13	4.1	30
MAY	4.7	4.5	4.4	4.4	4.2	4.3	3.9	4.2	4.0	4.2	4.2	4.3	4.0	3.8	4.1	4.1	4.1	4.0	4.1	4.0	3.5	3.8	3.4	3.9	3.8	3.8	3.7	3.1	2.8	3.3	3.8	4.7	1	2.8	29
JUN	4.1	4.1	4.0	4.3	4.8	4.3	4.3	4.6	4.8	4.5	3.8	3.5	4.1	6.1	e 9.2	6.0	5.0	4.5	4.1	3.3	4.0	4.7	3.7	3.7	3.4	4.0	3.5	4.2	5.1	5.4		10.1	15	3.3	20
JUL	5.0	3.8	3.9	3.5	3.9	4.5	4.3	3.7	4.1	4.6	4.2	4.1	3.8	4.3	3.5	3.0	2.4	3.2	3.6	2.3	3.3	3.3	2.8	3.0	3.3	3.2	3.9	2.9	3.7	2.2	2.5	5.0	1	2.2	30
AUG	2.9	3.8	3.3	2.9	2.7	3.4	3.6	2.9	3.5	2.4	2.6	2.7	2.7	3.0	2.5	3.5	3.7	2.8	3.4	2.9	2.9	2.9	3.0	2.9	3.6	4.0	4.0	2.9	3.0	3.3	3.3	4.0	26+	2.4	10
SEP	3.0	2.3	2.4	1.9	3.0	3.6	3.0	2.0	3.1	2.1	3.3	3.2	2.1	3.3	2.9	2.8	3.7	6.3	5.1	4.4	3.5	2.5	2.7	2.7	3.2	2.9	3.3	3.8	2.9	3.9		6.3	18	1.9	4
OCT	2.7	3.2	2.9	2.0	4.0	4.0	4.3	4.1	3.2	3.6	3.4	3.3	2.1	3.5	3.0	2.8	2.9	2.9	2.8	3.5	2.9	2.7	2.8	3.5	3.0	2.5	3.1	2.8	2.3	2.9	2.9	4.3	7	2.0	4
NOV	3.2	3.2	2.9	2.8	1.6	2.9	3.3	2.7	3.7	4.3	4.3	5.6	4.8	4.3	3.8	2.7	3.2	3.2	3.1	3.3	4.5	4.8	4.2	4.6	4.3	3.7	3.3	3.3	3.5	3.5		6.1	9	1.6	5
DEC	3.5	3.3	2.5	3.0	4.0	4.3	3.6	3.5	3.5	3.1	3.4	3.5	2.9	3.6	3.3	3.2	3.1	3.6	3.2	3.5	3.2	3.8	3.5	3.1	3.4	4.0	4.6	4.7	4.3	4.8	6.1	P 7.0	31	2.5	3

K- CREST 17.64 AT 4:30 AM.
L- CREST 15.02 AT 7:30 PM.
M- CREST 17.34 AT 12:30 AM.
N- CREST 16 19 AT 1 AM.
P- AT 1 PM.
Q- 4.9 AT 1 PM.
R- 6.0 AT 1 PM.
S- CREST AT 10.15 PM.
T- CREST 11 30 AT 9:30 AM.
U- CREST AT 5:30 PM.
V- CREST SOMETIME DURING NIGHT OF 22D.
W- CREST 16.8 AT 1 PM.
X- EARLY AM OF 13TH.
Y- CREST 18.9 AT 1 PM TO 6 PM.
Z- CREST AT 7 AM.
a- CREST AT 1 PM.
b- CREST 19.69 AT 12.10 AM.
c- CREST 18.99 AT 11:30 PM.
d- CREST AT 7 PM.
e- CREST AT 1.30 AM.
ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

LIX

ATLANTIC SLOPE DRAINAGE

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 363.89 FEET, M.S.L. FLOOD STAGE, 13 FEET.

1963	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
	Day of month																																		
JAN	5.6	4.8	3.7	3.7	2.5	1.3	1.5	2.5	2.5	2.5	2.1	2.1	1.5	2.0	3.4	3.8	3.4	2.7	4.2	9.6	10.6	9.1	7.6	8.0	8.2	3.4	2.5	3.4	5.2	5.3	5.0	F 12.9	21	1.3	6
FEB	4.3	3.0	3.0	4.5	5.1	4.3	4.6	3.7	4.4	5.4	4.3	6.4	6.4	3.8	4.7	4.4	2.6	5.5	4.6	6.7	5.0	6.8	4.5	2.2	3.4	3.7	6.0	4.8				6.8	22	2.2	24
MAR	3.4	1.2	1.2	1.8	2.8	6.5	12.2	L19.0	19.7	7.6	8.0	8.8	20.5	22.5	20.4	12.8	6.2	10.2	10.7	10.7	10.	10.7	7.5	6.0	8.9	9.9	9.8	5.6	5.4	7.2	4.7	M 22.8	13	1.2	2+
APR	7.4	7.4	7.4	7.4	7.0	4.8	5.0	3.4	3.3	3.0	3.2	2.8	2.6	1.4	1.8	2.6	2.6	2.7	2.7	1.8	2.	3.5	3.0	2.8	2.6	2.6	2.0	0.7	1.4	9.4		9.4	30	0.7	28
MAY	12.4	11.9	10.8	10.5	6.4	9.6	5.9	3.7	4.0	4.2	3.2	2.0	1.4	2.7	3.2	3.2	3.1	2.3	1.8	1.9	4.0	3.6	2.8	2.0	1.6	0.8	2.0	10.5	15.1	13.3	9.9	N 19.7	29	0.8	26
JUN	3.9	2.0	2.5	2.5	2.8	2.8	2.5	2.2	2.2	3.5	3.1	3.1	3.1	3.2	2.5	2.2	1.9	2.4	4.4	3.1	3.4	6.0	1.4	3.5	3.2	3.6	4.1	4.3	9.4	6.0		9.4	29	1.4	23
JUL	7.8	7.8	7.8	4.6	3.3	1.1	1.4	4.2	3.3	3.0	2.8	2.8	2.2	1.6	1.8	3.5	3.0	3.3	3.3	2.8	1.6	1.6	2.5	2.3	2.3	2.3	2.2	2.2	2.4	2.8	2.8	7.8	1+	1.1	6
AUG	3.0	3.5	2.1	3.0	1.6	3.8	3.8	3.6	3.2	2.1	0.2	0.2	3.0	2.9	2.9	2.8	1.8	2.0	4.9	2.8	2.8	2.7	2.7	1.5	1.2	1.8	2.5	1.8	1.8	2.0	1.9	4.9	19	0.2	11+
SEP	1.3	1.0	1.6	2.7	2.7	2.7	1.3	0.4	2.2	1.8	2.5	2.7	2.7	1.2	0.7	1.3	4.1	4.6	4.2	3.6	2.2	0.6	1.7	3.3	1.8	1.8	1.9	1.5	4.0	5.8		5.8	30	0.4	8
OCT	6.5	5.8	2.5	2.8	1.5	1.5	3.6	2.5	2.3	2.3	2.9	1.6	1.0	1.9	2.3	2.6	2.7	2.7	1.6	1.0	1.8	2.8	2.6	2.6	2.6	1.8	1.2	2.2	2.7	2.5	2.5	6.5	1	1.0	13+
NOV	2.2	1.3	0.6	1.6	2.1	2.1	2.4	2.6	2.3	0.8	3.8	2.7	2.5	2.9	3.1	2.4	1.6	1.9	3.4	3.2	3.2	2.9	1.9	1.5	2.6	2.8	2.8	4.7	5.1	11.0		11.0	30	0.6	3
DEC	6.4	2.8	3.3	3.5	3.5	2.5	1.4	1.8	1.8	2.7	2.7	3.3	6.2	6.6	7.6	5.6	7.3	7.1	7.4	6.8	4.0	5.7	2.7	5.3	4.6	1.6	2.4	5.2	6.9	5.0	3.8	7.6	15	1.4	7

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1963	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.3	4.4	4.4	4.4	4.2	4.1	4.0	4.1	4.1	4.0	4.0	5.3	4.8	4.5	4.1	4.5	4.3	4.1	4.3	7.1	6.9	5.5	5.0	4.7	4.7	4.5	4.3	4.1	4.1	4.3	4.1	7.4	20	4.0	7+
FEB	4.1	4.0	4.4	4.7	4.4	4.4	4.2	4.2	4.0	4.0	4.1	4.0	4.7	4.5	4.2	4.2	4.1	4.1	4.1	4.5	4.3	4.1	4.0	4.3	4.1	3.9	4.1	4.0				4.7	4+	3.9	26
MAR	4.1	4.7	5.0	4.4	4.2	P11.0	10.4	6.2	5.3	5.2	4.9	5.2	13.0	9.9	6.7	6.0	5.7	5.4	5.1	5.4	6.4	5.8	5.3	5.1	4.7	4.5	4.9	4.6	4.6	4.5	4.6	O 13.0	13	4.1	1
APR	4.4	4.4	4.5	4.5	4.4	4.4	4.5	4.9	4.8	4.8	7.6	4.5	4.5	4.4	4.3	4.2	4.2	4.5	4.5	4.2	4.2	4.1	4.0	4.2	4.1	4.1	4.0	4.1	4.0	6.9		7.6	11	4.0	23+
MAY	7.1	5.5	5.0	4.7	4.4	4.2	4.2	4.3	4.2	4.2	4.1	4.1	4.0	3.8	4.2	4.1	4.1	4.2	4.0	3.9	3.8	4.2	4.0	4.1	3.9	3.9	4.0	4.5	4.9	5.3	4.4	7.1	1	3.8	14+
JUN	4.1	4.1	4.0	3.7	4.1	4.0	4.0	3.9	3.8	3.8	3.8	4.0	3.7	3.7	3.7	3.8	3.7	4.0	4.0	3.8	4.0	4.6	4.5	4.4	4.0	4.0	4.0	6.1	5.2	4.5		6.1	28	3.7	4+
JUL	4.1	4.4	4.1	4.1	3.8	3.6	4.0	3.8	4.5	4.0	3.7	3.8	3.8	3.8	3.6	3.9	4.0	3.7	3.8	3.9	3.9	3.8	3.5	4.0	4.5	5.0	4.4	4.1	3.7	3.7	4.0	5.0	26	3.5	23
AUG	3.9	3.9	3.8	3.8	3.7	3.5	3.6	3.2	3.6	3.4	3.6	3.4	3.4	3.6	3.6	3.5	3.5	3.4	3.2	3.3	3.8	3.5	3.6	3.5	3.6	3.3	3.3	3.3	3.3	3.5	3.8	3.9	1+	3.2	8+
SEP	3.6	3.1	3.2	3.5	3.6	3.8	3.7	3.7	3.5	3.4	3.4	3.4	3.6	3.3	3.6	3.4	3.4	3.6	3.5	3.7	3.6	3.2	3.3	3.1	3.3	3.3	3.2	3.2	6.5	5.4		6.5	29	3.1	2+
OCT	4.5	3.8	3.5	3.6	3.6	3.5	3.3	3.5	3.6	3.3	3.4	3.2	3.5	3.2	3.3	3.3	3.4	3.4	3.3	3.3	3.2	3.5	3.4	3.3	3.2	3.3	3.3	3.4	3.4	3.2	3.3	4.5	1	3.2	12+
NOV	3.3	3.4	3.4	3.2	3.3	3.4	3.5	3.4	3.4	3.4	3.3	3.7	3.4	3.5	3.5	3.4	3.3	3.4	3.2	3.3	3.4	3.4	3.9	3.5	3.4	3.3	3.4	3.4	4.0	6.0		6.0	30	3.2	4+
DEC	4.8	3.7	3.7	4.1	3.9	3.6	3.5	3.4	3.5	3.4	3.6	3.7	3.9	3.9	4.2	3.9	3.7	3.7	3.6	3.7	3.7	3.6	3.4	3.5	3.8	3.6	3.7	3.8	3.8	3.6	3.6	4.8	1	3.4	8+

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 293.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1963	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	8.8	8.0	7.8	7.5	7.4	6.6	6.7	6.7	6.7	6.4	6.6	6.7	10.0	9.6	8.0	7.4	7.2	7.6	10.0	13.8	17.9	16.2	11.9	9.3	9.0	8.6	8.2	7.8	7.6	7.6	7.7	R 17.9	21	6.4	10
FEB	7.4	7.3	8.5	12.3	11.0	10.5	8.8	8.2	8.0	7.2	6.8	8.4	9.0	8.8	8.5	7.7	7.5	6.8	7.5	12.5	11.0	7.7	8.3	8.5	7.8	7.5	7.6	7.7				12.7	20	6.8	11+
MAR	7.5	7.7	9.5	8.8	8.5	14.7	23.4	26.8	20.5	14.7	10.7	10.5	19.3	T25.0	24.7	17.5	13.8	11.5	11.0	10.4	11.5	10.6	10.0	9.4	8.7	8.5	8.5	8.4	7.8	8.0	7.6	S 27.2	8	7.5	1
APR	7.6	7.7	7.6	7.6	7.8	7.7	8.4	9.5	8.8	8.5	8.2	8.0	7.6	7.5	7.0	6.9	6.8	7.0	7.0	7.2	7.0	6.7	6.9	6.6	6.8	6.7	6.6	6.5	6.4	9.0		9.5	8	6.4	29
MAY	15.5	15.3	13.5	11.8	9.0	8.7	7.7	7.6	7.8	7.0	7.0	6.6	6.2	6.6	6.7	6.7	7.0	7.5	7.0	6.8	6.4	6.6	6.4	6.6	6.5	6.3	6.0	7.0	9.8	11.8	10.0	U 16.1	1	6.0	27
JUN	8.6	7.8	7.0	6.7	6.6	7.0	6.9	6.8	6.2	5.8	6.0	5.8	5.7	5.8	6.0	5.8	5.4	5.8	7.0	6.2	6.5	7.5	9.8	8.4	7.7	6.6	7.0	8.0	11.6	11.6		11.6	29+	5.4	17
JUL	8.8	7.7	7.8	7.0	6.8	6.6	6.5	6.0	7.0	7.5	6.3	6.2	6.4	6.3	5.8	6.0	6.2	6.4	6.2	6.3	6.0	6.0	5.8	6.0	6.5	6.8	7.0	6.6	5.8	6.0	5.9	8.8	1	5.8	15+
AUG	6.2	6.0	6.2	6.0	4.9	5.6	6.0	5.8	5.7	6.0	5.4	4.8	5.5	5.4	5.0	5.4	5.5	5.2	4.7	4.9	4.5	5.4	5.5	5.5	5.2	4.0	4.4	4.4	4.5	4.7	4.8	6.2	1+	4.0	26
SEP	4.7	4.9	5.5	4.8	5.0	5.7	6.7	6.0	4.5	5.0	4.8	5.0	4.7	5.5	5.6	4.7	4.6	4.8	6.0	5.2	5.8	5.2	4.0	4.8	4.8	5.1	5.0	5.4	7.0	13.0		13.0	30	4.0	23
OCT	9.7	7.7	6.2	6.1	6.0	5.4	4.6	5.0	5.2	5.4	5.4	5.5	5.8	5.1	5.4	5.5	5.4	5.6	6.0	5.5	4.7	5.0	5.3	5.0	4.8	5.0	4.8	4.6	4.8	5.0	4.1	9.7	1	4.6	7+
NOV	5.0	5.0	5.9	5.4	5.6	5.8	5.1	4.8	5.5	5.4	5.0	5.5	5.2	5.0	5.4	5.5	5.2	4.8	5.0	4.9	4.8	5.0	5.4	6.0	5.2	5.2	5.4	5.5	5.8	9.0		9.0	30	4.8	8+
DEC	9.5	8.3	7.2	6.8	6.8	6.6	6.5	6.0	5.0	4.8	5.5	6.0	8.4	8.6	9.5	9.0	7.4	7.0	6.6	6.3	6.5	6.3	6.2	6.0	6.6	6.7	7.0	6.8	6.6	6.4	6.5	9.5	1+	4.8	10

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1963	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	5.3	4.6	4.2	4.1	4.2	4.0	3.4	3.5	3.5	4.0	3.5	3.5	4.3	4.8	4.8	4.8	3.9	4.1	5.8	7.3	13.5	13.5	9.6	6.7	5.3	4.8	4.9	4.3	4.2	5.1	5.1	V 15.0	21	3.4	7
FEB	5.1	4.6	4.4	6.2	6.8	5.6	4.9	4.7	4.5	4.4	3.5	5.1	5.2	5.2	4.8	4.5	4.3	4.2	4.1	7.4	7.2	5.5	4.7	4.5	4.6	4.4	4.5	4.4				7.7	20	3.5	11
MAR	4.2	4.2	4.5	5.0	4.8	6.1	15.2	W20.5	19.3	13.2	7.2	5.6	11.9	20.0	23.1	18.6	13.7	6.7	6.2	5.9	5.5	6.1	5.4	5.0	4.8	4.8	4.8	4.6	4.8	4.6	4.4	X 23.1	15	4.2	1+
APR	4.3	4.4	4.3	4.3	4.4	4.4	5.1	5.0	5.1	4.8	4.6	4.4	4.2	4.0	4.2	4.1	4.1	3.8	4.1	4.1	4.0	3.4	3.4	3.8	3.5	3.8	3.8	3.5	3.4	4.2		6.3	3	3.4	22+
MAY	6.7	9.8	8.5	6.8	4.8	4.4	4.3	4.0	4.0	4.0	4.0	4.0	3.4	3.2	3.5	3.8	4.3	3.9	3.7	3.5	3.4	3.5	3.5	3.7	3.4	3.4	3.7	4.0	5.2	6.1	6.4	10.4	2	3.2	14
JUN	5.2	4.3	3.9	4.3	2.6	3.4	3.8	3.6	3.8	2.7	3.1	3.2	2.7	3.3	3.6	3.5	3.5	4.3	3.2	3.0	4.1	3.6	4.3	5.0	4.5	4.3	3.6	4.1	6.1	6.6		6.6	30	2.6	5
JUL	6.1	4.6	4.1	4.3	3.4	3.8	2.2	1.7	4.2	4.0	4.1	3.2	3.0	3.5	1.9	2.2	3.2	3.6	3.3	2.7	3.2	2.8	3.0	2.8	3.3	3.9	3.9	3.6	3.4	3.3	2.9	6.1	1	1.7	8
AUG	3.0	3.5	3.2	3.2	2.4	2.4	2.3	2.8	3.0	2.2	1.9	2.6	2.1	2.7	2.3	1.9	2.5	2.3	2.1	2.0	2.5	2.8	2.9	2.0	2.5	2.4	1.9	2.6	2.6	2.4	2.1	3.5	2	1.9	11+
SEP	1.9	2.7	1.9	3.0	2.1	2.1	2.4	2.8	1.7	2.1	3.0	2.1	2.6	2.0	2.8	2.3	1.9	2.5	2.9	2.1	2.1	2.3	2.7	2.0	2.8	2.7	2.0	2.9	4.3	4.6		4.6	30	1.7	9
OCT	6.2	4.8	3.1	2.1	2.5	2.2	2.3	3.0	2.9	2.9	2.3	2.5	2.0	2.3	2.9	2.6	2.0	2.7	2.9	2.4	1.6	2.0	2.9	2.9	2.5	2.7	2.3	2.1	2.9	2.9	3.2	6.2	1	1.6	21
NOV	2.8	2.9	2.1	1.7	3.2	3.3	2.9	3.0	1.9	2.4	2.6	2.5	2.8	2.9	2.4	2.5	2.8	2.3	2.1	2.8	2.2	1.9	2.7	2.9	2.7	3.2	3.3	2.9	3.4	4.4		4.4	30	1.7	4
DEC	4.8	4.8	4.5	3.6	3.6	4.0	2.9	3.2	2.5	2.3	3.0	3.3	4.2	4.8	5.1	5.8	4.8	3.7	3.6	3.7	3.6	3.2	3.1	4.5	3.9	3.4	3.9	2.9	2.9	3.1	3.1	5.8	16	2.3	9+

K- CREST AT 10.15 PM.
L- CREST 19.6 AT 12 NOON.
M- CREST 22.78 AT 8 PM.
N- CREST 15.68 AT 2 PM.

P- CREST 12.04 AT 6.30 PM.
Q- CREST 13.03 AT 11.30 AM.
R- CREST AT 7 AM. TO 1 PM.
S- CREST AT 2 AM.

T- CREST 26.5 AT 6 PM.
U- CREST AT 6 PM.
V- CREST AT 10.30 PM.
W- CREST 21.56 AT 2.45 PM.

X- CREST 23.09 AT 7.30 AM.
ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

ATLANTIC SLOPE DRAINAGE

LX

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 362.89 FEET, M.S.L. FLOOD STAGE, 14 FEET. SEE CORRIGENDA.

1964	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or Crest	Date	Lowest	Date
	Day of month																																		
JAN	3.5	4.4	6.6	7.8	2.2	2.4	2.8	3.0	4.1	9.4	10.1	5.3	7.0	8.5	6.5	6.5	5.6	4.4	3.0	4.2	6.0	6.2	5.1	5.1	6.4	12.6	12.6	10.9	10.5	10.5	10.3	K 13.7	26	2.2	5
FEB	8.2	8.0	7.0	6.7	6.7	8.0	8.3	9.3	9.3	8.3	7.3	7.3	7.3	7.5	4.0	5.9	9.7	9.4	12.1	11.3	10.5	10.0	4.4	8.9	8.8	9.6	8.6	8.0	6.2			12.1	19	4.0	15
MAR	3.1	6.0	9.0	8.0	7.6	10.5	7.4	6.8	7.4	4.2	4.2	4.2	4.4	4.9	10.0	L14.9	11.2	10.8	10.3	10.4	10.0	8.6	8.9	9.6	9.2	16.2	23.4	17.4	9.6	10.2	10.8	M 23.7	27	3.1	1
APR	10.7	10.7	10.5	7.6	7.1	10.3	18.2	22.0	24.4	20.8	14.9	9.6	10.3	10.3	10.1	10.3	10.4	9.1	8.0	8.0	9.3	9.3	9.6	8.3	6.8	2.4	8.1	11.4	10.9	10.5		N 25.0	8	2.4	26
MAY	10.4	10.4	13.5	15.0	11.8	10.9	10.5	10.5	6.5	4.6	4.6	5.0	4.3	3.5	3.5	3.1	3.0	3.8	4.6	4.6	5.0	4.8	3.5	2.6	5.9	5.9	5.9	5.9	5.6	2.4	1.5	P 15.3	3	1.5	31
JUN	1.9	4.4	6.6	6.6	6.6	5.2	2.5	5.6	7.8	8.7	7.3	7.0	2.8	2.2	5.8	4.8	4.8	3.8	4.0	3.7	2.8	5.2	3.0	3.4	4.8	3.2	6.6	3.9	2.8	1.6		8.7	10	1.6	30
JUL	4.0	3.8	3.8	2.2	2.0	2.9	4.0	3.4	3.6	3.8	2.0	1.5	2.2	2.2	2.2	3.0	3.0	2.1	6.9	12.6	16.6	12.5	10.7	10.7	9.0	8.0	8.6	8.6	4.6	4.6	4.2	Q 17.3	21	1.5	12
AUG	4.2	2.8	4.6	3.6	3.6	3.4	3.4	2.4	1.2	2.0	3.2	6.2	3.0	3.0	4.8	2.4	4.8	5.3	4.2	3.6	4.9	4.9	4.0	4.8	3.1	3.1	3.1	3.3	6.5	17.5	19.9	R 20.0	31	1.2	9
SEP	17.9	12.8	10.9	10.6	9.2	5.4	7.4	5.2	7.4	10.2	9.6	4.8	4.8	3.6	5.2	5.6	5.6	5.9	2.3	3.1	4.1	4.4	5.6	6.3	5.2	7.5	1.3	3.0	6.1	6.1		S 18.5	1	1.3	27
OCT	8.6	8.0	9.8	8.7	15.5	16.4	18.5	17.4	11.0	10.1	7.6	10.1	10.4	10.6	10.6	U14.6	13.6	9.3	10.5	10.7	10.7	10.7	10.7	10.6	8.6	10.3	10.6	10.6	8.3	7.2	3.2	T 19.7	7	3.2	31
NOV	3.0	4.3	7.3	7.3	8.7	8.4	2.9	2.7	2.7	5.9	4.0	5.3	5.8	2.4	1.4	2.8	4.8	4.8	4.8	4.9	2.9	4.1	3.3	7.4	5.8	8.6	8.3	7.2	4.9	9.1		10.5	30	1.4	15
DEC	10.5	10.5	10.5	7.2	4.3	5.3	8.0	8.7	9.2	9.2	8.5	8.1	4.6	3.4	5.3	6.0	5.6	5.6	7.3	6.7	5.9	8.4	8.4	9.4	8.0	9.6	17.0	16.2	12.3	11.4	11.4	V 17.6	27	3.4	14

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1964	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or Crest	Date	Lowest	Date
JAN	3.7	4.6	4.5	3.5	3.9	3.9	3.9	4.0	4.3	6.1	5.2	4.9	4.9	5.1	4.6	4.3	4.1	4.1	4.1	3.9	4.1	4.0	3.9	3.9	7.3	7.5	5.6	5.1	4.6	4.1	4.2	W 9.0	25	3.5	4
FEB	4.1	4.1	4.0	3.8	4.0	4.8	6.0	5.2	4.6	4.3	3.9	4.1	4.1	4.0	4.0	4.4	4.6	4.5	7.1	5.1	5.1	4.7	4.8	4.6	4.5	4.5	4.2	4.0	4.6			7.1	19	3.8	4
MAR	4.3	4.0	4.3	4.7	5.1	5.6	5.4	5.0	4.7	4.4	4.6	4.2	4.1	4.2	6.1	5.7	5.1	4.8	4.7	4.5	4.7	4.7	4.4	4.2	4.4	5.2	6.2	5.3	5.0	4.5	4.6	6.4	15	4.0	7
APR	4.5	4.4	4.2	4.3	4.3	4.2	7.6	11.0	8.2	6.0	5.6	5.2	5.0	5.3	5.1	4.7	4.4	4.3	4.6	3.9	4.0	4.4	4.4	4.3	4.4	4.3	4.4	6.0	5.8	5.5		Y 11.4	8	3.9	20
MAY	5.2	4.9	5.4	5.6	5.3	5.0	4.8	4.7	4.5	4.5	4.3	4.3	4.6	4.3	4.2	4.2	4.1	4.0	3.9	4.3	3.9	4.0	4.1	3.1	4.0	4.0	4.1	4.1	4.1	4.0	3.8	5.6	4	3.1	24
JUN	3.7	5.8	5.1	4.6	4.2	4.2	3.9	4.2	4.2	4.4	4.1	3.9	4.0	3.9	4.0	3.6	3.9	3.8	3.8	4.1	3.8	3.7	3.7	3.7	4.5	3.9	4.0	4.0	3.5	2.8		5.8	2	2.8	30
JUL	2.7	3.7	4.0	3.8	4.0	3.3	3.6	4.0	3.5	3.8	3.7	3.8	3.7	3.6	3.7	3.7	4.0	3.7	5.1	6.5	5.7	8.2	8.2	5.3	4.8	4.8	4.3	4.1	3.8	4.0	4.0	8.5	21	2.7	1
AUG	4.2	3.9	3.7	4.0	3.8	3.7	3.8	3.7	3.7	4.0	4.5	4.6	4.4	3.9	3.8	3.9	6.8	5.5	4.7	4.2	4.0	4.0	3.9	3.7	3.8	3.5	3.7	3.7	3.9	4.1	5.5	6.9	17	3.5	26
SEP	5.6	5.0	4.6	4.2	4.1	4.0	3.7	3.6	4.1	4.0	4.1	4.0	3.8	4.1	3.9	3.9	3.5	3.7	3.7	3.6	3.7	3.7	3.8	3.9	3.9	3.6	3.6	3.3	3.7	5.7		5.7	30	3.3	28
OCT	5.9	5.7	5.4	5.2	14.2	14.4	8.0	7.0	6.3	5.5	5.4	5.0	4.9	4.7	4.9	5.7	a14.6	10.8	6.8	6.0	5.5	4.3	4.1	5.0	4.7	4.6	4.9	4.5	4.6	4.6	4.8	Z 15.6	6	4.5	28
NOV	4.4	4.2	4.5	4.4	4.4	4.3	4.3	4.2	4.2	4.2	4.3	4.2	4.0	4.1	4.3	4.0	4.1	4.2	4.1	4.2	4.2	4.1	4.1	4.1	4.2	9.0	6.1	5.4	5.0	4.7		9.2	26	4.0	13+
DEC	4.3	4.6	4.6	4.4	4.6	4.8	4.3	4.3	4.2	4.4	4.1	4.5	4.9	4.3	4.4	4.1	4.2	4.4	4.0	4.0	4.1	3.9	4.2	4.2	4.0	4.5	10.4	7.0	5.9	5.3	4.8	10.4	27	3.9	22

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 293.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1964	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or Crest	Date	Lowest	Date
JAN	6.8	8.0	8.8	8.5	8.0	6.8	7.0	8.5	9.7	14.8	13.5	10.8	11.5	11.2	10.0	8.7	8.4	7.2	7.0	7.0	8.3	8.0	7.7	7.5	13.5	19.7	18.6	14.5	11.7	9.7	8.6	b 19.9	26	6.8	1+
FEB	8.5	8.3	8.0	7.6	7.5	8.0	13.2	11.4	10.0	9.1	8.4	7.7	7.6	8.0	8.0	10.8	13.1	11.8	16.5	17.0	12.7	10.2	9.4	8.5	8.4	8.6	8.6	8.4	8.2			c 17.9	20	7.5	5
MAR	8.2	8.0	10.0	10.5	10.5	11.8	11.9	10.1	9.7	8.8	8.5	8.3	8.2	8.0	15.4	20.8	17.9	14.2	11.0	9.7	9.8	10.2	9.7	8.8	8.5	14.4	18.3	17.0	12.8	10.7	9.8	20.8	16	8.0	2+
APR	8.9	8.6	8.5	8.2	8.2	8.0	18.0	23.7	30.1	26.2	18.3	13.0	11.1	10.5	11.0	10.5	9.8	9.2	9.0	8.9	8.3	8.0	8.2	8.7	8.3	8.6	9.0	10.0	12.5	11.9		d 30.3	9	8.0	6+
MAY	11.5	10.4	12.7	14.0	13.2	10.8	10.0	9.5	8.8	8.6	8.3	7.8	7.6	7.6	8.0	7.5	7.3	7.0	6.9	6.8	6.8	6.7	7.0	6.6	6.2	6.3	6.4	6.2	6.2	6.4	6.2	14.0	4	6.2	25+
JUN	6.0	7.0	11.8	10.0	8.2	6.8	7.0	7.8	9.5	7.5	7.2	6.9	6.5	6.7	6.7	6.6	6.6	6.0	5.8	5.8	5.7	5.5	6.0	6.4	6.6	7.5	7.0	6.4	5.6	5.7		11.8	3	5.5	22
JUL	6.0	5.8	6.0	5.9	6.0	5.8	5.8	5.6	6.4	6.2	6.0	5.8	5.5	5.6	5.5	5.8	5.7	5.5	7.7	11.7	12.0	13.6	13.6	12.7	9.5	8.4	7.7	7.5	6.8	6.6	6.5	e 14.2	22	5.5	13+
AUG	6.3	6.4	6.1	6.0	5.7	6.1	6.4	6.2	6.5	6.8	7.3	8.8	7.5	7.0	6.7	7.0	7.4	11.5	9.4	8.0	8.7	6.0	5.7	5.5	5.5	5.4	5.6	5.8	6.0	16.1	16.9	f 17.1	30	5.4	26
SEP	16.7	13.7	9.4	8.0	7.1	6.2	5.6	5.7	6.5	6.6	6.0	6.4	7.0	6.8	5.8	6.5	6.2	5.5	5.4	5.5	5.7	5.4	5.5	5.6	5.5	5.6	5.4	5.2	5.0	5.2		16.7	1	5.0	29
OCT	8.0	8.8	10.0	8.4	17.2	23.5	20.0	19.8	12.6	10.0	9.4	8.8	8.3	8.0	8.0	17.7	26.4	31.0	24.6	12.7	10.8	9.9	9.5	9.0	8.5	8.3	8.3	8.2	8.1	8.0	8.0	31.0	18	8.0	1+
NOV	8.2	8.1	7.8	7.5	7.6	7.7	7.6	7.0	7.1	6.9	6.8	7.0	6.8	6.8	6.5	7.0	6.7	6.8	6.7	6.7	7.0	7.1	6.8	7.0	7.4	15.9	17.0	12.6	9.8	7.0		g 17.4	27	6.5	15
DEC	9.5	8.5	8.2	8.4	8.0	9.6	9.4	8.3	8.2	8.0	7.8	7.6	8.0	8.0	7.7	7.8	7.7	7.5	7.6	8.0	8.0	8.0	7.6	7.5	7.6	9.8	18.5	21.6	17.0	13.5	10.6	21.6	28	7.5	18+

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1964	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or Crest	Date	Lowest	Date
JAN	4.1	3.0	4.8	4.7	4.3	4.2	4.3	4.4	5.4	9.1	9.7	6.9	6.5	7.2	6.0	5.2	4.8	4.6	4.4	4.0	5.0	4.9	4.6	4.5	5.4	17.4	15.0	11.8	8.7	5.8	5.1	16.2	27	3.0	2
FEB	4.8	4.4	4.4	4.5	4.3	4.9	6.1	7.5	5.9	5.2	4.9	4.6	4.5	4.7	4.7	6.0	8.0	8.0	11.9	13.3	10.7	6.6	5.4	5.0	5.0	5.0	5.0	5.1	5.1			14.6	19	4.3	5
MAR	4.7	4.6	5.9	6.5	6.2	6.4	6.7	6.0	5.3	5.2	5.1	4.9	4.5	4.5	7.0	18.7	18.1	13.3	8.6	7.5	5.8	5.6	5.4	5.1	4.8	10.9	17.7	16.8	13.7	11.2	9.1	h 19.8	16	4.5	13+
APR	5.4	5.0	4.9	4.8	4.5	4.5	13.3	18.3	25.8	28.3	20.8	14.8	11.2	9.9	9.7	6.7	5.7	5.3	5.0	4.7	4.8	4.5	4.5	4.7	4.5	4.7	4.7	7.8	6.9	7.5		J 28.6	10	4.5	5+
MAY	6.8	6.1	9.5	12.9	12.4	10.7	9.3	8.7	5.1	4.9	4.4	4.4	4.4	4.5	4.4	4.4	4.2	3.7	4.3	3.6	3.5	4.1	4.0	3.8	3.8	2.9	3.8	3.8	3.6	3.0	3.0	13.0	4	2.9	26
JUN	2.8	3.1	2.9	3.8	3.5	2.7	3.0	2.9	2.9	2.0	2.5	2.4	2.7	2.7	3.1	3.3	2.7	3.7	4.7	5.2	7.7	7.2	9.0	8.3	6.6	5.2	4.4	4.4	4.1	4.0		10.7	23	2.0	10
JUL	2.8	3.1	2.9	3.8	3.5	2.7	3.0	2.9	2.9	2.0	2.5	2.4	2.7	2.7	3.1	3.3	2.7	3.7	4.7	5.2	7.7	7.2	9.0	8.3	6.6	5.2	4.4	4.4	4.1	4.0	5.2	11.1	22	2.0	10
AUG	4.4	4.2	3.5	3.6	3.6	3.7	2.7	3.3	2.0	3.0	4.1	4.7	4.6	4.1	3.6	2.5	3.7	4.7	5.7	4.8	4.6	3.6	3.4	3.4	2.7	2.1	3.4	2.3	3.4	11.4	17.6	17.6	31	2.0	9
SEP	16.2	12.1	8.1	5.2	4.6	4.2	3.7	3.3	5.6	6.5	4.7	4.2	7.2	5.4	4.4	4.1	3.9	3.7	3.7	3.4	3.1	3.7	4.0	5.0	3.7	3.6	2.6	2.8	3.7	2.7		16.2	1	2.2	30
OCT	5.4	5.6	5.2	4.9	11.8	19.9	k22.0	21.8	13.8	6.6	5.4	4.9	5.6	6.0	5.9	16.4	22.4	24.8	25.4	15.3	9.1	7.1	5.9	6.1	5.0	5.6	5.6	5.4	5.8	5.8	5.5	J 26.2	18	4.9	6+
NOV	4.5	4.2	5.4	4.3	4.5	4.5	4.4	4.0	3.6	4.3	4.4	4.4	4.3	4.1	3.5	3.7	3.8	4.1	4.1	4.3	4.1	4.2	3.7	3.7	4.1	4.9	10.6	9.2	5.9	5.1		12.4	27	3.5	15
DEC	5.0	4.9	4.8	4.6	4.7	5.0	5.1	5.0	4.6	4.5	4.4	4.4	4.4	4.1	4.4	4.1	4.4	4.3	4.4	4.0	4.3	3.9	3.7	4.2	4.1	6.5	14.6	17.3	17.5	13.0	9.5	m 19.4	28	3.7	23

K- CREST 13.70 AT 2:00 AM AND 5:00 PM.
L- CREST 15.23 AT 11:45 AM.
M- CREST 23.67 AT 4:45 AM.
N- CREST 25.00 AT 9:00 PM
P- CREST 15.33 AT 7:00 PM.
Q- CREST 17.26 AT 11:15 AM.
R- CREST 20.02 AT 9:30 AM.

S- CREST 18.46 AT 12:01 AM.
T- CREST 19.74 AT 5:00 PM.
U- CREST 15.91 AT NOON.
V- CREST 17.63 AT 4:00 PM.
W- CREST AT 8:30 AM.
Y- CREST 11.44 AT 3:45 AM.
Z- CREST 15.61 AT 12:30 AM.

a- CREST 15.18 AT 1:30 AM.
b- CREST AT 1:00 PM.
c- CREST AT 1:00 AM.
d- CREST AT 11 AM.
e- CREST AT 1 PM.
f- CREST AT 5:30 PM.
g- CREST AT MIDNIGHT

b- CREST 19.77 AT 6:30 PM.
i- CREST 18.41 AT 10:30 PM.
j- CREST AT 2:45 AM.
k- CREST 23.61 AT 10 PM.
l- CREST 26.18 AT 11 PM.
m- CREST 19.37 AT 6:30 PM.

ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

ATLANTIC SLOPE DRAINAGE

LXI

SALUDA RIVER AT WEST PELZER, S.C.
GAGE ZERO, 689.73 FEET, M.S.L. FLOOD STAGE, 9 FEET.

Day of month

1965	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	5.0	4.5	4.0	4.0	4.0	4.3	4.0	4.0	3.7	4.0	4.3	4.0	4.0	4.3	4.0	4.5	4.5	4.3	4.5	4.5	4.5	4.5	4.7	5.0	4.7	4.5	4.5	4.5	4.0	4.0	4.5	5.0	1+	3.7	9
FEB	4.7	4.5	4.5	4.5	4.5	4.3	4.5	5.0	6.0	5.0	4.7	4.5	5.0	5.0	4.7	4.5	4.7	4.5	4.5	4.3	4.0	4.0	4.3	4.5	5.0	5.0	5.5	5.5				6.0	9	4.0	21+
MAR	5.0	4.7	4.5	5.0	5.0	4.7	4.5	4.5	4.5	4.3	4.5	4.7	4.7	4.5	4.5	4.3	4.5	5.7	5.0	4.7	4.7	4.5	4.5	6.4	5.5	5.7	8.0	7.0	5.7	5.0	4.7	8.0	27	4.3	10+
APR	4.5	4.5	4.7	4.7	4.5	4.5	4.5	4.7	4.5	4.3	4.3	4.5	4.5	4.5	3.7	4.0	4.0	3.7	4.0	4.3	4.3	4.3	4.3	4.2	5.3	5.7	6.3	7.7	6.3	5.3		7.7	28	3.7	15+
MAY	4.7	5.6	4.5	4.5	4.3	4.3	4.3	4.3	5.3	4.3	4.4	4.3	4.2	4.2	4.2	5.0	4.2	4.2	4.2	4.2	4.2	4.5	5.8	4.5	4.3	4.1	4.1	4.0	4.0	5.0	4.2	5.8	23	4.0	28+
JUN	4.1	4.0	4.0	4.2	4.2	5.0	4.2	4.2	4.2	4.2	4.2	5.6	7.2	6.2	5.4	7.0	6.5	5.6	5.0	5.4	4.5	4.3	4.2	4.2	4.2	4.2	5.0	4.2	4.2	4.2		7.2	13	4.0	2+
JUL	4.2	4.0	3.7	4.7	4.7	5.0	5.0	4.7	5.0	5.0	5.0	4.0	4.3	4.2	4.2	4.2	4.2	5.0	4.2	4.2	4.2	4.2	4.2	4.2	4.8	4.2	4.2	5.3	4.4	4.2	4.0	5.3	28	3.7	3
AUG	5.5	4.1	4.1	4.0	4.0	4.0	3.8	4.0	4.2	4.2	4.2	4.0	4.2	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.1	4.1	3.7	3.7	4.0	4.0	4.7	4.0	4.0	5.5	1	3.7	25+
SEP	4.0	4.0	4.0	4.0	4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.1	4.1	4.1	4.1	4.1	4.0	4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.5	4.0	4.0	4.0	4.0		4.8	12	4.0	1+
OCT	4.2	6.5	7.5	4.0	4.4	4.4	4.4	4.5	4.3	5.2	4.1	4.1	4.5	4.1	4.1	4.1	4.6	4.1	4.0	4.0	3.7	4.1	4.1	4.8	4.0	4.0	4.0	4.0	3.8	4.0	4.7	7.5	3	3.7	21
NOV	4.0	4.0	4.0	4.0	4.0	4.0	4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.2	4.2	4.0	4.0	4.0	4.0	4.7	4.0	4.0		4.8	21	4.0	1+
DEC	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.7	4.7	4.7	4.0	4.0	4.0	4.0	4.0	4.7	24+	4.0	1+

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 362.89 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1965	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	10.0	9.6	8.5	11.2	11.2	10.7	9.6	9.3	5.1	4.0	4.0	5.1	5.3	5.3	5.1	9.1	9.6	9.0	8.7	4.8	4.3	5.3	3.9	4.9	6.5	6.0	5.7	9.6	9.1	4.0	5.2	11.2	4+	3.9	23
FEB	5.5	7.2	7.5	7.7	6.9	4.0	3.2	4.0	8.2	8.7	10.2	10.4	5.2	4.2	9.6	9.1	8.5	10.7	9.3	6.9	6.6	5.7	8.6	7.9	9.6	9.6	9.1	6.6				10.7	18	3.2	7
MAR	4.8	4.6	7.5	7.2	9.2	5.9	5.2	7.4	9.2	9.2	10.7	10.5	6.5	7.3	4.6	5.4	5.0	9.3	13.1	6.8	6.8	8.3	8.3	9.4	15.2	16.4	14.4	15.0	13.9	12.3	10.7	K 16.5	25	4.6	2+
APR	11.0	11.0	9.7	9.7	11.5	11.5	11.5	11.3	11.3	9.0	4.3	9.3	11.3	10.0	9.0	10.2	5.6	4.2	8.5	8.2	7.6	7.6	8.3	3.9	2.3	6.3	10.9	12.1	11.4	10.8		12.1	28	2.3	25
MAY	8.1	5.0	6.3	8.9	8.0	7.4	9.2	4.9	6.2	7.0	9.0	8.3	7.6	6.8	3.2	3.5	6.5	6.5	7.0	7.5	7.5	3.8	5.5	9.3	7.9	9.3	9.7	9.1	3.8	3.5	6.7	9.7	27	3.2	15
JUN	6.3	5.9	5.9	6.8	4.8	6.0	6.6	7.2	9.8	9.4	9.4	5.0	10.1	15.1	14.7	21.0	21.0	16.4	12.4	10.3	10.9	11.4	11.2	8.1	5.9	4.2	3.2	6.3	9.8	6.9		L 21.4	16	3.2	27
JUL	7.5	6.1	4.0	3.6	5.9	2.8	2.8	2.6	4.7	7.3	7.0	6.9	13.8	8.6	8.6	8.1	5.4	5.8	7.2	4.7	4.4	4.2	4.5	4.9	6.0	4.2	4.2	4.0	12.0	5.1	4.2	H 14.0	13	2.6	8
AUG	2.7	4.2	3.7	3.9	4.4	4.2	4.0	3.8	3.5	3.9	3.6	4.1	3.9	4.5	3.8	5.1	5.1	4.9	4.0	4.0	4.2	2.8	4.9	3.5	3.5	3.6	3.8	6.5	3.4	3.4	3.8	6.5	28	2.7	1
SEP	4.1	5.7	4.2	4.6	3.1	3.2	4.2	3.8	3.0	3.7	5.6	3.3	7.5	6.0	6.2	4.3	4.3	3.6	3.0	2.8	3.8	3.9	3.9	3.8	3.8	3.0	2.9	3.8	7.9	4.5		7.9	29	2.8	20
OCT	4.4	10.3	5.9	4.0	6.1	5.9	5.6	6.4	5.0	2.2	5.3	6.5	6.7	6.5	6.9	4.4	2.2	2.9	5.9	4.9	5.1	5.3	4.0	2.2	3.5	5.0	4.4	4.0	4.0	3.1	3.1	10.3	2	2.2	10+
NOV	2.9	3.9	3.9	4.2	4.5	3.5	3.1	3.2	5.3	6.3	5.3	5.5	4.2	3.2	3.0	3.7	3.7	3.7	3.7	4.7	2.0	3.7	4.3	3.4	3.4	3.2	3.2	2.0	4.0	2.6		6.3	10	2.0	21+
DEC	3.2	3.5	3.2	3.8	2.9	3.1	3.1	3.1	3.1	3.2	4.9	2.6	4.0	2.9	2.9	2.9	3.0	2.6	3.1	3.1	4.9	4.9	4.0	3.5	2.2	1.8	3.9	5.9	5.9	4.9	4.9	5.9	28+	1.8	26

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1965	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.6	4.4	4.1	4.1	4.2	4.3	4.3	4.5	4.1	4.1	4.2	4.2	4.2	4.4	4.0	4.2	4.6	4.5	4.3	4.3	4.1	4.2	4.3	4.3	5.0	4.7	4.8	4.6	4.3	4.3	4.8	5.0	25	4.0	15
FEB	4.3	4.4	4.7	4.5	4.2	4.5	4.5	7.6	5.8	5.3	6.0	5.3	5.1	4.8	4.8	4.9	4.8	4.7	4.5	4.4	4.2	4.2	4.5	4.2	6.5	7.9	5.7	5.6				7.9	26	4.2	5+
MAR	5.1	5.0	7.7	6.0	5.8	5.5	5.4	5.3	5.0	5.0	4.9	4.7	5.0	5.1	4.4	4.5	4.8	9.3	6.4	5.8	5.3	5.1	5.0	5.0	4.9	6.2	8.3	6.3	5.8	6.4	5.8	M 9.5	18	4.4	15
APR	5.5	5.2	5.1	5.0	5.0	4.8	5.1	4.9	4.9	4.7	4.6	4.7	4.8	4.6	4.5	4.8	4.7	4.7	4.6	4.8	4.8	4.6	4.4	4.4	4.3	4.8	6.9	7.8	6.3	5.4		8.5	27	4.3	25
MAY	5.1	4.6	4.4	4.3	4.3	4.2	4.5	4.4	4.4	5.1	4.5	4.4	4.7	4.7	4.4	4.4	4.3	4.2	4.5	4.4	4.4	4.2	5.2	4.9	4.7	4.5	4.4	4.4	4.6	4.4	4.1	5.2	23	4.1	31
JUN	4.1	4.4	4.1	4.3	4.2	4.2	4.0	4.0	4.2	4.5	4.2	4.3	5.7	5.2	6.5	8.3	6.4	5.6	4.9	4.3	4.3	4.2	4.5	4.1	4.5	4.2	4.6	4.1	4.2	4.5		P 8.6	16	4.0	7+
JUL	4.3	4.1	4.2	4.2	4.7	4.7	4.6	4.8	4.3	4.3	8.7	5.8	5.1	4.6	4.7	4.4	4.3	4.4	4.1	4.1	4.3	4.1	4.2	4.2	5.5	4.8	4.9	7.7	5.2	4.4	5.0	Q 9.2	11	4.1	2+
AUG	6.6	4.8	4.5	4.6	4.0	4.5	4.6	4.2	4.2	4.1	4.8	4.3	4.3	4.2	4.1	4.1	4.0	3.9	4.2	4.2	4.3	4.1	4.4	4.3	5.0	5.1	4.5	4.3	4.4	4.3	3.9	6.6	1	3.9	18+
SEP	4.2	3.8	3.9	4.1	3.8	3.8	3.9	4.0	4.1	3.7	4.1	3.9	3.9	3.7	4.0	3.9	3.8	3.8	4.1	3.6	3.6	3.7	3.7	3.8	4.1	4.1	3.7	3.6	3.9	3.7		4.2	1	3.6	20+
OCT	3.6	8.2	5.9	5.2	4.5	4.2	4.1	4.9	4.7	4.5	4.0	4.2	4.1	3.9	4.1	3.9	4.0	3.8	3.5	4.1	4.0	4.7	4.4	4.0	3.7	3.8	3.9	4.0	4.0	4.0	3.8	8.5	2	3.5	19
NOV	3.9	3.6	4.0	4.1	3.9	4.0	4.0	3.8	3.7	3.9	4.4	4.1	4.0	4.0	3.9	3.9	4.0	4.0	3.8	3.9	4.0	4.1	4.1	4.2	4.0	4.0	3.9	4.0	3.8	3.7		4.2	24	3.6	2
DEC	3.9	4.0	4.0	4.2	3.9	3.9	3.9	4.0	4.0	3.8	3.9	4.0	3.7	3.7	3.8	3.6	3.8	3.8	3.6	3.5	3.6	3.7	3.4	3.5	3.7	3.7	3.7	3.8	3.8	3.6	3.5	4.2	4	3.4	23

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1965	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	9.8	9.0	8.0	8.0	7.0	8.1	8.0	7.8	7.9	7.7	7.8	7.9	8.0	7.8	7.8	8.0	7.7	7.6	7.5	7.5	7.4	7.5	7.6	7.7	8.5	8.7	8.5	8.5	8.3	8.5	8.8	9.8	1	7.4	21
FEB	8.6	8.0	8.0	7.8	7.7	8.0	8.2	11.4	13.5	11.4	11.0	11.4	10.4	10.0	10.8	10.0	9.7	11.5	10.6	9.5	8.7	8.4	8.2	8.0	9.4	15.4	13.8	11.1				R 15.9	26	7.7	5
MAR	10.0	9.6	15.3	16.3	13.0	11.5	10.4	9.8	9.7	9.0	8.9	8.7	9.0	8.8	8.5	8.0	7.9	14.0	18.6	14.5	11.8	10.3	9.4	10.2	14.9	14.6	16.7	17.7	15.0	13.0	12.2	18.6	19	7.9	17
APR	12.0	11.5	10.4	10.0	9.8	9.7	9.8	13.2	11.7	10.5	10.0	9.2	9.0	9.0	7.8	10.4	10.0	9.6	8.7	9.4	10.0	10.2	9.0	8.6	8.0	8.7	12.7	16.9	16.3	13.2		S 17.2	28	7.8	15
MAY	11.0	9.7	9.2	8.5	8.3	8.2	8.2	8.0	8.5	8.8	8.0	8.0	7.6	7.5	7.4	7.6	6.2	6.0	6.8	6.5	6.6	6.4	7.7	8.3	7.6	7.2	7.0	7.0	6.8	6.4	6.0	11.0	1	6.0	18+
JUN	6.4	6.3	6.2	6.8	6.5	6.3	6.0	6.1	6.8	7.0	6.9	7.0	9.0	10.5	10.8	14.0	17.4	15.7	12.3	9.0	8.3	7.0	6.9	7.3	7.3	7.8	7.5	7.0	7.3	7.0		T 17.7	17	6.0	7
JUL	7.5	7.0	7.2	7.0	6.8	6.0	7.0	7.2	7.2	7.3	7.5	19.6	13.5	10.0	9.4	8.7	8.4	7.5	6.8	6.7	7.0	7.0	6.7	6.6	6.8	7.5	8.0	7.4	13.0	9.5	7.7	U 19.9	12	6.0	6
AUG	11.0	12.4	8.2	7.6	6.8	7.2	6.6	6.5	6.0	6.2	6.3	6.3	6.4	6.5	6.3	6.0	6.2	6.1	6.2	5.8	6.4	7.2	6.7	7.0	6.8	7.4	7.4	7.5	8.0	7.0	6.5	12.4	2	5.8	20
SEP	6.1	6.5	6.2	6.0	5.7	5.2	5.6	6.0	5.8	5.8	5.7	6.0	5.6	6.0	5.7	6.0	5.8	5.5	5.7	5.6	5.8	5.7	5.4	5.0	5.6	6.5	6.2	6.0	6.0	5.7		6.5	2+	5.0	24
OCT	5.3	5.5	12.4	9.5	7.8	7.0	6.8	7.0	7.5	7.2	6.6	6.5	6.3	6.1	5.7	6.0	6.0	5.7	5.8	6.0	6.0	5.8	6.0	6.3	6.0	5.6	5.8	6.0	6.0	6.0	5.8	12.6	3	5.3	1
NOV	5.5	6.0	5.8	6.0	6.0	5.7	5.6	5.5	5.7	5.8	6.0	5.8	6.0	6.4	5.8	6.0	6.0	5.7	6.2	6.3	6.3	6.8	8.5	8.0	7.0	6.7	6.8	6.4	6.0	5.8		8.5	23	5.5	1+
DEC	5.7	5.8	5.8	6.0	6.1	5.6	5.8	5.7	5.8	5.8	6.0	5.7	5.5	6.0	5.7	6.1	6.0	5.8	6.3	6.1	5.8	5.8	5.7	6.0	6.2	6.2	6.0	6.3	6.2	6.0	6.1	6.3	19+	5.5	13

K- CREST 16.40 AT 11:00 PM.
L- CREST 21.36 AT 5:30 PM.
M- CREST 13.99 AT 1:00 AM.
N- CREST 9.50 AT 12:30 PM.

P- CREST 8.63 AT 2:00 PM.
Q- CREST 9.21 AT 5:00 AM.
R- CREST 15.9 AT 1:00 PM.
S- CREST 17.2 AT 1:00 PM.

T- CREST 17.7 AT 1:00 PM.
U- CREST 19.9 AT 12:30 PM.
ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

ATLANTIC SLOPE DRAINAGE

LXII

SALUDA RIVER AT WEST PELZER, S.C.
GAGE ZERO, 689.73 FEET, M.S.L. FLOOD STAGE, 9 FEET.

1966	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
	Day of month																																		
JAN	4.0	4.7	4.0	4.0	4.0	4.0	4.3	4.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	5.2	4.0	4.3	4.0	4.0	4.0	4.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.7	4.0	5.2	16	4.0	1+
FEB	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	7.3	9.5	10.0	7.5	8.3	7.3	6.0	6.0	4.7	4.2	4.2	4.2	4.5	4.5	5.3	4.3				10.0	14+	4.0	1+
MAR	4.7	4.7	4.5	8.8	9.5	7.8	5.5	5.2	4.8	4.4	4.4	4.4	5.3	4.3	4.3	4.4	4.2	4.5	4.2	5.0	4.3	4.3	4.3	4.3	4.3	4.0	5.0	4.2	4.2	4.2	4.2	K 10.3	4	4.0	26
APR	4.2	4.2	4.9	4.2	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.2	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	5.0	4.0	4.2	4.2	4.2	4.2	4.2		5.0	24	4.0	5+
MAY	6.0	5.6	4.8	4.6	4.5	4.2	4.2	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	5.0	4.0	4.0	6.0	1	4.0	9+
JUN	4.0	4.0	4.0	4.0	4.6	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.4	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.6	4.0	4.0	4.0	4.0		4.8	12+	4.0	1+
JUL	4.0	4.0	5.0	6.0	5.0	6.0	6.5	5.8	5.0	4.7	4.7	4.7	4.7	4.5	4.5	4.3	4.8	4.5	4.3	4.3	4.3	4.3	4.3	4.6	4.2	4.2	4.0	4.0	4.0	4.0	4.6	6.5	7	4.0	1+
AUG	4.2	4.2	4.0	4.4	4.5	4.0	4.7	4.0	4.0	4.0	4.0	4.4	4.4	4.8	4.5	4.5	4.5	4.2	4.2	4.2	4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.2	4.2	4.0	4.0	4.8	14	4.0	3+
SEP	4.0	4.0	4.0	4.5	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	5.5	4.7	4.0	4.0	4.7	4.2	4.8	4.8	4.8	4.8	4.0	4.8	4.0	4.0	4.0	4.0	4.0		5.5	14	4.0	1+
OCT	4.0	4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.6	4.0	4.0	4.0	6.3	5.0	4.1	4.8	4.5	4.3	4.8	4.8	4.5	4.0	5.0	4.0	6.3	20	4.0	1+
NOV	4.0	4.4	5.0	4.8	4.5	5.0	4.5	4.0	4.0	4.0	4.8	5.6	5.5	4.5	4.5	4.3	4.3	4.0	4.0	4.9	4.0	4.0	4.0	4.5	4.0	4.0	5.0	4.5	4.5	4.5		5.6	12	4.0	1+
DEC	4.5	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.3	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.8	4.0	4.0	5.7	5.6	4.8	5.7	29	4.0	2+

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 362.89 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1966	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.2	3.2	3.5	4.3	3.4	4.7	4.3	7.1	7.3	3.8	3.2	3.2	3.7	3.7	3.6	6.9	5.0	7.5	7.0	7.0	6.7	4.0	5.2	4.1	3.3	4.2	4.1	5.0	2.8	5.2	4.2	8.7	15	2.8	29
FEB	4.2	4.4	6.5	6.2	6.2	5.0	3.2	8.0	4.5	3.7	3.7	3.0	3.8	6.5	11.0	12.0	12.8	12.4	12.0	11.6	11.3	11.4	11.4	11.9	13.3	10.6	11.4	11.4				L 13.6	24	3.0	12
MAR	13.1	12.4	11.7	14.2	19.2	21.0	15.8	12.2	11.4	11.4	11.4	10.3	9.9	9.9	10.9	11.4	11.4	11.4	7.4	5.3	5.6	6.2	5.9	5.9	5.4	3.7	5.3	6.0	7.9	7.9	6.8	M 21.4	5	3.7	26
APR	6.8	3.2	2.8	3.3	5.2	4.9	5.2	5.2	3.4	4.0	3.1	4.3	5.4	6.0	5.8	6.5	4.2	4.8	6.4	4.9	5.7	5.7	3.3	2.2	4.6	5.0	4.2	4.2	4.4	6.9		6.9	30	2.2	24
MAY	3.3	4.2	5.6	5.9	5.9	5.7	3.1	2.7	4.4	5.4	5.4	4.9	4.4	4.7	2.7	3.0	4.7	6.5	5.0	5.0	3.6	4.3	4.6	5.5	4.6	6.0	6.8	7.6	4.6	7.0	6.4	7.8	28	2.7	8+
JUN	5.0	4.3	4.7	3.9	2.9	2.3	3.9	3.9	5.2	6.4	7.5	2.9	5.1	4.8	5.5	5.0	5.7	3.2	4.0	3.0	3.9	5.0	5.5	6.3	4.6	3.2	5.5	3.9	4.3	3.7		7.6	11	2.3	6
JUL	3.5	3.1	2.8	2.5	2.5	2.9	3.6	3.6	3.5	3.0	3.6	3.0	3.0	2.9	2.9	2.4	1.5	2.7	2.8	2.8	2.8	2.4	2.2	1.5	2.1	2.9	2.9	2.9	2.8	3.6	1.6	3.6	7+	1.5	17+
AUG	2.1	2.4	2.4	2.9	2.4	2.3	1.6	2.2	3.0	2.4	2.4	2.4	2.9	1.6	2.0	3.5	2.3	2.2	2.2	2.2	1.5	1.9	2.3	2.6	1.8	2.1	2.5	1.8	1.8	2.1	1.9	3.5	16	1.5	21
SEP	1.9	1.9	2.0	1.2	2.7	2.2	1.6	1.6	1.6	2.9	1.3	2.4	1.8	9.5	11.0	4.1	3.2	1.3	2.8	11.5	11.5	4.0	4.0	4.5	3.2	1.8	2.4	2.4	2.4	2.4		11.5	20+	1.2	4
OCT	2.3	1.0	2.6	3.8	1.6	1.6	1.8	2.6	1.6	3.0	1.3	1.3	2.3	1.9	2.4	1.0	2.5	1.6	1.6	1.6	2.6	2.9	1.3	3.0	2.7	2.7	3.9	1.7	2.6	0.5	2.0	7.7	19	0.5	30
NOV	2.3	1.6	3.3	2.0	3.6	1.4	2.8	4.7	3.9	2.7	3.4	3.4	3.0	3.0	3.4	2.8	2.4	2.0	2.7	1.8	2.8	2.2	2.0	2.3	1.9	2.8	1.2	2.9	1.9	2.8		9.1	10	1.2	27
DEC	2.4	2.0	2.7	1.4	2.9	2.3	2.3	2.3	1.5	2.6	0.5	3.1	4.7	3.1	2.0	2.5	2.8	1.1	2.6	1.8	1.8	1.3	1.9	2.2	0.5	0.7	3.0	1.9	2.5	5.1	4.6	6.5	28	0.5	11+

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1966	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	3.7	3.6	3.6	3.5	3.7	4.0	4.7	4.1	3.9	4.0	3.8	3.9	3.7	3.9	3.9	3.9	4.1	3.9	4.0	3.8	3.8	3.8	4.0	3.9	3.9	4.0	4.1	3.9	4.1	4.1	4.1	4.7	7	3.5	4
FEB	4.4	4.0	4.0	4.1	4.0	3.9	3.7	3.7	3.9	4.0	4.1	4.3	6.8	11.4	7.2	7.4	9.4	6.5	5.8	5.1	5.0	4.8	4.8	4.7	4.8	4.8	4.5	7.0				N 11.5	14	3.7	7+
MAR	8.0	6.0	5.4	8.6	10.0	6.6	6.1	5.8	5.5	5.3	5.2	5.1	4.7	4.5	4.6	4.7	4.5	4.4	4.4	4.5	4.4	4.5	4.6	4.5	4.5	4.4	4.4	4.4	4.4	4.5	4.4	P 11.6	4	4.3	28
APR	4.3	4.5	4.4	4.5	4.3	4.6	4.5	4.4	4.4	4.3	4.2	4.1	4.3	4.3	4.4	4.1	4.1	4.0	4.2	4.3	4.3	4.2	4.6	4.6	4.2	4.2	4.1	4.3	4.4	4.3		4.6	6+	4.0	18
MAY	4.4	5.5	5.1	4.9	4.5	4.2	4.0	4.1	3.8	3.7	3.7	4.2	3.9	4.2	4.2	4.1	4.4	4.3	4.2	4.3	4.1	4.0	4.2	4.0	4.3	4.2	4.5	5.4	5.1	4.3	4.0	5.5	2	3.7	10+
JUN	4.0	4.0	4.2	4.1	4.1	3.9	3.7	4.1	4.1	5.5	5.3	4.8	4.3	3.8	4.0	3.8	4.4	4.5	4.4	4.1	4.1	3.9	3.7	3.6	3.5	3.2	3.3	3.7	3.6	3.8		5.7	10	3.2	26
JUL	3.6	3.7	4.0	4.2	4.5	3.0	4.0	3.2	3.0	3.3	3.3	3.4	3.6	3.6	3.4	3.6	3.8	3.4	3.3	3.6	2.9	3.4	3.1	3.3	3.2	3.4	3.4	3.3	3.5	3.4	4.1	4.5	5	2.9	21
AUG	3.4	3.3	3.5	6.1	4.7	3.8	3.8	3.5	3.6	4.2	3.7	3.8	3.7	3.6	3.8	4.2	4.0	3.5	3.4	3.5	3.5	3.4	3.4	3.6	3.5	3.5	3.9	3.7	3.6	3.3	3.7	6.1	4	3.3	2+
SEP	3.6	3.4	3.4	3.4	3.6	3.7	3.5	3.5	3.4	3.2	3.2	3.4	3.5	4.4	6.3	5.1	4.3	4.0	4.0	8.1	5.8	5.2	4.8	4.8	4.0	3.9	3.8	4.2	4.2	3.7		Q 8.7	14	3.2	10+
OCT	4.1	3.8	4.0	3.8	3.8	3.7	3.7	3.8	3.6	3.5	3.6	3.8	3.7	3.8	3.8	3.5	3.5	3.6	4.0	6.1	4.8	4.4	4.1	4.0	3.9	4.2	4.3	4.5	4.2	3.9	3.7	6.1	20	3.5	10+
NOV	3.9	4.1	7.0	5.5	4.7	4.5	4.4	4.2	4.2	4.1	4.2	4.9	4.7	4.4	4.1	4.3	4.0	4.0	3.9	3.8	3.8	3.8	3.7	3.8	3.8	3.7	3.9	3.7	3.5	3.8		7.0	3	3.5	29
DEC	3.5	3.6	3.8	3.6	3.6	3.7	4.0	4.1	3.9	3.9	3.9	4.0	3.8	4.0	4.0	3.9	3.7	3.7	3.5	3.8	3.8	3.8	3.9	3.8	3.9	3.7	3.6	4.0	4.4	4.5	4.2	4.5	30	3.5	1+

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1966	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	6.3	6.3	6.2	5.8	6.0	7.0	8.0	7.9	7.1	6.0	5.8	5.9	6.0	6.0	6.2	10.5	10.2	8.3	7.4	7.0	7.0	7.2	10.0	9.0	7.4	7.6	7.0	7.5	7.6	7.6	7.0	10.5	16	5.8	4+
FEB	6.4	8.5	8.5	8.3	7.8	7.5	7.4	6.8	7.0	7.0	6.8	7.3	8.8	17.9	21.0	17.2	18.5	19.3	15.2	12.8	10.4	9.7	8.8	10.2	12.7	10.5	9.0	9.4				R 21.3	15	6.4	1
MAR	14.3	14.7	11.6	14.0	23.2	24.5	18.4	14.0	10.8	10.2	9.8	9.4	8.5	8.6	7.0	7.2	8.8	8.5	8.3	7.8	7.0	7.2	7.0	6.9	7.0	6.8	6.5	6.0	6.2	6.4	6.4	S 25.0	5	6.0	28
APR	6.5	6.5	6.3	6.2	7.0	7.0	6.8	6.2	6.4	6.3	6.4	6.2	6.4	7.0	7.0	6.8	7.0	6.5	6.6	6.6	6.5	6.4	6.6	6.8	6.7	6.6	7.8	8.0	7.8	8.0		8.0	28+	6.2	4+
MAY	8.0	8.3	8.8	8.7	8.0	7.7	7.5	7.0	6.6	6.5	6.7	6.6	6.5	6.6	6.7	6.7	6.8	7.0	6.9	6.8	6.7	6.8	6.6	6.6	6.8	7.0	7.2	10.0	10.2	8.8	7.6	10.2	29	6.5	10+
JUN	7.2	7.0	6.8	6.4	6.0	5.4	6.0	6.0	5.8	6.0	7.8	7.5	7.3	7.2	6.0	6.0	5.8	7.0	6.7	5.6	6.0	6.3	5.9	5.8	6.0	5.6	5.0	5.6	5.7	5.5		7.8	11	5.0	27
JUL	5.8	8.0	6.2	5.5	5.8	6.6	6.0	5.8	5.7	5.6	5.4	5.8	5.6	5.7	5.6	5.8	5.5	5.0	5.4	5.5	5.5	5.6	5.2	4.7	4.0	4.8	5.2	5.0	5.2	5.3	5.0	6.6	6	4.0	25
AUG	4.8	5.0	4.9	5.7	8.0	7.8	7.2	6.0	6.0	5.8	6.7	6.6	6.5	7.0	5.7	5.8	7.0	6.8	6.0	5.8	6.2	5.7	5.8	5.5	5.7	5.6	5.8	6.0	5.6	5.7	5.8	8.0	5	4.8	1
SEP	5.4	5.5	5.4	5.4	4.8	5.0	5.0	4.8	4.6	4.7	5.0	4.8	4.7	5.0	12.0	11.7	10.0	7.1	6.4	11.0	13.3	10.7	9.2	8.0	7.1	6.5	6.3	6.0	6.8	6.2		13.5	21	4.6	9
OCT	6.0	6.4	5.6	5.8	6.0	5.7	5.6	5.8	6.0	5.0	5.5	5.7	5.8	5.8	5.5	5.4	4.8	5.0	5.4	6.0	9.0	8.5	7.2	6.5	6.6	6.7	8.0	8.4	7.8	7.0	6.8	9.0	21	4.8	17
NOV	6.5	6.4	7.7	11.8	9.4	7.8	7.5	7.2	7.0	6.8	7.2	7.0	7.0	7.6	7.0	6.8	6.8	6.4	6.7	7.0	6.8	6.8	6.4	6.5	6.4	6.5	6.6	6.4	6.5	6.8		11.8	4	6.4	2+
DEC	6.5	6.4	6.5	6.4	6.0	6.3	6.5	6.2	6.6	6.7	6.9	6.8	6.8	7.0	6.9	7.0	7.0	6.8	6.6	6.7	6.7	6.5	6.6	6.8	6.8	7.0	6.9	6.8	7.0	11.8	10.6	11.8	30	6.0	5

K- 10.3 AT 6:00 PM.
L- CREST 13.57 TIME UNKNOWN
M- CREST 21.41 AT 11:59 PM.
N- CREST 11.51 AT 1:00 PM.

P- CREST 11.63 AT 11:30 PM.
Q- 8.7 AT 1:00 PM.
R- CREST 21.3 AT 1:00 PM.
S- CREST 25.0 AT 1:00 AM.

ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

LXIV

ATLANTIC SLOPE DRAINAGE

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 362.89 FEET, M.S.L. FLOOD STAGE, 14 FEET.

Day of month

1968	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	11.4	6.0	6.0	3.3	7.0	3.2	5.6	3.3	3.3	6.1	16.8	16.1	13.3	12.0	11.7	11.7	11.7	11.7	11.7	11.9	5.1	2.6	2.6	4.6	7.2	6.3	5.0	2.8	2.0	2.0	2.0	K 16.9	11	2.0	29+
FEB	2.0	2.0	3.8	2.8	2.1	2.5	2.5	1.7	1.7	2.0	1.7	1.7	2.2	2.2	1.6	1.9	1.9	2.6	1.7	1.9	1.6	2.2	2.0	1.9	1.9	1.7	1.3	1.3	1.5			3.8	03	1.3	27+
MAR	3.2	1.9	1.9	2.2	1.4	1.4	1.9	1.9	2.1	1.4	3.8	2.5	12.9	12.2	11.8	11.8	12.5	17.3	6.5	4.9	5.7	3.1	1.7	1.7	2.0	1.6	1.6	2.5	7.5	1.5	1.3	12.9	15	1.3	31
APR	1.3	1.3	2.3	3.0	1.9	6.0	5.6	2.3	2.9	2.0	2.3	1.8	1.2	1.4	1.4	1.4	1.4	2.3	1.4	2.2	1.4	1.4	2.2	1.8	2.6	2.1	2.6	1.3	1.3	2.0		7.8	05	1.2	13
MAY	2.0	1.3	1.3	1.3	1.1	3.3	2.2	2.2	7.2	1.2	0.9	1.2	7.7	3.7	4.0	4.9	9.7	6.0	2.6	1.5	1.0	0.8	1.6	0.6	0.6	0.6	1.6	3.1	0.3	2.2	0.8	10.2	14	0.3	29
JUN	0.8	0.4	2.4	2.1	1.1	1.1	0.5	12.5	13.8	15.7	13.9	12.1	11.8	11.6	2.1	1.2	2.0	5.6	4.1	3.1	2.0	2.0	1.1	1.1	10.4	3.2	1.7	1.7	4.3	1.6		L 15.8	16	0.4	02
JUL	0.7	1.7	0.7	1.5	4.1	10.8	2.1	2.4	3.0	4.0	12.0	14.3	13.5	12.0	11.7	11.5	11.5	4.2	2.6	3.5	1.5	1.5	2.6	2.6	2.6	1.6	1.6	1.2	1.6	1.6	2.1	H 15.3	12	0.7	01+
AUG	3.3	2.6	0.6	0.8	2.0	2.6	2.6	2.6	1.4	1.0	0.7	2.0	1.2	1.2	0.7	1.4	1.4	0.7	2.0	1.0	1.2	1.8	0.8	2.8	1.1	2.3	2.3	1.9	1.9	1.9	1.9	3.3	01	0.6	03
SEP	1.6	1.6	1.0	1.0	1.5	2.5	2.0	1.0	2.3	2.3	2.7	2.7	1.8	3.5	1.0	1.8	2.5	2.2	2.8	0.6	1.7	1.0	1.5	0.5	2.7	2.7	2.0	0.9	0.3	2.0		3.5	14	0.3	29
OCT	2.0	0.4	2.0	1.8	1.0	0.6	1.7	2.0	2.3	2.3	1.1	1.1	1.4	1.4	1.1	2.2	2.2	3.2	2.7	3.8	8.3	1.8	2.7	1.0	0.6	1.4	0.5	1.6	2.0	3.0	2.6	8.6	15	0.4	02
NOV	2.6	2.6	0.2	1.5	2.5	1.2	2.5	1.2	1.0	2.2	2.2	4.2	2.4	2.4	1.0	1.6	0.8	2.2	11.8	11.8	11.8	5.4	3.9	3.4	2.3	7.0	2.8	3.2	1.1	1.6		11.4	19+	0.2	03
DEC	1.6	1.6	2.0	2.4	3.2	1.1	1.1	1.1	1.1	2.8	2.2	1.1	1.1	1.1	2.2	2.0	1.5	1.5	1.8	1.8	2.8	1.6	3.3	2.3	7.0	1.2	1.8	3.8	3.6	3.6	3.0	3.5	28	1.1	06+

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1968	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	5.5	5.3	5.0	5.2	4.9	4.8	5.5	5.2	5.2	5.3	7.8	6.7	5.9	5.7	5.4	5.3	5.2	4.9	4.8	5.1	5.0	5.0	5.0	5.4	6.1	5.5	5.1	5.2	4.8	4.8	4.9	7.8	11	3.1	20
FEB	4.7	4.5	4.5	4.4	4.4	4.4	4.8	4.5	4.6	4.6	4.5	4.5	4.0	4.5	4.5	4.4	4.5	4.5	4.1	4.4	4.5	4.4	4.2	4.3	4.3	4.3	4.2	4.3	4.6			5.0	07	4.1	19
MAR	4.3	4.4	4.4	4.2	4.3	4.5	4.5	4.5	4.5	4.6	4.5	4.8	10.6	7.6	6.0	5.5	5.7	5.6	5.4	5.1	4.9	4.1	4.4	4.2	4.4	4.3	4.5	4.4	4.4	4.1	4.6	N 10.7	13	4.1	22+
APR	4.2	4.3	4.5	4.5	4.3	4.6	4.9	4.1	4.3	4.3	4.2	4.4	4.4	4.1	4.1	4.3	4.4	4.3	4.3	4.2	4.3	4.0	4.0	4.0	4.4	4.3	4.2	4.1	3.7	4.1		4.9	07	3.7	29
MAY	4.0	3.8	3.6	3.4	3.3	3.2	3.0	3.0	2.9	2.9	2.7	2.7	2.8	2.7	2.7	3.1	3.1	3.0	3.1	4.7	3.5	3.7	2.9	2.8	2.6	2.3	2.5	2.7	3.0	5.0	7.3	7.3	31	2.3	25+
JUN	3.2	3.4	3.9	4.1	4.3	4.3	4.1	4.3	6.5	5.1	5.0	4.6	5.2	4.6	4.4	4.1	4.2	4.2	4.1	4.6	3.9	4.0	4.1	3.8	4.3	4.0	4.5	3.6	3.5	3.6		6.6	09	3.2	01
JUL	3.5	3.4	3.8	3.6	4.7	4.1	4.0	3.4	3.6	3.9	4.7	4.6	6.3	5.5	4.9	4.6	4.4	4.2	4.4	4.3	4.5	4.1	4.1	4.0	4.0	4.0	3.9	4.2	4.0	3.9	4.0	6.3	13	3.4	02+
AUG	4.1	4.3	4.1	4.2	4.1	4.1	4.0	3.9	3.9	3.8	3.6	4.0	3.9	3.9	3.9	3.9	3.8	3.8	3.6	3.8	3.8	3.8	3.9	3.6	3.9	3.6	3.5	3.6	3.6	3.1	3.1	4.3	02	3.1	30+
SEP	3.5	3.7	3.7	3.5	3.1	3.4	3.2	2.9	7.8	4.3	4.0	4.1	3.9	3.7	3.6	3.6	3.6	3.7	3.6	3.7	3.5	3.5	4.5	3.4	3.4	3.3	3.3	3.3	3.2	3.7		4.6	11	2.8	09
OCT	3.2	3.3	3.3	3.3	3.5	3.4	3.5	3.6	9.5	3.6	3.4	3.4	3.4	3.4	3.4	3.3	3.3	4.4	5.2	7.4	5.0	4.0	3.9	3.9	4.9	4.2	4.1	2.9	3.4	3.5	3.5	7.4	20	2.9	28
NOV	3.6	3.7	3.7	2.9	3.2	3.4	3.5	3.3	3.6	3.5	3.4	3.4	3.4	3.4	3.1	3.1	3.4	4.1	4.7	4.5	4.4	4.0	4.2	3.7	2.7	3.3	3.2	3.2	3.4	3.6		4.7	19	2.7	25
DEC	3.5	3.5	3.6	3.9	4.0	3.0	3.6	3.5	3.5	4.0	4.0	3.9	3.8	4.0	3.9	3.9	3.5	3.7	3.7	3.8	3.4	3.7	3.9	3.9	4.0	3.9	3.7	3.7	4.0	4.4	4.0	4.4	30	2.7	18

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1968	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	10.7	10.4	9.5	9.2	10.0	9.6	10.7	11.8	10.7	10.8	20.0	20.4	16.2	12.8	12.2	10.8	10.4	10.1	9.8	9.7	9.6	9.5	9.4	9.6	11.5	11.3	10.3	9.8	9.5	9.4	9.0	P 20.7	11	9.0	31
FEB	9.0	8.8	8.7	8.2	8.0	8.0	8.1	8.0	7.8	7.7	7.5	7.7	7.7	7.6	7.7	7.6	7.1	7.0	7.5	7.2	7.4	7.2	7.3	7.5	7.2	7.0	6.8	7.0	6.6			9.0	01	6.6	29
MAR	7.7	7.8	7.4	7.0	7.0	7.1	7.3	7.0	6.8	7.2	8.5	8.9	17.2	19.9	15.2	12.4	12.5	13.0	10.8	10.0	9.7	9.2	9.0	8.2	8.2	8.2	8.0	8.2	7.8	8.0	7.8	19.9	14	6.8	09
APR	7.1	7.4	7.5	7.4	7.5	8.4	8.4	8.3	7.7	7.8	7.9	7.8	7.7	7.5	6.4	6.7	7.3	7.4	7.0	7.0	6.8	5.8	5.6	5.5	7.0	7.0	7.4	6.9	6.0	6.4		8.4	06+	5.5	24
MAY	7.0	7.2	7.0	6.5	6.4	6.0	6.8	6.5	6.6	6.4	6.0	6.5	7.5	11.0	9.9	11.8	9.8	9.7	9.0	8.0	8.0	7.2	7.1	6.8	6.7	6.6	6.4	6.7	6.8	7.7	7.0	11.8	16	6.0	06+
JUN	6.7	6.5	6.2	6.5	6.9	6.7	6.6	13.4	16.0	16.8	15.4	13.3	10.0	8.9	8.4	7.8	7.0	7.2	7.3	7.0	7.3	7.0	6.7	6.2	6.0	7.0	6.5	6.7	6.3	6.0		16.8	10	6.0	25+
JUL	5.5	5.4	5.4	6.8	6.4	9.4	8.0	7.3	6.7	7.0	13.2	13.4	14.0	13.5	11.0	9.2	8.1	7.6	8.1	7.7	7.4	6.9	6.5	6.5	6.4	6.3	6.0	6.3	5.7	6.5	5.8	14.0	13	5.4	02+
AUG	6.4	6.2	6.0	5.8	5.5	6.2	6.4	6.4	6.0	5.8	5.5	5.2	6.0	6.2	5.5	6.0	5.7	5.6	5.0	5.5	5.8	6.0	5.6	5.2	5.4	5.1	5.2	5.4	5.5	5.0	5.2	6.4	01+	5.0	19+
SEP	5.2	5.0	5.3	5.4	5.4	5.0	4.8	5.2	5.0	5.3	7.5	7.0	6.7	6.0	5.4	5.4	5.5	5.6	5.6	5.3	5.2	5.2	5.0	5.5	5.3	5.2	5.6	5.4	5.3	5.0		7.5	11	4.8	07
OCT	5.4	5.0	5.3	5.3	5.2	5.1	4.7	5.0	5.0	5.2	5.0	5.0	5.3	5.2	5.0	5.0	4.8	5.0	6.5	7.6	12.4	9.0	7.8	6.8	6.7	6.5	6.0	5.6	5.4	3.5	5.4	12.4	21	4.7	07
NOV	6.0	5.2	5.0	5.4	6.0	6.3	5.9	6.0	6.2	6.2	6.0	6.6	7.4	7.5	7.0	6.8	6.6	6.6	13.2	11.9	11.0	8.3	7.8	7.4	7.0	7.0	6.8	6.6	6.8	6.5		13.2	19	5.0	03
DEC	6.7	6.6	6.7	7.0	7.4	7.7	7.0	6.9	6.7	6.3	6.2	6.2	6.4	6.3	6.0	5.8	6.4	6.5	6.3	6.3	6.1	6.0	5.7	7.8	7.6	7.5	7.0	6.8	8.0	8.2	8.4	8.4	31	5.7	23

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1968	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	6.5	5.5	5.3	5.0	5.3	5.4	5.5	6.3	6.3	5.6	16.7	17.6	14.7	10.9	7.3	6.2	5.8	5.6	5.4	5.2	5.3	5.1	5.2	5.4	5.9	6.6	5.9	5.3	5.0	5.0	4.8	Q 18.8	12	4.8	31
FEB	4.8	4.5	4.8	4.5	4.5	4.3	4.3	4.4	4.3	4.3	4.1	4.1	4.1	4.4	4.2	4.1	4.1	4.1	3.7	3.8	3.8	4.0	3.9	3.9	3.9	3.7	3.6	3.3	3.8			6.7	01+	3.3	28
MAR	4.4	3.9	4.3	3.8	3.8	3.9	3.9	3.9	3.5	4.0	4.2	4.9	7.8	12.8	12.6	8.0	5.9	7.1	6.4	5.5	5.1	4.9	4.8	4.5	4.7	4.4	4.2	4.2	4.3	4.1	4.1	13.6	14	3.5	09
APR	4.3	4.0	4.1	4.1	4.5	4.7	4.7	4.4	4.4	4.2	4.2	4.2	4.1	4.1	3.8	3.7	3.1	4.0	4.0	3.9	4.0	3.7	3.7	3.3	2.9	4.0	4.0	3.9	3.5	4.1		7.2	10	2.7	23
MAY	3.9	3.9	4.0	2.9	3.6	3.2	3.2	3.5	3.4	3.1	3.2	3.1	3.6	4.7	9.5	5.1	5.3	9.2	4.8	4.0	4.2	3.7	3.5	2.9	3.4	2.8	2.8	2.8	3.2	3.1	3.3	6.7	17	2.8	26+
JUN	3.7	2.8	3.7	3.1	4.0	3.6	5.0	4.9	10.5	16.6	14.7	12.6	9.7	5.5	4.6	4.5	3.9	3.8	4.2	3.9	4.1	3.7	3.5	3.2	3.0	2.2	3.9	3.3	3.0	3.0		R 16.8	10	2.2	26
JUL	3.2	3.0	2.2	4.0	5.5	4.7	5.1	4.5	.	.	7.3	9.3	8.0	8.9	7.9	5.4	4.9	.	4.0	4.3	4.1	3.6	3.7	2.9	2.3	3.6	3.1	3.5	2.7	2.8	3.6	10.4	17+	2.2	03
AUG	3.7	3.2	2.7	2.9	3.7	2.8	3.4	3.0	2.6	2.2	2.7	3.2	1.7	3.0	2.7	3.0	2.9	3.4	2.6	1.9	2.7	3.4	2.6	2.6	2.8	3.2	3.0	2.3	1.9	2.3	1.7	6.5	07	1.7	13+
SEP	2.8	2.3	1.7	2.5	2.6	2.6	1.8	1.9	2.3	1.7	3.3	4.0	3.2	2.0	1.9	2.8	1.9	1.9	1.9	2.0	1.9	2.8	3.2	1.9	2.0	2.1	2.8	1.9	1.7	2.0		4.0	12	1.7	03+
OCT	2.7	2.5	2.8	1.9	1.8	3.4	2.4	2.0	2.5	2.0	2.4	1.9	1.9	2.7	1.9	2.9	2.9	2.0	3.2	4.3	5.0	5.3	4.4	4.0	2.5	2.8	3.2	3.1	1.9	2.0	3.5	6.4	21	1.8	09
NOV	2.9	2.3	2.5	2.5	2.3	2.9	2.9	3.2	2.9	3.8	1.8	3.6	4.0	3.7	3.9	3.5	3.5	2.8	5.2	7.2	6.2	5.2	4.4	4.4	3.9	3.8	3.9	3.2	3.4	3.3		7.2	20	1.8	11
DEC	4.0	3.3	3.6	3.6	3.9	3.4	3.6	3.4	3.3	2.9	1.9	3.3	3.6	3.6	3.3	3.0	3.3	3.2	3.1	2.8	2.5	3.4	2.8	3.6	4.2	3.1	3.5	2.1	3.8	4.0	4.4	4.8	30	1.9	11

K-CREST 16.90 AT 3:30 PM.
L-CREST 15.77 AT 3 AM.
M-CREST 15.26 AT 1 AM.
N-CREST 10.65 AT 8 AM.
P-CREST 20.70 AT 5:30 PM.

Q-CREST 18.80 AT 3 PM.
R-CREST 16.75 AT 10 PM.
ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

LXIII

ATLANTIC SLOPE DRAINAGE

SALUDA RIVER AT WEST PELZER, S.C.
GAGE ZERO, 669.73 FEET, M.S.L. FLOOD STAGE, 9 FEET.

Day of month

1967	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	5.2	4.4	4.2	4.2	4.2	4.0	4.0	5.7	7.0	5.8	4.7	4.4	4.2	4.2	5.2	4.2	4.2	4.2	4.2	4.2	4.2	4.8	4.2	4.2	4.2	4.2	4.5	5.0	5.0	4.0	4.0	7.0	09	4.0	06+
FEB	4.0	4.0	4.0	4.0	5.0	4.0	4.5	4.5	4.0	4.0	4.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	4.0	4.0				5.6	19	4.0	01+
MAR	4.0	4.0	4.0	4.0	4.8	4.0	4.4	5.7	4.7	4.2	4.7	5.1	4.8	4.6	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.7	08	4.0	01+
APR	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.4	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0		5.0	30	4.0	01+
MAY	4.0	4.9	4.0	4.0	4.0	4.0	4.0	4.7	4.4	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	5.0	07	4.0	01+
JUN	4.0	4.0	4.0	4.0	4.0	5.0	4.7	4.4	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.2	4.0	4.0	8.9	06	4.0	01+
JUL	4.0	4.0	4.0	5.3	8.2	8.9	6.5	4.8	4.3	4.0	5.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.6	4.0	6.0	09	4.0	11+
AUG	4.5	4.9	5.0	4.7	5.5	5.0	5.0	5.3	6.0	4.5	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.3	7.5	11.5	6.4	5.0	5.0	5.0	5.0	4.0	11.5	23	4.0	01+
SEP	4.0	4.0	4.0	4.0	4.0	4.6	4.0	4.0	4.0	4.0	5.2	4.0	4.6	4.0	4.0	4.0	4.4	4.0	4.0	4.4	4.0	4.0	4.0	4.3	4.0	4.0	4.0	4.0	4.0	4.0		5.2	04+	4.0	06+
OCT	4.5	4.5	5.0	5.2	4.5	4.0	4.0	4.0	4.0	4.9	5.2	4.0	4.0	4.0	4.6	4.0	4.0	4.0	4.0	4.0	4.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	5.0	22	4.0	02+
NOV	4.4	4.0	4.0	4.0	4.0	4.0	4.0	4.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.5	4.5	4.6	5.3	4.3	4.0	4.0	4.0		5.3	26	4.0	01+
DEC	4.0	4.0	4.0	4.0	5.2	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.0	4.0	4.8	4.0	4.0	4.0	4.0	4.7	5.7	4.8	4.3	4.3	5.3	5.8	5.8	8.8	12	4.0	01+
	4.0	4.0	3.2	4.7	4.0	4.0	4.0	4.0	4.0	4.8	4.0	8.8	7.0	5.3	4.6	5.0	5.4	4.3	4.8	6.0	5.4	4.7	5.7	6.2	5.7	4.8	4.3	4.3	5.3	5.8	5.8	8.8	12	4.0	01+

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 362.89 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1967	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.6	6.4	4.2	4.2	3.2	3.2	3.8	2.3	4.4	7.0	5.3	5.6	5.3	4.2	5.0	5.5	3.8	3.2	2.0	1.8	2.9	1.0	3.3	1.3	0.8	1.2	1.4	4.3	1.7	3.0	3.9	7.0	10	0.8	25
FEB	1.9	1.5	1.1	2.6	1.3	3.0	3.2	4.7	3.4	2.5	3.4	1.7	3.5	1.8	1.4	1.8	1.6	2.6	2.6	4.1	12.0	11.4	10.9	2.1	3.0	2.3	2.1	1.9				12.0	21	1.1	03
MAR	1.9	2.1	2.8	2.8	1.6	3.4	2.1	1.8	2.2	1.6	3.8	2.1	3.5	1.6	1.5	1.3	1.3	2.4	1.9	2.2	1.3	1.3	1.0	1.0	1.9	1.2	2.4	1.9	3.0	4.6	2.7	4.6	30	1.0	23+
APR	2.2	1.7	2.4	2.4	2.4	1.7	1.9	1.5	1.1	0.9	0.9	1.7	0.9	1.0	1.0	1.0	0.9	1.0	0.7	0.7	0.8	0.7	0.7	0.6	0.7	0.8	3.3	2.0	1.4	1.1		11.2	26	0.7	19+
MAY	1.5	0.6	1.5	0.2	1.1	1.9	3.7	2.0	1.6	1.2	0.9	0.8	0.8	0.9	1.3	1.6	2.0	1.0	1.0	1.1	0.7	1.0	13.2	4.0	2.6	2.6	2.4	1.1	1.7	1.4	1.0	13.2	23	0.2	04
JUN	1.7	1.1	1.2	3.9	11.7	11.8	12.0	11.7	11.6	11.5	2.2	2.6	2.3	1.8	1.1	1.4	2.1	0.8	1.7	1.7	3.2	1.2	3.2	2.1	3.2	2.8	2.2	3.4	1.5	1.3		12.0	07	0.8	18
JUL	2.3	1.6	1.6	4.0	1.1	1.4	1.8	2.0	1.2	0.0	10.7	2.5	1.8	4.4	2.2	1.6	1.6	3.6	1.9	1.9	1.6	2.3	1.1	2.0	2.6	1.6	2.3	3.0	3.0	1.2	1.9	10.7	11	1.1	05+
AUG	1.9	2.6	2.6	2.4	2.0	1.2	2.0	2.9	2.2	2.2	3.0	1.8	0.9	1.9	2.1	1.0	2.0	0.7	2.0	1.6	2.8	3.6	6.5	14.5	14.3	18.5	17.2	12.4	12.0	11.9	11.9	K 19.0	26	0.7	18
SEP	11.5	11.5	3.2	1.4	0.8	2.9	2.9	2.5	2.0	5.7	2.3	2.3	2.9	2.9	1.2	1.5	0.7	2.1	2.5	2.5	3.1	1.8	1.1	0.9	1.5	1.1	1.1	2.4	2.1	1.0		11.5	01+	0.7	17
OCT	0.9	1.2	2.5	1.3	2.3	1.0	3.0	1.6	0.4	1.5	1.0	0.7	2.5	1.6	0.3	1.0	1.4	1.0	1.5	1.5	1.5	1.5	1.3	2.0	2.5	2.8	1.8	1.2	0.9	1.0	2.6	3.0	07	0.3	15
NOV	2.6	2.9	3.4	1.7	0.9	1.3	2.8	2.4	2.4	2.2	1.4	1.0	1.4	2.7	2.7	2.2	3.0	2.0	1.3	1.5	2.5	2.5	2.9	1.8	6.1	4.9	3.1	3.5	3.2	3.2		6.1	25	0.9	05
DEC	3.2	3.2	1.4	2.2	3.2	2.2	2.2	2.3	1.7	2.5	5.4	11.9	6.8	11.0	11.4	10.9	10.9	4.3	11.4	5.9	5.9	5.3	3.6	0.7	1.2	2.3	2.9	2.3	13.5	12.0	11.4	13.5	29	0.7	24

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1967	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.2	3.6	3.8	3.8	3.8	3.6	3.7	3.7	5.7	5.0	4.6	4.3	3.9	4.3	4.0	3.9	3.8	3.8	3.8	3.9	3.8	4.1	3.8	3.8	3.6	3.6	3.7	3.2	4.9	4.3	4.2	5.7	9	3.6	02+
FEB	4.2	4.1	4.2	4.0	4.1	4.1	4.1	4.2	4.4	4.2	4.0	4.1	4.0	4.0	4.0	3.9	3.7	4.1	5.0	4.4	5.1	5.0	4.4	4.0	4.0	3.8	4.0	3.9				5.1	21	3.7	17
MAR	3.8	3.8	3.8	4.2	3.7	3.9	4.0	4.4	4.2	3.8	4.4	4.2	4.6	4.4	4.7	4.0	3.5	4.1	4.0	3.9	4.1	4.2	4.2	4.1	3.9	4.2	4.2	4.2	4.6	4.2	4.0	4.7	13	3.5	17
APR	4.0	4.1	3.7	3.9	3.6	3.9	3.9	4.0	3.6	3.6	3.8	3.8	3.9	4.0	4.7	4.0	3.9	3.8	3.8	3.9	3.6	3.8	4.1	4.0	4.1	4.0	4.3	3.9	4.0	3.8		4.3	27	3.6	5+
MAY	3.7	3.6	4.0	4.0	3.9	3.6	4.1	4.2	4.3	4.2	3.9	3.6	4.0	4.1	3.6	3.9	3.9	4.0	4.0	3.9	3.8	4.1	3.8	3.9	9.0	4.4	4.3	4.3	4.0	4.1	4.6	5.9	24	3.4	02+
JUN	5.1	5.4	5.2	4.0	5.0	6.9	5.7	5.3	4.9	4.4	4.5	4.2	3.9	4.3	4.1	4.1	4.2	4.0	4.0	9.4	5.1	4.8	6.3	4.6	4.3	5.6	4.5	4.4	4.2	4.1		9.4	20	3.9	13
JUL	4.3	4.8	5.0	4.6	4.2	4.1	4.3	10.8	7.6	5.5	5.2	5.2	4.7	4.8	4.6	4.3	4.2	4.3	4.3	4.2	4.1	4.2	4.2	4.0	3.8	4.3	4.3	4.1	4.1	3.9	4.1	L 11.5	07	3.9	25+
AUG	4.4	4.1	4.0	4.1	4.4	3.4	3.9	4.2	4.0	4.1	4.4	4.3	4.0	3.9	3.9	4.2	3.7	3.9	3.8	3.8	3.6	3.9	6.2	11.8	11.0	7.2	6.2	3.7	5.3	5.0	4.8	M 11.8	24	3.4	06
SEP	4.4	4.3	4.2	4.2	4.3	4.4	4.2	4.2	4.1	5.8	5.2	4.4	4.5	4.5	4.2	4.2	4.2	4.1	4.0	4.2	4.1	4.2	4.5	3.9	4.1	3.8	4.0	4.3	5.0	4.6		5.8	10	3.8	26
OCT	4.5	4.0	3.9	4.3	4.1	4.2	4.5	4.1	4.1	4.3	4.3	4.2	4.3	4.2	4.2	3.9	3.8	4.6	4.9	4.5	4.2	4.1	4.1	3.9	4.1	4.4	4.3	4.1	4.1	4.0	3.6	4.7	19	3.6	31
NOV	4.1	4.1	4.6	4.4	4.0	4.1	3.9	3.7	3.6	3.7	3.9	3.9	3.7	3.8	3.9	3.8	3.8	3.7	3.6	3.7	3.0	3.7	3.9	4.0	3.0	4.0	4.1	4.3	4.0	4.0		4.6	03	3.6	09+
DEC	4.3	4.3	4.2	5.0	4.5	4.3	4.3	4.2	4.3	4.2	7.7	9.9	7.1	5.9	5.3	5.1	4.7	4.6	8.7	6.5	6.0	5.3	7.7	6.1	5.2	5.3	5.1	4.9	9.2	6.3	5.7	N 9.9	12	4.2	03+

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1967	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	7.7	9.6	8.5	7.8	7.5	7.0	6.7	6.6	8.8	12.0	11.7	10.0	7.9	8.2	8.6	8.5	8.5	7.8	7.6	7.4	7.1	6.6	6.0	5.8	6.0	6.0	6.2	8.8	10.0	6.9	8.3	12.0	10	5.8	24
FEB	7.4	6.5	7.0	6.8	6.4	6.2	7.3	11.0	9.6	8.0	7.8	8.4	8.0	7.8	7.4	7.0	7.1	7.2	9.8	11.7	13.4	12.5	10.9	9.4	8.5	7.0	7.5	7.6				13.5	21	6.2	06
MAR	7.4	7.4	7.2	7.4	7.0	6.6	6.5	7.0	8.0	8.0	8.2	8.4	8.0	10.0	9.5	8.8	7.8	7.5	7.0	6.8	7.0	7.4	7.0	7.1	6.8	6.8	6.5	6.0	7.6	7.8	7.7	10.0	14	6.0	28
APR	7.0	7.0	6.0	6.6	7.0	6.7	6.3	6.0	5.7	5.8	6.1	5.9	6.0	6.0	6.2	6.0	6.2	6.0	5.6	3.8	5.4	5.6	11.5	12.0	10.5	8.3	7.6	7.0	6.6	6.3	6.0	7.0	01	5.5	20
MAY	5.5	6.0	6.2	6.3	6.2	6.5	6.4	6.0	7.7	7.0	7.2	6.8	6.5	5.7	5.7	6.0	6.1	6.0	5.8	6.0	13.2	8.7	7.5	9.0	8.0	6.8	6.6	8.0	7.3	7.0		12.0	24	5.4	21
JUN	6.0	8.2	8.2	7.8	8.0	10.0	10.7	9.0	8.3	7.5	7.0	6.6	6.4	6.3	6.4	6.3	6.1	6.0	5.8	6.0												13.2	21	5.8	19
JUL	6.8	7.0	7.6	7.4	7.0	6.8	6.3	13.0	20.4	14.0	9.6	8.1	8.0	7.8	8.4	7.6	6.8	6.5	6.4	6.7	6.5	6.0	6.4	6.0	6.2	6.0	7.8	7.4	6.7	7.0	5.8	20.6	09	5.8	31
AUG	6.0	6.2	6.3	6.2	6.4	6.6	5.7	6.0	6.2	5.8	6.0	6.4	6.3	5.7	5.5	5.5	4.1	5.0	5.5	5.4	5.5	5.5	13.3	25.3	26.7	25.0	17.5	11.0	9.8	9.0	8.2	P 26.7	25	4.1	17
SEP	7.7	7.0	6.8	6.7	7.0	6.6	6.8	6.5	6.0	8.7	10.6	8.5	7.6	7.0	6.8	6.7	6.5	5.6	5.5	6.2	6.0	6.4	6.0	5.8	5.6	5.5	5.6	6.0	8.4	8.2		10.6	11	5.3	19+
OCT	7.0	6.0	6.5	5.5	5.8	5.5	5.4	5.6	5.5	5.5	5.4	5.6	5.5	5.8	6.0	5.9	5.8	5.8	7.4	8.0	6.8	6.5	6.3	6.0	5.8	6.2	6.8	6.5	6.5	6.0	5.8	8.0	20	5.4	07+
NOV	5.6	6.0	6.8	7.9	7.1	6.6	6.7	6.4	6.3	6.0	6.1	6.4	6.0	6.2	6.1	6.0	6.0	6.3	6.0	5.8	6.0	6.2	8.8	7.0	9.5	10.8	9.0	7.4	7.8	7.0		10.8	26	5.0	01
DEC	6.8	7.0	8.5	10.8	9.1	8.4	7.7	7.9	7.4	7.6	13.4	16.7	18.5	15.0	13.0	9.9	9.2	8.8	7.7	13.5	11.4	10.0	9.6	11.0	10.1	9.2	8.0	7.5	16.8	18.0	12.9	18.5	13	6.8	01

K-CREST 19.01 AT 10 AM.
L-CREST 11.52 AT 8 AM.
M-CREST 11.83 AT 7 AM.
N-CREST 9.93 AT 8 AM.
P-CREST 26.70 AT 3 PM.

ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

LXIV

ATLANTIC SLOPE DRAINAGE

DAILY RIVER STAGES

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 362.89 FEET, M.S.L. FLOOD STAGE, 14 FEET.

Day of month

1968	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	11.4	6.0	6.0	3.3	7.0	3.2	5.6	3.3	3.3	6.1	16.8	16.1	13.3	12.0	11.7	11.7	11.7	11.7	11.7	11.9	5.1	2.6	2.6	4.6	7.2	6.3	5.0	2.8	2.0	2.0	2.0	K 16.9	11	2.0	29+
FEB	2.0	2.0	3.8	2.8	2.1	2.5	2.5	1.7	1.7	2.0	1.7	1.7	2.2	2.2	1.6	1.9	1.9	2.6	1.7	1.9	1.6	2.2	2.0	1.9	1.9	1.7	1.3	1.3	1.5			3.8	03	1.3	27+
MAR	3.2	1.9	1.9	2.2	1.4	1.4	1.9	1.9	2.1	1.4	3.8	2.5	12.9	12.2	11.8	11.8	12.5	12.3	6.5	4.9	5.7	3.1	1.7	1.7	2.0	1.6	1.6	2.5	2.5	1.5	1.3	12.9	19	1.3	31
APR	1.3	1.3	2.3	3.0	1.9	6.0	5.6	2.3	2.9	2.0	2.3	1.8	1.2	1.4	1.4	1.4	1.4	2.3	1.4	2.2	1.4	1.4	2.2	1.8	2.6	2.1	2.6	1.3	1.3	2.0		7.8	05	1.2	13
MAY	2.0	1.3	1.3	1.3	1.1	3.3	2.2	2.2	2.2	1.2	0.9	1.2	7.7	3.7	4.0	4.9	9.7	6.0	2.6	1.9	1.0	0.8	1.4	0.6	0.6	0.6	1.6	3.1	0.3	2.2	0.8	10.2	14	0.3	29
JUN	0.8	0.4	2.4	2.1	1.1	1.1	0.5	12.5	13.8	15.7	13.9	12.1	11.8	11.6	2.1	1.2	2.3	5.6	4.1	3.1	2.0	2.0	1.1	1.1	10.4	3.2	1.7	1.7	4.3	1.6		L 15.8	10	0.4	02
JUL	0.7	1.7	0.7	1.5	4.1	10.8	2.1	2.4	3.0	4.0	12.0	14.3	13.5	12.0	11.7	11.5	11.5	4.2	2.6	3.5	1.5	1.5	2.6	2.6	2.6	1.6	1.6	1.2	1.6	1.6	2.1	M 15.3	12	0.7	01+
AUG	3.3	2.6	0.0	0.8	2.0	2.6	2.6	2.6	1.4	1.0	0.7	2.0	1.2	1.2	0.7	1.4	1.4	0.7	2.0	1.0	1.2	1.8	0.8	2.8	1.1	2.3	2.3	1.9	1.9	1.9	1.9	3.3	01	0.6	03
SEP	1.6	1.6	1.0	1.0	1.5	2.5	2.0	1.0	2.3	2.3	2.7	2.7	1.8	3.5	1.0	1.8	7.5	2.2	2.8	0.6	1.7	1.0	1.3	0.5	2.7	2.7	2.0	0.9	0.3	2.0		3.5	14	0.3	29
OCT	2.0	0.4	2.0	1.8	1.0	0.6	1.7	2.0	2.3	2.3	1.1	1.1	1.4	1.4	1.1	2.2	2.2	3.7	2.2	3.8	8.3	1.8	2.7	1.0	0.6	1.5	0.5	1.6	2.0	3.0	2.0	8.0	14	0.4	02
NOV	2.6	2.6	0.2	1.5	2.5	1.2	2.5	1.2	1.6	2.2	2.2	4.2	2.4	2.4	1.0	1.6	0.8	2.2	11.8	11.8	11.8	5.4	3.9	3.4	2.3	7.6	2.8	3.2	1.1	1.6		11.6	19+	0.2	03
DEC	1.6	1.6	2.0	2.4	3.2	1.1	1.1	1.1	1.1	2.8	2.2	1.1	1.1	1.1	2.2	2.0	1.5	1.5	1.4	1.8	2.8	1.6	3.3	2.3	7.0	1.2	1.6	3.8	3.6	3.6	3.0	3.8	28	1.1	06+

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1969	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	5.5	5.3	5.0	5.2	4.9	4.8	5.5	5.2	5.2	5.3	7.8	6.7	5.9	5.7	5.4	5.3	5.2	4.9	4.8	5.1	5.0	5.0	5.0	5.4	6.1	5.5	5.1	5.2	4.8	4.8	4.9	7.8	11	3.1	20
FEB	4.7	4.5	4.5	4.4	4.4	4.4	4.8	4.5	4.6	4.6	4.5	4.5	4.6	4.5	4.5	4.4	4.5	4.4	4.4	4.4	4.5	4.4	4.4	4.5	4.3	4.3	4.3	4.2	4.2			5.0	07	4.1	19
MAR	4.3	4.4	4.4	4.2	4.3	4.5	4.5	4.5	4.5	4.5	4.5	4.8	10.6	7.6	6.0	5.5	5.7	5.6	5.4	5.1	4.9	4.1	4.4	4.2	4.4	4.4	4.5	4.4	4.4	4.1	4.4	H 10.7	13	4.1	22+
APR	4.2	4.3	4.5	4.5	4.3	4.6	4.9	4.1	4.3	4.3	4.2	4.4	4.4	4.1	4.1	4.3	4.4	4.3	4.3	4.2	4.3	4.0	4.0	4.3	4.4	4.3	4.2	4.1	3.7	4.1		4.9	07	3.7	29
MAY	4.0	3.8	3.6	3.4	3.3	3.2	3.0	3.0	2.9	2.9	2.7	2.7	2.8	2.7	2.7	3.1	3.1	3.0	3.1	4.7	3.5	3.2	2.9	2.8	2.6	2.3	2.5	2.7	3.0	3.0	7.3	7.3	31	2.3	25+
JUN	3.2	3.4	3.9	4.1	4.3	4.3	4.1	4.3	6.5	5.1	5.0	4.6	5.2	4.6	4.4	4.1	4.2	4.2	4.1	4.6	3.9	4.0	4.1	3.8	4.3	4.0	4.5	3.0	3.5	3.6		6.6	09	3.2	01
JUL	3.5	3.4	3.8	3.6	4.7	4.1	4.0	3.4	3.6	3.9	4.7	4.6	6.3	5.5	4.9	4.6	4.4	4.2	4.4	4.3	4.5	4.1	4.1	4.0	4.0	4.0	3.9	4.2	4.0	3.9	4.0	6.3	13	3.4	02+
AUG	4.1	4.3	4.1	4.2	4.1	4.1	4.0	3.9	3.9	3.8	3.6	4.0	3.9	3.9	3.9	3.9	3.8	3.8	3.6	3.8	3.8	3.8	3.7	3.6	3.9	3.6	3.5	3.6	3.6	3.1	3.1	4.3	02	3.1	30+
SEP	3.5	3.7	3.7	3.5	3.1	3.4	3.2	2.9	2.8	4.3	4.0	4.1	3.9	3.7	3.6	3.6	3.5	3.7	3.6	3.8	5.0	4.0	3.9	3.9	4.9	4.2	4.1	2.9	3.4	3.5	3.5	4.6	11	2.8	09
OCT	3.2	3.3	3.3	3.3	3.5	3.4	3.5	3.6	3.5	3.3	3.4	3.4	3.3	3.4	3.4	3.3	3.3	4.4	5.2	7.4	5.0	4.0	3.9	3.4	3.4	3.3	3.3	3.3	3.2	3.2		7.4	20	2.9	28
NOV	3.6	3.7	3.7	2.9	3.2	3.4	3.5	3.3	3.6	3.5	3.4	3.4	3.6	3.7	3.1	3.1	3.4	4.1	4.7	4.5	4.4	6.0	4.2	3.7	2.7	3.3	3.2	3.2	3.4	3.6		4.7	19	2.7	25
DEC	3.5	3.5	3.6	3.9	4.0	3.0	3.6	3.5	3.5	4.0	4.0	3.9	3.8	4.0	3.9	3.9	3.5	3.7	3.7	3.8	3.4	3.7	3.9	3.9	4.0	3.9	3.7	3.7	4.0	4.4	4.0	4.9	30	2.7	18

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1968	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	10.7	10.4	9.5	9.2	10.0	9.6	10.7	11.8	10.7	10.8	20.0	20.4	16.2	12.8	12.2	10.8	10.4	10.1	9.8	9.7	9.6	9.5	9.4	9.6	11.5	11.3	10.3	9.8	9.5	9.4	9.0	P 20.7	11	9.0	31
FEB	9.0	8.8	8.7	8.2	8.0	8.0	8.1	8.0	7.8	7.7	7.5	7.7	7.7	7.6	7.7	7.6	7.1	7.0	7.5	7.2	7.4	7.2	7.3	7.5	7.2	7.0	6.8	7.0	6.6			9.0	01	6.6	29
MAR	7.7	7.8	7.4	7.0	7.0	7.1	7.3	7.0	6.8	7.2	8.5	8.9	17.2	19.9	15.2	12.4	12.5	13.0	16.8	10.0	9.7	8.2	9.0	8.2	8.2	8.2	8.0	8.2	7.8	8.0	7.8	19.9	14	6.8	09
APR	7.1	7.4	7.5	7.4	7.5	8.4	8.4	8.3	7.7	7.8	7.9	7.8	7.7	7.5	6.8	6.7	7.3	7.4	7.0	7.0	6.8	6.8	5.6	5.5	7.0	7.0	7.4	6.9	6.0	6.4		8.4	06+	5.5	24
MAY	7.0	7.2	7.0	6.5	6.4	6.0	6.8	6.5	6.6	6.4	6.0	6.5	7.5	11.0	9.9	11.8	9.8	9.7	9.0	8.0	8.0	7.2	7.1	6.8	6.7	6.6	6.4	6.7	6.8	7.7	7.0	11.8	16	6.0	06+
JUN	6.7	6.5	6.2	6.5	6.9	6.7	6.6	13.4	16.0	16.8	15.4	13.3	10.0	8.9	8.4	7.8	7.0	7.2	7.3	7.0	7.3	7.0	6.7	6.2	6.0	7.0	6.9	6.7	6.3	6.0		16.8	10	6.9	23+
JUL	5.5	5.4	5.4	6.8	6.4	9.4	8.0	7.3	6.7	7.0	13.2	13.4	14.0	13.5	11.0	9.2	8.1	7.6	8.1	7.7	7.4	6.9	6.5	6.5	6.4	6.3	6.0	6.3	5.7	6.5	5.8	14.0	13	5.4	02+
AUG	6.4	6.2	6.0	5.8	5.3	6.2	6.4	6.4	6.0	5.8	5.5	5.2	6.0	6.2	5.5	6.0	5.7	5.6	5.0	5.5	5.8	6.0	5.6	5.2	5.4	5.1	5.2	5.4	5.5	5.0	5.2	6.4	01+	5.0	19+
SEP	5.2	5.0	5.3	5.4	5.4	5.0	4.8	5.2	5.0	5.3	7.5	7.0	6.7	6.0	5.8	5.4	5.5	5.6	5.0	5.3	5.2	5.2	5.0	5.5	5.3	5.2	5.6	5.4	5.3	5.0		7.5	11	4.8	07
OCT	5.4	5.0	5.3	5.3	5.2	5.1	4.7	5.0	5.0	5.2	5.0	5.0	5.3	5.2	5.0	5.0	4.8	5.0	6.5	5.3	5.2	3.2	5.0	5.2	5.4	5.1	5.2	5.4	5.4	3.5	5.4	12.4	21	4.7	07
NOV	6.0	5.2	5.0	5.4	6.0	6.3	5.9	6.0	6.2	6.2	6.0	6.8	7.4	7.5	7.0	6.8	6.6	6.6	13.2	11.9	11.0	8.3	7.8	7.4	7.0	7.0	6.8	6.6	6.8	6.3		13.2	19	5.0	03
DEC	6.7	6.6	6.7	7.0	7.4	7.7	7.0	6.9	6.7	6.3	6.2	6.2	6.4	6.3	6.0	5.8	6.4	6.5	6.3	6.3	6.1	6.0	5.7	7.8	7.6	7.5	7.0	6.8	8.0	8.2	8.4	8.4	31	5.7	23

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1968	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	6.5	5.5	5.3	5.0	5.3	5.4	5.5	6.3	6.3	5.6	10.7	17.6	14.7	10.9	7.3	6.2	5.8	5.6	5.4	5.2	5.3	5.1	5.2	5.4	5.9	6.6	5.9	5.3	5.0	5.0	4.8	O 18.8	12	4.8	31
FEB	4.8	4.5	4.8	4.5	4.5	4.3	4.5	4.4	4.3	4.3	4.1	4.1	4.1	4.4	4.2	4.1	4.1	4.1	3.7	3.8	3.8	4.0	3.9	3.9	3.9	3.7	3.6	3.5	3.8			6.7	01+	3.7	28
MAR	4.4	3.9	4.3	3.8	3.8	3.9	3.9	3.9	3.5	4.0	4.2	4.9	7.8	12.8	12.6	8.0	5.9	7.1	6.4	5.5	5.1	4.9	4.8	4.5	4.7	4.4	4.2	4.2	4.2	4.1	4.1	13.6	14	3.5	09
APR	4.3	4.0	4.1	4.1	4.5	4.7	4.7	4.4	4.4	4.2	4.2	4.2	4.1	4.1	3.8	3.7	3.3	4.0	4.0	3.9	4.0	3.7	3.7	3.5	3.9	4.0	4.0	3.9	3.9	3.9		7.2	10	2.7	23
MAY	3.9	3.9	4.0	2.9	3.6	3.2	3.2	3.5	3.4	3.1	3.2	3.1	3.6	4.7	5.5	5.1	5.3	5.2	4.8	4.0	4.2	3.7	3.5	3.2	3.0	2.9	2.8	2.8	3.2	3.1	3.3	6.7	17	2.8	26+
JUN	3.7	2.8	3.7	3.1	4.0	3.6	5.0	4.9	10.5	16.6	14.7	12.6	9.7	5.5	4.6	4.5	3.9	3.5	4.2	3.9	4.1	3.7	3.5	3.2	3.0	2.2	3.9	3.3	3.0	3.0		R 16.8	10	2.2	26
JUL	3.2	3.0	2.2	4.0	5.5	4.7	9.1	4.5	.	.	7.3	9.3	8.0	8.9	7.9	5.4	4.9	.	4.0	4.3	4.1	3.6	3.7	3.7	2.9	2.5	3.6	3.1	3.5	2.7	2.8	3.6	10.4	12+	2.2	03
AUG	3.7	3.2	2.7	2.9	3.7	2.8	3.4	3.0	2.6	2.2	2.7	3.2	1.7	3.0	2.7	3.0	2.9	3.4	2.8	1.9	2.7	3.4	2.6	2.6	2.8	3.2	3.0	2.3	1.9	1.7	1.7	6.5	07	1.7	13+
SEP	2.8	2.3	1.7	2.5	2.6	2.6	1.8	1.9	2.3	1.7	3.5	4.0	3.2	2.0	1.9	2.8	1.9	1.9	1.9	2.0	1.9	2.8	3.2	1.9	2.0	2.1	2.8	1.9	1.9	2.0		4.0	12	1.7	03+
OCT	2.7	2.5	2.8	1.9	1.8	3.4	2.4	2.0	2.5	2.0	2.4	1.9	1.9	2.7	1.9	2.9	2.9	2.0	3.2	6.3	5.0	5.9	4.4	4.0	2.5	2.8	3.2	3.1	1.9	2.0	3.9	6.4	41	1.8	05
NOV	2.9	2.3	2.5	2.5	2.3	2.9	2.9	3.2	2.9	3.8	1.8	3.6	4.0	3.7	3.9	3.5	3.5	2.8	5.2	7.2	6.2	5.2	4.4	3.8	3.9	3.8	3.4	3.2	3.4	3.3		7.2	20	1.8	11
DEC	4.0	3.3	3.6	3.6	3.9	3.4	3.6	3.4	3.3	2.9	1.9	3.3	3.6	3.6	3.3	3.0	3.3	3.2	3.1	2.8	2.5	3.4	2.8	3.6	4.2	3.1	3.5	2.1	3.8	4.8	4.4	4.8	30	1.9	11

K-CREST 16.90 AT 3:30 PM.
L-CREST 15.77 AT 3 AM.
M-CREST 15.26 AT 1 AM.
N-CREST 10.65 AT 8 AM.
P-CREST 20.70 AT 5:30 PM.

O-CREST 18.80 AT 3 PM.
R-CREST 16.75 AT 10 PM.
ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

ATLANTIC SLOPE DRAINAGE

LXV

DAILY RIVER STAGES

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1969	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
	Day of month																																		
JAN	4.1	3.9	3.9	3.7	4.0	4.0	3.8	4.0	4.0	4.1	4.0	4.0	3.7	3.7	3.8	3.8	3.9	3.8	3.9	4.0	7.0	5.7	5.2	4.6	4.8	4.2	4.2	4.1	4.0	4.2	4.0	7.0	21	3.7	04+
FEB	4.1	4.9	9.2	6.2	5.5	4.9	4.6	4.6	4.8	5.1	4.9	4.3	4.2	4.0	4.4	4.2	4.4	4.4	4.2	4.3	4.4	4.8	4.2	6.0	5.2	4.8	4.8	4.7	.			K 9.4	03	4.0	14
MAR	4.9	4.7	5.0	4.9	4.5	4.5	5.0	.	.	.	4.6	4.5	4.4	4.4	4.2	4.2	4.1	4.2	6.6	6.1	5.6	5.0	4.8	4.9	7.0	6.0	5.2	5.2	4.8	4.8	4.7	7.0	29	4.1	17
APR	4.5	4.5	4.4	4.3	4.3	4.3	4.4	3.9	3.9	3.9	3.8	4.2	3.2	3.6	3.8	7.7	7.0	5.4	10.0	6.0	5.6	5.2	4.7	4.3	4.5	4.3	4.2	4.2	3.9	4.4		L 10.6	19	3.2	13
MAY	3.8	4.0	3.9	4.1	3.9	3.7	3.6	3.7	3.9	3.8	3.9	3.6	3.6	3.7	3.5	3.8	3.8	3.9	4.2	5.0	4.4	4.2	4.1	3.9	3.9	3.7	3.2	3.1	3.4	3.6	3.6	5.0	20	3.1	28
JUN	3.7	3.6	4.3	4.4	4.1	4.0	3.9	3.8	4.0	4.0	4.1	4.2	4.1	5.1	5.8	4.9	5.0	4.8	4.5	3.4	3.9	3.9	4.0	4.1	4.3	4.1	4.0	3.8	3.6	3.8		5.8	15	3.4	20
JUL	3.6	3.9	3.9	3.8	3.7	3.6	3.7	3.7	4.4	4.1	4.0	3.9	4.2	3.8	3.6	3.8	3.8	3.6	3.5	3.8	3.6	3.8	4.0	4.0	4.4	4.2	3.9	3.9	3.8	3.9	3.9	4.4	09+	3.5	19
AUG	4.7	5.8	6.3	6.1	5.7	4.6	4.1	4.1	3.8	3.8	3.8	3.9	3.7	3.8	3.8	3.9	5.5	4.5	3.9	4.8	4.3	4.5	4.2	4.8	4.1	4.0	3.9	3.9	3.8	3.6	3.6	6.3	03	3.6	30+
SEP	3.5	3.7	3.9	5.2	9.1	5.7	5.3	4.6	4.5	4.2	4.1	4.0	4.0	3.9	3.7	3.6	3.7	4.0	3.9	5.5	5.3	4.8	4.2	4.1	4.7	4.1	4.1	4.1	3.7	3.7		M 9.3	05	3.5	01
OCT	3.8	3.9	5.7	5.1	4.6	4.1	4.1	4.4	4.5	4.3	3.9	4.0	4.0	3.7	3.9	3.9	4.0	3.9	3.7	3.8	3.7	3.9	3.8	3.8	3.7	3.7	3.7	3.7	3.8	3.8	3.8	5.7	03	3.7	14+
NOV	3.8	4.9	6.5	5.1	4.9	4.5	4.1	4.1	4.2	4.1	4.1	4.1	4.1	4.0	3.9	3.9	3.8	3.6	3.8	4.5	4.4	4.3	4.1	4.0	3.9	3.9	3.9	3.9	3.9	4.1		7.0	02	3.6	18
DEC	3.8	3.8	3.9	3.8	3.8	3.8	3.8	5.4	5.4	4.8	8.9	6.5	5.5	4.7	4.4	4.2	4.2	4.1	4.4	4.1	4.1	4.1	4.9	4.5	4.4	4.5	4.9	4.4	4.4	4.0	4.2	8.9	11	3.8	01+

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1969	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	8.5	8.0	7.7	7.7	7.2	6.6	6.8	7.0	6.7	7.0	6.9	6.6	6.0	6.3	6.0	6.4	6.5	6.2	6.5	10.7	10.0	17.3	15.0	11.9	10.7	10.0	9.2	8.5	8.3	7.8	8.2	17.3	22	6.0	13+
FEB	8.0	7.8	13.5	18.3	14.7	13.5	10.6	10.0	12.4	13.2	11.4	10.0	9.5	8.8	8.5	8.7	8.0	8.8	10.4	11.0	10.9	11.0	11.0	12.2	19.0	10.7	10.8	9.8	.			H 18.5	04	7.8	02
MAR	9.5	11.0	10.9	10.5	9.8	9.3	11.0	13.0	10.9	10.2	9.8	9.5	8.8	8.5	8.4	8.1	7.5	7.6	13.2	16.3	13.4	11.3	10.5	9.9	14.8	13.3	12.7	10.8	10.0	9.8	9.0	P 16.5	20	7.5	17
APR	8.8	8.6	8.3	8.3	8.2	8.0	9.0	8.8	8.3	8.0	8.0	8.1	7.8	7.7	8.2	17.5	21.0	19.8	21.8	21.8	18.1	15.0	11.7	10.5	10.0	9.7	9.5	9.0	8.8	8.7		Q 22.5	20	7.7	14
MAY	8.6	8.4	8.2	8.2	8.0	7.9	7.7	7.8	7.7	8.0	8.2	7.7	7.7	7.8	7.6	7.2	7.7	7.6	8.0	9.8	9.9	7.7	7.8	7.7	7.2	6.5	6.8	7.0	6.8	6.6	6.9	9.9	21	6.5	26
JUN	6.8	6.5	6.6	8.0	9.0	7.7	7.5	7.5	7.7	9.2	9.0	8.8	8.5	8.6	9.2	10.0	9.6	10.0	11.0	10.2	8.1	7.6	7.0	7.0	7.8	7.7	7.2	7.0	7.0	6.2		11.0	19	6.2	30
JUL	6.5	6.8	6.7	6.7	6.8	6.5	5.8	6.0	6.8	7.2	6.8	6.6	6.7	6.5	6.5	6.4	5.7	6.3	5.7	6.0	5.5	5.6	5.7	5.5	7.0	8.0	7.4	6.2	6.4	6.2	6.0	8.0	26	5.5	21+
AUG	6.3	8.0	9.8	13.4	14.0	11.0	9.1	7.5	7.3	6.8	5.9	7.0	7.6	7.5	6.7	8.2	8.5	8.0	7.7	8.0	7.8	8.0	8.2	8.1	8.0	7.0	6.6	6.4	6.4	6.2	5.8	14.0	05	5.8	31
SEP	5.7	6.0	6.8	11.7	15.0	17.2	11.0	9.8	9.8	9.0	7.8	7.2	7.0	7.0	6.7	6.6	6.4	6.2	9.0	9.8	10.7	10.0	9.0	8.2	7.8	8.0	7.6	7.4	6.9	7.0		R 18.0	06	5.7	01
OCT	6.6	7.0	7.7	8.8	8.0	7.8	7.0	6.8	6.8	7.7	7.0	6.9	6.8	6.7	6.5	6.6	6.8	6.7	6.5	6.4	6.4	6.6	6.7	6.5	6.0	6.2	6.0	6.0	6.3	6.2	6.4	8.8	04	6.0	23+
NOV	6.4	7.2	9.0	10.2	8.5	7.9	7.6	7.5	7.4	7.0	7.0	7.4	7.2	7.0	7.3	7.2	7.0	6.7	7.0	7.0	7.4	7.6	7.5	7.0	6.8	7.0	7.1	6.8	7.0	6.8		10.2	04	6.4	01
DEC	6.7	7.0	6.8	7.0	7.0	6.7	7.1	7.4	10.0	9.6	12.3	16.5	11.8	9.8	9.0	8.8	8.2	8.0	7.8	8.0	7.6	7.9	9.8	9.5	8.0	12.0	12.4	11.2	10.0	9.2	9.0	S 17.0	12	6.7	01+

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1969	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.8	4.5	4.4	4.2	4.2	3.7	2.5	3.6	3.2	3.6	3.6	3.1	3.5	2.2	3.3	3.0	3.2	2.8	2.8	4.5	10.2	11.5	10.8	7.9	9.6	5.3	5.1	4.8	4.5	4.5	3.3	11.5	22	2.2	14
FEB	4.8	3.9	4.2	10.6	11.6	8.3	6.3	5.4	5.5	7.1	6.7	5.6	5.0	4.9	4.3	4.4	4.6	3.0	5.2	5.8	6.2	7.4	6.5	6.2	7.2	6.4	5.6	5.3	.			14.4	04	3.9	02
MAR	5.0	5.2	5.7	5.6	5.2	4.9	5.7	6.9	6.4	5.5	5.3	5.0	4.7	4.5	4.5	4.3	4.1	4.2	7.1	10.3	9.9	7.0	5.5	5.3	6.9	10.1	8.8	6.1	5.4	5.0	4.6	12.4	20	4.1	17
APR	4.8	4.4	4.6	4.4	4.2	4.4	4.3	4.9	4.3	4.4	4.2	4.2	4.4	4.1	4.2	13.3	18.5	18.7	22.4	23.0	19.0	14.3	11.5	9.3	8.6	7.9	5.7	4.7	4.0	4.4		T 23.4	19	4.1	14
MAY	4.6	4.6	3.5	4.2	4.2	4.2	3.7	3.7	3.5	4.4	4.1	3.7	4.0	3.8	3.9	3.3	3.8	3.7	3.9	6.4	5.4	4.8	4.4	4.3	3.8	3.8	3.6	3.3	3.3	3.3	3.5	7.7	20	3.3	10+
JUN	3.2	3.5	3.6	3.6	4.3	3.5	2.9	3.7	3.3	3.3	4.3	4.6	4.5	4.4	4.5	5.8	5.3	4.9	5.4	5.7	4.7	4.0	3.9	3.6	3.4	4.5	3.7	3.4	3.6	2.9		5.8	16	2.9	07+
JUL	3.6	3.3	3.5	3.5	3.5	3.3	3.3	3.0	3.3	3.2	3.4	3.6	3.3	3.8	3.0	3.4	3.3	2.5	3.3	2.5	3.0	2.8	1.9	2.7	4.0	4.1	4.1	3.7	2.5	2.4	3.1	4.1	26+	1.9	23
AUG	2.8	3.1	4.1	5.1	7.3	6.7	5.1	4.2	4.0	3.8	3.4	2.4	4.1	3.2	3.2	3.9	4.4	4.1	4.6	3.9	4.0	4.3	3.8	4.2	3.7	4.1	3.4	3.6	2.9	3.0	2.6	8.8	05	2.2	29
SEP	1.4	2.1	2.9	4.7	6.5	10.8	8.8	5.3	4.0	4.5	4.3	3.7	4.0	3.5	3.7	2.5	3.1	3.1	3.7	4.8	5.2	5.4	4.8	4.4	4.2	3.9	4.2	3.9	3.5	3.1		12.4	06	1.4	01
OCT	3.7	3.5	3.4	3.1	4.5	4.3	4.1	3.3	3.9	3.8	4.0	3.3	3.2	3.6	3.4	3.5	3.4	3.2	3.5	3.5	3.0	3.3	3.8	2.9	3.5	3.8	2.7	3.6	3.3	2.8	3.0	4.5	05	2.3	29
NOV	3.4	3.6	3.7	5.4	4.9	4.5	4.1	3.9	4.0	3.1	3.3	3.4	3.6	3.3	3.1	3.3	3.1	2.9	3.3	3.3	4.4	4.0	4.1	3.7	3.3	3.5	3.8	3.7	2.4	3.3		5.4	04	2.4	29
DEC	3.0	3.0	3.0	3.5	3.3	2.2	3.0	2.8	4.3	.	5.4	9.1	8.0	5.6	4.8	4.4	4.2	3.9	4.0	3.6	3.5	4.0	4.5	4.9	4.7	4.7	6.4	6.0	5.2	4.8	4.7	9.1	12	2.2	06

CATAWBA RIVER AT ROCK HILL, S.C.
GAGE ZERO, 451.47 FEET, M.S.L. FLOOD STAGE, 17 FEET.

1969	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	3.5	3.7	3.4	3.4	.	7.7	3.4	3.7	3.5	3.3	3.3	3.3	3.5	5.3	3.3	7.7	3.3	3.3	3.4	3.4	3.8	3.8	3.4	3.5	3.5	3.4	3.4	3.5	3.4	3.4	3.3	7.7	06+	3.3	10+
FEB	3.4	3.4	6.3	5.0	7.9	3.3	5.9	3.4	3.7	3.5	3.7	3.4	4.1	3.3	3.4	.	3.3	3.5	3.6	3.4	3.5	3.5	3.6	3.5	3.8	3.5	3.5	3.4	.			7.9	05	3.3	06+
MAR	3.4	3.4	3.4	3.7	3.5	3.5	4.0	3.3	3.3	3.5	3.5	3.5	3.3	3.5	3.3	3.4	3.3	3.3	4.0	3.9	3.7	3.7	3.3	3.8	3.5	3.7	3.7	3.7	3.3	3.5	3.6	3.5	11	3.3	08+
APR	4.0	3.5	3.7	3.5	3.8	3.5	3.6	3.5	3.8	4.2	3.6	3.6	3.8	3.7	3.8	3.8	3.8	3.5	4.9	4.7	6.3	4.7	6.2	7.0	7.0	5.7	3.6	3.5	5.7	3.5		7.0	24+	3.5	02+
MAY	3.3	3.5	3.3	3.4	3.3	3.5	3.5	3.5	3.4	3.3	3.3	3.4	3.5	3.3	3.8	3.7	3.5	3.3	3.4	3.5	3.5	3.5	3.5	3.4	3.5	3.5	3.5	3.4	3.6	3.5	3.4	3.8	15	3.3	01+
JUN	3.4	3.3	3.5	3.5	3.4	3.5	3.4	3.5	3.3	3.3	3.3	3.5	3.4	3.4	3.4	3.4	3.3	3.5	3.5	3.5	3.3	3.2	3.5	3.5	3.5	4.8	6.5	5.8	3.5	3.1		6.3	27	3.1	30
JUL	3.5	3.3	3.5	3.5	3.5	3.5	3.5	3.4	3.5	3.5	3.4	3.4	3.4	3.4	3.5	3.5	3.3	3.3	3.4	3.5	3.4	3.5	3.5	3.4	3.4	3.3	3.3	3.4	3.4	3.2	3.3	3.5	01+	3.2	30
AUG	3.4	3.4	3.5	3.4	3.4	3.5	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.5	3.5	3.5	3.4	3.5	3.6	3.5	3.5	3.5	3.5	3.5	3.3	3.3	3.5	3.4	3.3	3.4	3.4	3.6	19	3.3	23+
SEP	3.5	3.5	3.4	3.4	3.3	3.4	3.4	3.4	3.4	3.4	3.4	3.3	3.3	3.3	3.3	3.4	3.5	3.5	3.4	3.5	3.5	3.5	3.5	3.5	3.3	3.3	3.5	3.5	3.3	3.3		3.5	01+	3.3	05+
OCT	3.3	3.5	3.4	3.3	3.5	3.4	3.4	3.4	3.4	3.5	3.3	3.4	3.5	3.5	3.5	3.3	3.4	3.3	3.7	3.5	3.5	3.4	3.3	3.4	3.5	3.3	3.3	3.3	6.5	3.7	3.2	6.5	29	3.2	31
NOV	3.3	3.3	3.3	3.3	3.6	3.3	3.6	3.5	3.4	3.1	4.2	3.1	3.5	3.5	5.8	3.7	3.6	3.3	3.4	3.4	3.6	3.3	3.3	3.2	3.3	3.3	3.3	3.3	3.3	3.3		5.8	13	3.1	10+
DEC	3.5	3.5	3.5	3.5	3.7	3.5	3.5	3.4	3.3	3.5	3.5	6.7	4.3	3.3	3.9	3.4	3.5	6.2	3.3	3.2	3.5	3.4	3.4	3.4	3.4	3.4	3.5	3.4	3.3	3.4	3.4	6.7	12	3.2	20

K-9.39 AT 8 AM.
L-CREST 10.57 AT 2:30 AM.
M-CREST 9.30 AT 6 AM.
N-CREST 18.50 AT 1 AM.
P-CREST 16.50 TIME UNKNOWN.

Q-CREST 22.50 TIME UNKNOWN.
R-CREST 18.00 TIME UNKNOWN.
S-CREST 17.00 TIME UNKNOWN.
T-CREST 23.37 AT 8:30 PM.
ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

LXVI

ATLANTIC SLOPE DRAINAGE

SALUDA RIVER AT CHAPPELLS, S.C.
GAGE ZERO, 962.89 FEET, M.S.L. FLOOD STAGE, 14 FEET.

Day of month

1970	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	0.7	1.8	0.7	0.0	1.0	3.2	8.5	2.2	2.2	2.2	1.6	1.4	1.6	1.6	1.6	1.2	1.2	0.8	0.8	2.0	2.0	2.9	2.6	1.3	0.6	1.2	1.2	0.8	1.5	1.3	2.1	8.5	07	0.0	04
FEB	1.0	0.6	9.8	6.8	5.6	5.6	5.6	5.6	8.7	2.3	1.4	1.4	1.4	0.8	0.6	0.8	9.4	9.1	9.1	9.0	1.9	1.6	1.2	1.0	2.4	2.4	1.7	1.2				9.4	17	0.6	02
MAR	0.8	0.5	0.8	0.5	1.7	0.8	0.8	0.8	0.8	1.3	1.3	1.0	1.4	0.7	0.7	0.7	1.5	1.7	1.7	5.8	10.2	12.1	12.5	10.2	9.3	8.6	2.6	8.0	7.4	1.2	10.5	12.5	23	0.5	04
APR	9.7	9.3	9.9	9.0	4.4	4.4	4.4	2.3	2.3	2.1	1.1	0.5	0.5	1.9	1.3	1.3	1.9	1.7	0.9	0.6	1.9	1.6	1.6	1.3	1.3	0.5	0.5	3.2	3.2	2.4		9.9	03	0.3	27
MAY	1.0	0.2	0.8	1.7	4.2	2.0	0.7	0.7	1.1	0.0	0.0	1.4	0.2	1.4	0.2	0.6	0.4	0.2	0.8	0.0	0.5	0.0	0.0	0.4	0.0	0.5	1.4	0.5	2.0	1.2	1.8	4.2	05	0.0	10+
JUN	0.8	1.9	1.1	0.8	1.1	1.0	1.3	1.0	1.3	1.8	1.0	0.8	0.6	0.6	0.6	0.6	1.1	1.3	0.6	0.6	0.4	0.6	1.0	1.6	1.0	1.0	0.7	0.0	1.0	0.2		1.9	02	0.0	26
JUL	0.3	1.0	1.0	0.4	0.3	0.1	0.8	0.8	1.0	5.3	1.5	1.2	1.0	1.0	1.0	1.2	1.2	1.4	0.7	1.7	1.7	1.0	9.0	1.3	1.1	0.7	2.1	2.6	1.5	2.1	1.4	9.0	23	0.1	06
AUG	2.0	0.8	2.0	2.0	1.2	1.2	1.2	1.0	1.2	6.5	11.6	2.6	1.7	2.2	1.5	0.6	2.0	2.3	0.8	0.8	1.0	1.0	1.0	1.0	0.7	0.9	1.6	0.8	0.8	0.6	0.5	11.6	11	0.6	16+
SEP	2.8	1.8	0.6	1.1	2.1	0.6	1.4	1.4	1.4	1.7	1.7	1.7	0.6	0.6	1.0	1.7	1.7	2.3	1.6	0.5	0.8	2.8	3.2	1.7	1.4	1.0	0.3	0.6	1.0	0.8		3.2	23	0.3	27
OCT	0.8	0.8	1.1	0.8	1.3	1.0	1.0	1.0	1.2	1.0	0.4	0.2	0.6	0.8	0.0	0.0	0.6	1.3	1.1	0.0	1.3	1.3	2.0	0.2	0.2	0.5	0.9	0.7	1.0	1.3	11.6	K 11.6	30+	0.0	15+
NOV	6.2	10.7	3.2	1.6	1.6	0.2	0.2	0.2	0.0	0.8	2.8	2.4	2.0	2.0	0.0	1.1	2.0	2.6	1.7	1.3	0.7	0.4	0.7	1.8	2.0	0.2	0.0	1.0	0.0	0.4		10.7	02	0.0	09+
DEC	0.2	1.2	0.2	1.0	0.8	0.4	0.4	0.0	1.0	0.3	0.0	0.0	0.2	0.9	1.4	1.4	6.6	4.2	1.5	1.3	1.0	1.9	1.0	1.6	0.2	0.3	0.3	0.8	1.8	2.4	1.4	10.7	16	0.0	08+

BROAD RIVER AT CAFFNEY, S.C.
GAGE ZERO, 939.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1970	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.6	4.3	4.2	4.1	3.7	3.8	3.8	4.0	4.0	3.7	3.7	3.9	4.1	4.0	4.1	4.1	4.0	4.2	4.4	4.5	4.5	4.4	4.2	4.2	4.2	4.2	4.3	4.5	4.2	4.4	5.1	5.1	31	3.7	05+
FEB	4.7	4.5	5.9	5.9	5.4	5.0	4.7	4.5	4.5	4.4	4.4	4.4	4.4	4.3	4.3	4.2	3.9	4.3	4.4	4.8	4.6	4.5	4.5	4.3	4.5	4.5	4.3	4.5				7.6	17	4.3	14+
MAR	4.3	4.2	4.2	4.3	4.3	4.3	4.3	4.2	4.1	4.4	4.3	4.3	4.3	4.3	4.2	4.2	3.9	4.3	4.4	4.3	4.9	5.0	5.1	5.0	4.9	4.4	4.4	4.3	4.3	4.3	3.7	5.1	23	3.7	31
APR	4.2	5.1	5.4	4.6	4.0	3.9	3.8	3.6	3.6	3.5	3.6	3.5	3.6	3.5	3.4	3.5	3.4	3.7	2.7	3.8	3.4	3.9	3.8	3.9	3.9	3.9	3.9	3.8	4.0	4.1		5.4	03	3.4	15+
MAY	4.0	3.9	3.9	4.0	4.2	4.4	4.1	4.0	4.0	3.2	3.0	3.7	3.9	3.3	3.1	3.5	4.5	4.1	3.6	3.3	3.1	3.4	3.7	3.3	2.8	3.4	3.8	3.7	3.6	3.5	3.4	4.5	17	2.8	25
JUN	3.3	3.5	3.7	3.7	3.8	4.4	4.0	3.9	3.7	3.8	3.8	3.7	3.0	4.3	4.1	4.0	4.0	3.7	3.7	3.9	3.9	3.7	3.8	3.7	3.4	4.3	4.0	3.8	3.6	3.5		4.5	14+	3.3	01
JUL	3.3	3.3	3.7	3.4	.	.	.	3.6	3.2	3.5	3.4	3.5	3.3	3.4	3.6	3.4	3.3	3.4	3.3	3.3	3.3	3.5	3.7	4.5	4.3	4.2	4.2	4.6	4.1	3.7	3.7	6.3	28	3.2	09
AUG	3.8	3.7	3.8	3.8	3.9	3.7	3.4	4.0	6.0	10.3	13.0	7.1	5.7	4.9	4.7	4.5	4.4	4.3	4.2	4.1	4.2	4.2	5.0	3.1	4.6	4.2	4.1	4.0	4.0	3.9	3.8	L 13.5	10	3.0	07
SEP	3.9	4.0	3.9	3.8	3.7	3.9	3.7	3.8	3.8	3.9	3.8	3.8	4.2	4.0	3.8	3.8	3.7	3.7	3.6	3.6	3.6	3.6	3.7	3.9	3.6	3.6	3.6	3.6	3.5	3.6		4.2	13	3.5	29
OCT	3.5	3.5	3.5	3.6	3.5	3.5	3.5	3.3	3.4	3.4	3.5	3.5	3.8	3.4	3.6	3.6	3.9	3.4	3.3	3.3	3.7	4.6	4.3	4.2	3.8	3.4	3.6	3.6	3.7	3.5	4.7	8.4	31	3.3	08+
NOV	5.9	5.3	4.9	4.9	4.8	4.1	4.0	3.8	3.8	3.8	5.0	4.9	4.4	4.3	4.2	4.0	4.0	3.8	3.8	3.8	3.8	3.9	3.9	3.9	3.8	4.0	4.0	3.9	3.9	3.8		5.9	01	3.6	19
DEC	3.8	3.9	4.1	4.0	3.9	3.9	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.6	3.6	3.6	4.5	4.4	4.0	3.9	3.8	3.8	3.8	5.4	5.0	4.5	4.2	4.2	4.0	4.1	4.0	5.4	24	3.6	14+

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1970	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	9.2	9.0	8.8	8.5	8.0	8.4	9.5	9.0	8.6	8.2	7.8	7.5	8.0	8.6	8.0	7.7	7.8	8.0	7.6	8.2	8.2	7.7	7.5	7.0	7.4	7.6	7.7	7.6	8.0	7.8	8.5	9.5	07	7.4	25
FEB	8.8	9.2	10.6	13.2	11.0	9.9	9.4	9.4	8.8	8.2	8.0	8.0	7.8	8.0	7.6	7.4	12.2	16.0	13.0	10.8	9.5	9.1	8.6	8.2	8.3	8.6	9.0	8.4				H 10.3	18	7.4	16
MAR	8.0	7.7	7.6	7.6	7.8	8.8	8.0	7.8	7.5	7.4	7.5	7.6	7.5	7.5	7.3	7.0	7.0	7.3	7.4	11.0	11.2	16.2	14.5	13.5	11.0	9.9	9.6	9.2	9.0	8.7	10.8	N 17.0	22	7.0	10+
APR	13.8	13.4	15.0	13.4	11.6	10.5	9.8	9.6	9.6	9.0	8.4	8.0	7.7	7.8	8.0	8.0	7.8	7.7	7.5	7.2	7.0	7.3	7.0	7.3	7.4	7.3	8.0	7.9	8.0	8.0		P 15.4	02	7.0	21+
MAY	7.4	7.0	7.2	7.8	9.8	9.0	8.4	8.0	7.5	7.2	7.0	6.8	6.8	6.7	6.8	6.7	8.5	8.7	7.8	7.3	7.2	7.0	6.7	6.2	5.8	6.0	8.2	7.0	7.0	6.8	6.7	9.8	05	5.8	25
JUN	5.8	6.0	6.4	6.6	6.5	7.0	6.8	6.5	6.4	6.2	6.2	6.3	6.0	6.2	7.0	7.0	6.7	7.0	6.2	6.0	6.5	5.8	5.5	6.0	6.0	6.2	7.0	7.0	6.1	6.0		7.0	06+	5.5	23
JUL	6.0	5.6	5.5	5.5	5.4	5.3	5.1	5.3	5.3	5.2	5.2	5.1	5.0	5.1	6.0	6.1	5.8	5.2	5.0	5.0	5.2	5.0	6.4	6.0	7.0	7.2	6.0	7.7	8.2	7.8	8.2	8.2	29	5.0	13+
AUG	6.5	6.2	5.7	6.2	6.1	5.8	6.8	5.4	6.4	9.0	17.3	21.5	14.3	14.0	9.7	9.2	7.8	7.0	7.0	6.8	7.5	7.0	6.7	7.8	8.2	7.9	7.0	7.0	6.6	6.4	5.8	Q 21.9	12	3.4	08
SEP	5.8	5.6	5.8	6.0	6.3	6.0	5.5	5.0	5.6	5.7	5.1	5.2	5.7	6.0	5.8	5.7	5.7	5.2	5.2	5.8	6.0	5.6	5.5	5.4	5.2	5.0	4.9	4.8	5.1	5.0		6.3	05	4.8	28
OCT	5.0	5.0	4.8	4.7	4.7	4.8	5.0	4.9	4.9	5.0	4.9	4.8	5.0	5.3	5.3	5.4	5.3	5.2	5.0	4.9	5.8	6.1	6.2	6.3	6.3	6.0	5.9	5.8	5.9	6.7	14.0	14.0	31	4.7	04+
NOV	15.2	13.5	10.0	9.0	8.5	8.0	7.2	6.9	6.5	6.0	9.0	10.4	9.2	8.2	8.0	7.9	7.9	7.4	7.1	7.0	6.8	6.8	6.6	6.8	6.8	7.0	6.4	6.6	6.6	6.2		15.2	01	6.0	10
DEC	6.5	6.5	6.2	6.6	6.4	6.4	6.0	6.0	6.2	6.3	6.0	6.0	6.2	5.6	6.8	6.3	12.7	11.0	9.1	7.7	7.3	7.0	6.7	7.1	8.7	8.7	8.0	7.7	7.1	7.0	7.0	R 12.8	17	5.6	14

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1970	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	4.5	4.7	4.5	4.5	4.2	4.4	4.9	4.6	4.3	3.6	3.9	3.8	4.1	4.4	4.4	3.9	4.0	3.5	3.8	4.3	3.8	3.8	.	.	3.2	3.7	3.5	4.0	3.6	3.8	4.3	4.9	07	3.2	25
FEB	4.7	4.3	4.9	6.0	6.4	5.2	4.9	4.7	4.2	4.3	4.3	4.2	3.8	3.7	3.9	3.2	4.8	8.6	7.8	6.0	5.1	4.9	4.4	4.5	4.4	4.8	4.5	4.5				10.1	18	3.2	16
MAR	4.4	4.0	3.6	3.6	3.8	4.2	4.8	4.3	4.2	4.0	3.8	3.5	3.9	3.2	4.1	3.3	3.9	3.6	3.8	5.2	6.3	11.9	12.6	10.5	7.3	5.6	4.9	4.8	4.5	4.5	6.3	13.8	23	3.2	14
APR	6.6	6.7	9.1	8.9	.	5.5	5.1	4.9	4.8	4.5	4.4	4.0	3.8	4.4	3.7	4.1	3.9	3.8	4.1	3.6	4.3	3.7	3.6	3.1	3.9	3.8	3.7	4.1	3.9	4.0		9.1	03	3.1	24
MAY	3.8	3.5	4.0	4.0	4.3	4.6	4.4	4.6	2.0	3.5	3.8	2.0	3.9	3.1	3.7	3.9	3.7	4.5	4.2	3.2	3.2	3.7	3.7	3.7	3.1	2.8	3.2	3.5	3.5	3.2	3.3	4.6	06+	2.0	09+
JUN	3.0	2.9	2.5	2.4	3.5	3.4	3.3	2.1	3.3	2.9	3.4	2.2	3.2	2.5	2.8	3.7	2.7	2.7	2.3	3.0	2.5	2.1	2.0	2.6	2.9	2.9	2.5	3.2	3.2	1.7		3.7	16	1.7	30
JUL	3.3	3.3	2.9	.	1.8	2.5	2.7	3.2	.	2.9	2.4	3.5	1.7	1.8	2.4	2.0	2.0	1.9	2.4	3.0	1.5	1.6	3.6	2.7	4.0	3.7	3.0	3.8	4.6	4.5	3.2	4.0	29	1.5	21
AUG	2.9	3.3	3.5	2.7	2.3	2.7	3.1	2.8	3.1	3.9	6.8	12.7	13.2	9.7	5.7	4.4	4.0	4.0	3.5	3.5	3.5	3.2	2.9	3.4	4.1	4.1	3.4	3.4	2.8	3.3	3.3	S 13.9	12	2.3	05
SEP	1.9	2.8	3.2	3.3	3.4	2.8	3.1	2.1	3.2	2.8	3.2	3.3	3.1	3.5	3.5	3.3	3.3	3.4	3.2	3.1	3.0	2.2	3.3	3.3	3.3	2.9	2.8	3.4	3.0	3.1		6.2	16	1.9	01
OCT	3.0	2.6	2.7	2.2	3.0	1.4	2.6	2.7	2.7	1.8	2.7	3.0	2.4	2.7	3.1	2.7	3.2	2.5	3.2	3.4	3.8	3.1	3.4	3.6	4.0	3.4	2.8	2.4	2.8	3.0	8.5	8.5	31	1.4	06
NOV	11.1	9.1	6.0	5.0	4.6	4.4	3.7	3.9	4.0	3.8	4.9	5.3	5.1	4.8	4.4	4.3	4.3	4.2	4.1	4.2	3.9	3.8	3.2	3.3	2.9	2.8	3.2	3.1	2.6	3.4		11.2	01	2.6	29
DEC	2.8	3.1	3.2	3.6	3.3	3.0	3.1	3.0	3.3	3.4	3.0	3.0	3.0	3.5	3.2	3.9	6.3	7.1	5.4	4.7	4.1	4.0	4.0	3.1	4.0	4.7	4.5	4.1	5.1	6.0	5.8	9.9	17	2.8	01

K-CREST 11.60 FROM 5 PM TO 7 AM.
L-CREST 13.50 AT 8 PM.
M-CREST 16.30 TIME UNKNOWN.
N-CREST 17.00 AT 6:30 PM.
P-CREST 15.40 TIME UNKNOWN.

Q-CREST 21.90 AT 1 PM.
R-CREST 12.80 AT 1 PM.
S-CREST 15.36 AT 9 PM.
ALSO SEE REFERENCE NOTES FOLLOWING CORRIGENDA

ATLANTIC SLOPE DRAINAGE

BROAD RIVER AT GAFFNEY, S.C.
GAGE ZERO, 539.10 FEET, M.S.L. FLOOD STAGE, 10 FEET.

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
	Day of month																																		
JAN	4.1	4.1	4.1	4.1	4.1	6.9	5.4	5.0	4.8	4.6	4.2	4.1	4.2	4.2	3.9	4.2	4.1	4.1	4.0	4.2	4.2	4.1	4.0	4.2	4.2	4.3	4.4	4.1	4.1	4.2	4.2	6.9	06	3.9	15
FEB	4.1	3.9	4.0	3.9	4.4	6.2	5.5	8.1	7.3	6.0	5.3	4.9	4.7	6.3	5.7	5.4	5.0	5.0	4.8	4.7	4.6	4.6	6.5	7.3	6.4	5.9	5.7	5.6				8.1	08	3.9	02+
MAR	5.4	5.2	5.3	6.3	6.4	6.0	5.7	5.6	5.4	5.2	5.2	5.1	5.0	5.0	5.0	4.9	5.1	5.2	5.0	5.0	5.0	4.9	4.8	4.7	4.7	4.7	4.7	4.8	4.8	4.9	5.2	6.4	05	4.7	24+
APR	5.2	5.1	5.0	4.9	4.8	4.7	4.9	5.1	5.1	5.1	4.9	4.9	4.8	4.7	4.6	4.6	4.6	4.5	4.5	4.4	4.6	4.6	4.6	4.6	4.9	4.7	4.6	4.6	4.6	4.6		5.2	01	4.4	20
MAY	4.6	4.5	4.5	4.4	4.4	4.4	4.4	4.4	4.5	4.5	4.3	4.4	7.5	7.2	5.9	8.6	6.5	5.8	5.4	5.1	4.7	4.6	4.6	4.5	4.4	4.7	4.7	4.2	4.3	4.3	4.7	8.6	16	4.2	28
JUN	4.2	4.2	4.1	4.1	4.0	4.1	4.0	4.0	4.0	4.1	3.9	3.9	3.8	3.8	3.0	4.3	4.2	4.4	4.3	4.2	4.2	4.4	4.2	4.2	4.1	4.0	4.0	3.8	3.8	4.0		4.4	18+	3.8	15
JUL	4.0	.	.	.	.	.	.	4.8	4.2	4.3	4.1	4.5	4.2	4.0	4.0	4.2	4.0	3.9	3.6	3.9	4.0	4.1	4.0	3.8	4.0	4.1	4.4	4.3	4.1	4.3	4.9	4.9	31	3.6	19
AUG	4.8	5.4	5.9	4.9	4.8	5.0	5.1	4.5	4.4	4.6	4.4	4.6	4.9	4.5	3.8	3.7	3.9	4.4	4.0	4.5	4.4	4.1	4.0	4.4	4.0	4.2	4.3	4.0	3.8	3.7	3.7	5.9	03	3.7	16+
SEP	3.9	3.8	4.0	4.0	3.9	3.7	3.9	3.9	3.9	4.2	3.8	4.0	3.9	3.9	3.9	3.8	3.8	3.9	6.2	4.8	4.4	4.8	5.3	4.6	4.2	4.2	4.2	4.2	4.1	4.3		6.2	19	3.7	06
OCT	4.1	4.1	4.1	4.1	4.0	4.2	4.2	4.1	3.9	4.0	4.0	4.0	3.9	3.9	3.9	13.0	7.2	5.4	4.8	4.6	4.4	4.5	6.2	7.9	7.1	6.2	5.8	5.4	5.2	4.8	4.8	X 13.4	16	3.9	09+
NOV	5.8	6.2	6.3	6.7	5.9	5.7	5.1	5.0	4.9	4.5	4.6	4.6	4.4	4.4	4.2	4.2	4.6	4.5	4.4	4.4	4.4	4.3	4.2	4.3	4.9	5.1	4.8	4.7	4.7	4.6		6.7	04	4.2	15+
DEC	4.8	4.7	4.7	4.8	4.8	5.0	7.5	10.7	8.3	6.1	5.9	5.7	5.3	5.2	5.1	4.9	5.2	5.0	4.9	4.8	4.9	4.9	4.6	4.8	4.8	4.7	4.6	4.6	4.6	4.7	4.8	10.7	08	4.6	23+

BROAD RIVER AT BLAIR, S.C.
GAGE ZERO, 253.07 FEET, M.S.L. FLOOD STAGE, 14 FEET.

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	7.3	7.8	7.9	7.7	8.0	11.8	12.8	10.8	10.0	10.7	9.6	8.5	8.3	8.0	7.5	8.6	8.5	7.8	7.4	7.1	7.1	7.2	7.4	8.0	10.6	11.8	10.0	9.4	8.7	8.2	10.0	13.8	06	7.1	20+
FEB	9.2	8.5	8.1	8.2	9.2	13.9	13.5	19.8	20.9	17.1	13.4	11.0	10.1	11.1	12.6	11.2	10.5	10.1	9.7	9.2	8.8	9.3	13.0	17.1	13.4	11.4	10.8	10.1				L 21.4	08	8.1	03
MAR	10.0	9.9	17.7	23.7	21.4	16.1	12.5	11.1	10.2	9.4	9.3	9.3	9.1	8.7	8.8	9.3	9.9	9.2	9.1	9.2	9.0	8.8	8.2	8.0	8.0	8.0	10.0	11.9	12.7	12.2	12.4	H 23.9	04	8.0	24+
APR	11.5	9.8	9.3	8.7	8.1	9.3	10.5	11.7	10.5	9.7	9.1	8.3	8.2	8.0	8.0	7.9	8.0	7.6	7.2	7.8	7.9	7.9	7.8	10.5	10.0	8.9	8.0	8.0	8.2	8.3		11.7	08	7.2	19
MAY	7.7	7.5	7.0	7.3	7.4	7.3	7.2	7.0	7.2	7.4	7.4	7.2	8.7	16.3	14.8	18.4	20.2	16.5	14.6	10.1	9.2	8.5	8.2	7.5	7.4	7.7	8.0	7.8	7.3	7.5	7.0	N 21.6	17	7.0	03+
JUN	7.1	7.0	7.2	7.3	7.1	6.6	6.0	6.5	6.5	6.2	5.9	6.0	6.5	6.1	6.0	6.5	6.5	7.5	9.7	8.2	7.5	7.0	8.2	8.0	7.1	7.3	7.0	6.8	6.1	6.0		9.7	19	5.9	11
JUL	6.1	7.1	7.3	7.6	7.2	7.6	8.0	9.6	8.2	8.0	8.1	7.5	8.0	7.0	7.8	7.1	7.4	6.7	6.2	8.0	6.9	6.3	6.0	6.0	6.3	6.9	6.3	7.5	6.8	6.7	7.7	9.6	08	6.0	23+
AUG	8.0	10.1	10.2	8.3	10.3	10.0	9.9	8.7	8.2	7.9	7.5	8.0	8.2	8.0	7.7	6.9	6.6	8.7	8.0	7.1	7.5	6.9	5.9	6.2	6.5	6.3	6.4	6.5	6.3	5.8	5.6	10.3	05	5.6	31
SEP	5.0	5.4	6.0	5.3	5.1	5.5	5.2	5.2	5.3	5.6	5.3	7.0	6.6	6.0	5.6	5.1	4.9	5.0	5.1	16.8	11.4	8.2	10.8	8.9	7.4	6.8	6.4	7.0	6.7	6.8		10.8	20	4.9	17
OCT	6.6	6.7	6.7	6.6	5.9	6.3	6.0	5.8	5.8	7.0	8.6	7.5	6.4	6.0	3.9	6.0	20.9	20.1	11.7	9.4	8.1	8.6	9.8	17.3	19.0	15.0	12.1	10.6	9.7	8.8	8.1	P 22.5	17	5.8	08+
NOV	7.7	9.9	13.2	12.9	13.2	11.6	10.5	9.0	8.9	8.6	8.1	8.2	7.8	7.4	7.6	7.0	7.4	7.5	7.0	7.6	7.5	7.4	6.9	7.1	8.5	10.8	9.3	9.1	8.7	9.3		14.6	04	6.9	23
DEC	9.1	8.9	8.4	8.7	9.3	10.1	13.8	18.3	21.1	17.5	13.3	11.0	10.2	10.0	9.0	9.1	8.8	8.6	10.0	9.4	9.2	10.0	9.5	9.1	8.2	8.0	8.1	8.0	7.6	7.5	7.7	Q 22.0	09	7.5	30

CONGAREE RIVER AT COLUMBIA, S.C.
GAGE ZERO, 113.02 FEET, M.S.L. FLOOD STAGE, 19 FEET.

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	3.7	4.1	4.1	4.1	3.8	5.9	7.7	5.8	5.4	5.5	5.4	5.0	4.6	4.4	4.5	5.2	4.9	4.3	4.1	4.3	4.3	4.1	3.7	3.5	4.7	7.0	6.8	5.7	4.9	4.7	5.8	9.1	06+	3.5	24
FEB	6.1	5.2	4.9	4.5	4.5	6.3	8.4	12.0	16.6	14.6	10.4	6.9	5.8	5.8	6.1	6.2	5.6	5.2	4.9	4.8	4.7	4.0	5.7	9.1	10.1	7.1	5.9	5.4				R 17.9	09	4.5	06+
MAR	5.2	5.8	12.7	21.0	20.7	16.2	10.0	9.2	8.1	7.7	6.6	5.0	4.9	4.7	4.7	4.9	4.9	5.1	4.8	4.8	4.8	5.4	4.7	4.5	4.3	6.8	5.9	6.5	6.9	8.9	8.0	S 21.6	04	4.3	23
APR	6.3	5.4	5.0	4.8	4.6	4.8	5.5	6.0	6.0	5.2	4.8	4.4	4.4	4.3	4.3	4.4	4.7	4.3	4.1	4.0	4.1	4.1	4.1	5.3	5.9	5.2	4.9	4.3	4.3	4.5		8.3	07	4.0	20
MAY	4.2	.	4.1	3.9	3.9	3.8	3.8	3.6	3.8	4.0	.	3.9	6.0	11.1	10.8	12.4	15.0	14.2	12.1	5.9	5.2	4.8	4.6	4.3	4.1	4.2	3.9	4.1	3.6	3.4	3.9	T 17.2	17	3.4	30
JUN	3.4	3.2	4.0	3.4	3.2	2.9	3.1	2.3	3.2	3.2	2.8	3.8	3.8	3.2	3.1	3.6	3.8	4.1	5.3	4.9	4.0	4.2	4.1	4.3	4.1	3.3	3.6	4.2	3.2	3.4		5.3	19	2.3	08
JUL	2.7	4.2	4.7	4.5	4.1	3.5	4.1	4.4	5.1	4.8	4.4	4.9	3.7	3.6	3.3	3.6	4.3	3.9	3.2	3.5	3.0	3.9	3.4	2.9	2.9	4.8	4.4	3.4	4.2	4.5	4.5	5.1	09	2.7	01
AUG	5.1	5.0	5.3	5.5	4.9	5.2	.	5.0	4.8	4.5	4.2	4.3	4.8	4.5	4.4	3.9	5.6	7.0	5.9	4.4	4.2	4.6	3.3	3.2	4.0	4.1	4.3	.	.	2.5	3.4	11.5	17	2.5	30
SEP	2.1	2.9	2.9	2.9	3.0	3.1	2.3	3.4	2.0	3.0	2.6	3.6	2.9	3.2	3.0	2.4	2.4	2.9	4.7	5.5	7.7	5.2	4.3	5.2	4.5	3.5	3.5	3.8	3.2	3.5		11.2	20	2.0	09
OCT	3.5	3.0	3.0	3.4	2.4	3.4	3.2	3.5	3.2	3.1	3.9	3.8	2.4	3.6	3.4	3.2	8.9	15.1	8.4	5.2	4.6	4.4	4.4	8.0	12.3	11.8	8.1	5.9	5.2	4.8	4.6	15.1	18	2.4	05+
NOV	4.5	5.5	6.8	6.9	8.4	6.8	5.7	4.9	4.8	4.7	4.5	4.5	4.4	4.5	4.2	4.1	3.9	4.4	4.1	4.6	4.1	4.2	3.8	3.6	4.2	5.5	5.1	4.8	4.7	4.8		10.3	04	3.6	24
DEC	4.9	4.7	4.6	.	5.0	5.3	6.9	10.0	14.0	14.4	10.2	6.5	5.7	5.5	5.4	5.1	5.0	5.5	5.5	5.0	5.1	5.2	5.1	4.8	4.7	4.5	4.5	4.5	4.4	4.4	4.4	U 18.0	09	4.4	27+

CATAWBA RIVER AT ROCK HILL, S.C.
GAGE ZERO, 451.47 FEET, M.S.L. FLOOD STAGE, 17 FEET.

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Highest or crest	Date	Lowest	Date
JAN	3.4	3.5	3.4	3.4	3.7	3.4	3.3	6.5	5.7	5.2	3.3	3.3	3.4	3.5	3.5	3.5	3.5	3.3	3.4	3.5	3.5	3.4	3.3	3.5	5.3	3.4	3.5	5.0	3.3	3.3	3.3	6.5	08	3.3	07+
FEB	3.5	5.2	6.7	7.3	7.5	5.7	3.5	5.8	6.0	6.5	3.5	5.8	6.5	5.3	5.7	3.4	3.7	3.4	3.5	3.5	3.4	3.5	3.5	3.8	4.7	5.8	3.5	3.4				7.5	05	3.4	16+
MAR	3.5	3.4	4.9	6.7	3.3	3.5	6.5	6.6	6.5	6.6	7.4	3.5	3.3	3.5	3.5	3.5	3.4	3.5	3.5	3.5	3.5	3.3	3.3	3.5	3.4	3.5	3.7	3.5	3.5	5.8	5.0	7.4	11	3.3	05+
APR	3.5	3.5	3.5	3.5	3.5	3.6	3.6	4.7	3.2	3.3	3.3	3.3	3.3	3.3	3.3	3.4	3.4	3.5	3.4	3.3	3.3	3.4	3.5	3.3	3.3	3.3	3.3	3.6	3.5	3.5		4.7	08	3.2	09
MAY	3.3	3.5	3.4	3.3	3.5	3.5	3.4	3.5	3.2	3.3	3.5	3.3	4.3	4.7	6.5	9.5	6.7	4.5	6.4	5.5	6.5	6.5	5.2	3.8	3.9	3.5	3.5	3.4	3.4	3.4	3.4	9.5	16	3.2	09
JUN	3.5	3.5	3.4	3.5	3.3	3.3	3.7	3.5	3.5	3.5	2.8	3.4	3.6	3.5	3.5	3.4	3.4	3.4	3.7	3.5	3.5	3.5	3.5	3.3	5.7	7.2	3.5	3.4	6.2	6.3		7.2	26	2.8	11
JUL	3.5	3.5	3.5	3.5	3.4	3.5	3.5	3.7	3.6	3.5	3.5	3.5	3.5	3.5	3.3	3.6	3.3	3.7	3.5	3.3	3.3	3.5	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.2	3.3	3.7	08+	3.2	30
AUG	3.3	3.3	3.5	3.4	3.6	3.5	3.3	3.3	3.3	3.5	3.5	3.5	3.2	3.2	3.3	3.3	3.2	3.2	3.4	3.4	3.4	3.4	3.4	3.3	3.3	3.3	3.4	3.3	3.3	3.4	3.4	3.6	05	3.2	13+
SEP	3.3	3.4	3.3	3.4	3.3	3.3	3.0	3.4	3.3	3.4	3.4	3.5	3.4	3.2	3.5	3.4	3.5	3.4	3.4	3.5	3.5	3.4	3.4	3.3	3.3	3.3	3.3	3.5	3.4	3.4		3.5	12+	3.0	07
OCT	3.5	3.9	3.6	3.6	3.4	3.4	3.4	3.3	3.3	3.7	3.5	3.3	3.2	3.3	3.5	4.8	6.4	5.7	6.5	6.5	3.5	3.7	3.5	5.7	5.9	4.9	6.6	6.7	6.7	3.3	3.4	6.7	28+	3.2	13
NOV	3.7	6.5	6.8	6.5	6.0	5.6	3.3	3.2	3.7	6.8	6.3	3.5	3.7	3.3	3.3	3.5	3.3	3.3	3.4	3.4	3.4	3.3	3.4	3.5	3.5	3.4	3.4	3.4	3.3	3.5		6.8	03+	3.2	08
DEC	4.0	4.7	3.4	3.3	3.6	3.7	3.6	6.5	7.4	6.7	6.7	4.0	4.3	3.6	3.3	3.5	3.5	3.5	3.8	3.3	6.5	7.0	5.7	3.5	3.4	3.3	3.3	3.3	3.3	3.5	3.2	7.4	09	3.2	31

K-CREST 13.43 AT 11:30 AM.
L-CREST 21.40 AT MIDNIGHT 8-9.
M-CREST 23.90 AT 6 AM.
N-CREST 21.60 AT 4 AM.
P-CREST 22.50 AT 7 PM.

Q-CREST 22.00 AT 11 AM.
R-CREST 17.90 AT 2:15 PM.
S-CREST 21.55 AT 7:45 PM.
T-CREST 17.16 AT 9:15 PM.
U-CREST 18.00 AT 11 PM.

ALSO SEE REFERENCE NOTES FOLLOWING TUNNIGLNDA