

Prime and other Important Farmlands

Stone County, Mississippi

Map symbol	Map unit name	Farmland classification
1	Annemaine loam, occasionally flooded	All areas are prime farmland
3	Benndale fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
7	Escambia fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
11	Harleston fine sandy loam, occasionally flooded	All areas are prime farmland
14	Latonia fine sandy loam, occasionally flooded	All areas are prime farmland
15	Lucedale loam, 0 to 2 percent slopes	All areas are prime farmland
17	Malbis fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
18	Malbis fine sandy loam, 5 to 8 percent slopes	All areas are prime farmland
20	McLaurin fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
21	McLaurin fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
25	Poarch fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
26	Ruston fine sandy loam, 0 to 1 percent slopes	All areas are prime farmland
27	Ruston fine sandy loam, 1 to 3 percent slopes	All areas are prime farmland
29	Saucier fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
4	Benndale fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
5	Benndale fine sandy loam, rolling	Farmland of statewide importance
6	Benndale fine sandy loam, undulating	Farmland of statewide importance
10	Eustis loamy sand, undulating	Farmland of statewide importance
19	Malbis fine sandy loam, undulating	Farmland of statewide importance
22	McLaurin fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
23	McLaurin fine sandy loam, undulating	Farmland of statewide importance
28	Ruston fine sandy loam, undulating	Farmland of statewide importance
30	Saucier fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
31	Saucier fine sandy loam, undulating	Farmland of statewide importance
37	Susquehanna silt loam, 1 to 5 percent slopes	Farmland of statewide importance
40	Troup loamy sand, 5 to 8 percent slopes	Farmland of statewide importance
12	Jena-Nugent complex, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season

Prime and other Important Farmlands

George County, Mississippi

Map symbol	Map unit name	Farmland classification
AnA	Angie silt loam, 0 to 2 percent slopes	All areas are prime farmland
BaA	Basin fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
BeA	Benndale fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
BeB	Benndale fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
BnB	Benndale complex, 2 to 5 percent slopes	All areas are prime farmland
CaA	Cahaba fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
HaA	Harleston fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
HaB	Harleston fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
LuA	Lucedale sandy loam, 0 to 2 percent slopes	All areas are prime farmland
LuB	Lucedale sandy loam, 2 to 5 percent slopes	All areas are prime farmland
MIA	McLaurin fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
MIB	McLaurin fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
RuA	Rumford sandy loam, 0 to 2 percent slopes (latonia)	All areas are prime farmland
AgB	Alaga loamy sand, 0 to 5 percent slopes	Farmland of statewide importance
AIB	Alaga loamy sand, terrace, 0 to 5 percent slopes	Farmland of statewide importance
BeC	Benndale fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
BnC	Benndale complex, 5 to 12 percent slopes	Farmland of statewide importance
EsB	Eustis loamy sand, 0 to 5 percent slopes	Farmland of statewide importance
LeB	Lakeland sand, 0 to 5 percent slopes	Farmland of statewide importance
Ln	Lenoir silt loam	Farmland of statewide importance
MIC	McLaurin fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
MID	McLaurin fine sandy loam, 8 to 12 percent slopes (heidel)	Farmland of statewide importance
SnB	Susquehanna fine sandy loam, 2 to 5 percent slopes	Farmland of statewide importance
SnC	Susquehanna fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
SuB	Susquehanna complex, 2 to 5 percent slopes	Farmland of statewide importance

Prime and other Important Farmlands

Hancock County, Mississippi

Map symbol	Map unit name	Farmland classification
EsA	Escambia loam, 0 to 2 percent slopes	All areas are prime farmland
EsB	Escambia loam, 2 to 5 percent slopes	All areas are prime farmland
HIA	Harleston fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
HIB	Harleston fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
LuA	Lucedale fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
MaA	Malbis fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
MaB	Malbis fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
MaC	Malbis fine sandy loam, 5 to 8 percent slopes	All areas are prime farmland
McB	McLaurin fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
PoA	Poarch fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
PoB	Poarch fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
RuA	Ruston fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
RuB	Ruston fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
RuC	Ruston fine sandy loam, 5 to 8 percent slopes	All areas are prime farmland
SaA	Saucier fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
SaB	Saucier fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
EuB	Eustis loamy fine sand, 2 to 5 percent slopes	Farmland of statewide importance
McC	McLaurin fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
PoC	Poarch fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
PoD	Poarch fine sandy loam, 8 to 12 percent slopes	Farmland of statewide importance
SaC	Saucier fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
SaD	Saucier fine sandy loam, 8 to 12 percent slopes	Farmland of statewide importance
Gu	Guyton silt loam	Prime farmland if drained
St	Smithton fine sandy loam	Prime farmland if drained

Prime and other Important Farmlands

Harrison County, Mississippi

Map symbol	Map unit name	Farmland classification
Es	Escambia silt loam	All areas are prime farmland
HIA	Harleston fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
HIB	Harleston fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
Lt	Latonia loamy sand	All areas are prime farmland
MIB	McLaurin fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
PoA	Poarch fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
PoB	Poarch fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
RuA	Ruston fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
RuB	Ruston fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
RuC	Ruston fine sandy loam, 5 to 8 percent slopes	All areas are prime farmland
SfB	Saucier fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
EtB	Eustis loamy sand, 0 to 5 percent slopes	Farmland of statewide importance
Hy	Hyde silt loam	Farmland of statewide importance
Lr	Lakeland fine sand	Farmland of statewide importance
MIC	McLaurin fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
PoC	Poarch fine sandy loam, 5 to 12 percent slopes	Farmland of statewide importance
RuD	Ruston fine sandy loam, 8 to 12 percent slopes (smithdale)	Farmland of statewide importance
SfC	Saucier fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
Nh	Nahunta silt loam	Prime farmland if drained
St	Smithton fine sandy loam	Prime farmland if drained

Prime and other Important Farmlands

Jackson County, Mississippi

Map symbol	Map unit name	Farmland classification
5	Benndale fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
6	Benndale fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
8	Latonia loamy sand, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland
25	Quitman silt loam, 0 to 2 percent slopes	All areas are prime farmland
27	Johns loamy fine sand, 0 to 2 percent slopes	All areas are prime farmland
28	Vancleave loamy sand, 0 to 2 percent slopes	All areas are prime farmland
29	Vancleave loamy sand, 2 to 5 percent slopes	All areas are prime farmland
32	Escambia very fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
33	Escambia very fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
44	Malbis fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
45	Malbis fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
48	Suffolk loamy sand, 0 to 2 percent slopes	All areas are prime farmland
50	Ruston fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
51	Bama fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
52	Bama fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
53	Bama fine sandy loam, 5 to 8 percent slopes	All areas are prime farmland
56	Benndale fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland
57	Poarch fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
62	Prentiss silt loam, 0 to 2 percent slopes	All areas are prime farmland
63	Stough loam, 0 to 2 percent slopes	All areas are prime farmland
66	Freest sandy loam, 2 to 5 percent slopes	All areas are prime farmland
68	Saucier fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
328	Harleston fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
329	Harleston fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
330	Harleston fine sandy loam, 5 to 8 percent slopes	All areas are prime farmland
388	Latonia loamy sand, 0 to 2 percent slopes	All areas are prime farmland
528	Columbus loam, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland

Prime and other Important Farmlands

Pearl River County, Mississippi

Map symbol	Map unit name	Farmland classification
BaA	Basin loam, 0 to 2 percent slopes	All areas are prime farmland
BaB	Basin loam, 2 to 5 percent slopes	All areas are prime farmland
BbA	Bassfield sandy loam, 0 to 3 percent slopes	All areas are prime farmland
BcB	Baxterville fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
BeA	Benndale sandy loam, 0 to 2 percent slopes	All areas are prime farmland
BeB	Benndale sandy loam, 2 to 5 percent slopes	All areas are prime farmland
BeC	Benndale sandy loam, 5 to 8 percent slopes	All areas are prime farmland
EaA	Escambia fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
FaA	Falkner silt loam, 0 to 2 percent slopes	All areas are prime farmland
FaB	Falkner silt loam, 2 to 5 percent slopes	All areas are prime farmland
LaA	Latonia fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
LuA	Lucedale fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
MaA	Malbis fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
MaB	Malbis fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
MaC	Malbis fine sandy loam, 5 to 8 percent slopes	All areas are prime farmland
MnB	McLaurin fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
PoA	Poarch loam, 0 to 2 percent slopes	All areas are prime farmland
PoB	Poarch loam, 2 to 5 percent slopes	All areas are prime farmland
PoC	Poarch loam, 5 to 8 percent slopes	All areas are prime farmland
RuA	Ruston fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
RuB	Ruston fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland
RuC	Ruston fine sandy loam, 5 to 8 percent slopes	All areas are prime farmland
SaA	Saucier loam, 0 to 2 percent slopes	All areas are prime farmland
SaB	Saucier loam, 2 to 5 percent slopes	All areas are prime farmland
MnC	McLaurin fine sandy loam, 5 to 8 percent slopes	Farmland of statewide importance
SuB	Susquehanna loam, 2 to 5 percent slopes	Farmland of statewide importance
Sp	Smithton sandy loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
SR	Smithton association occasionally flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season