

URS

4005 Windward Plaza Drive
 Suite 570
 Alpharetta, GA 30005
 Tel: (770) 777-7417
 Fax: (770) 777-7491
 Offices Worldwide

January 26, 2001

Ms. Laura Kammerer
 Florida Department of State
 Division of Historical Resources
 500 South Bruno Street, Room 402
 Tallahassee, Florida 32399-0250
 (850) 487-2333

**Subject: Formal Consultation on the Proposed Key Largo Wastewater Treatment Facility
 Site at Key Largo, Monroe County, Florida**

Dear Ms. Kammerer:

URS Group, Inc. (URS), on behalf of the Federal Emergency Management Agency (FEMA) and the Florida Keys Aqueduct Authority (FKAA) is conducting an Environmental Assessment (EA) of an approximately 20 acres tract of land in Key Largo, Monroe County, Florida for use as a Wastewater Treatment Facility. The project site can be further described as being located on the eastern side of US Hwy. 1 at Mile Marker 100.5 on the island of Key Largo.

In compliance with NEPA, URS requests information on cultural resources within or near the project area including, but not limited to National Register listed or eligible properties, National Historic Landmarks, and Traditional Cultural Properties. In support of your review of this project, please find the enclosed materials:

- A topographic map outlining the Project Site.
- 35mm photographs of the project site and immediate vicinity.
- A detailed description of the project site and a preliminary cultural resources reconnaissance survey conducted by Nick Bon-Harper in January 2001.

Your review comments on this project would be greatly appreciated and will be incorporated into this assessment.

If you need additional information, please call me at (770) 777-7417.

Very Truly Yours,

Heather M. Colston
 Heather M. Colston
 Staff Archaeologist

11/16/03

Enclosures

OPTIONAL FORM 98 (7-99)

FAX TRANSMITTAL

To	Dept./Agency	From	# of pages
	<i>State Council</i>	<i>Seane</i>	
Fax #	Phone #	Fax #	
<i>351 309 1879</i>			
NSN 7540-01-317-7398 5099-101 GENERAL SERVICES ADMINISTRATION			

**Cultural Resources Reconnaissance Survey of the Proposed Key Largo Wastewater
Treatment Plant Site, Key Largo, Florida**

A cultural resources reconnaissance survey was conducted on January 10, 2001, by Nick Bon-Harper. The aim of this survey was to identify visible cultural resources and assess the necessity for an intensive archaeological survey.

Description of Area:

The project area is located on the eastern side of US1 at mile marker 100.5 on the island of Key Largo. The project area covers approximately 20 acres in the form of a right-angle triangle, whose hypotenuse is marked by US1. From US1 the eastern boundary follows Central Avenue due south for approximately 400 meters. It then continues for a further 100 meters on the same line following an overgrown trackway. The Southern boundary runs due east along the northern perimeter of the Florida Keys Aqueduct Agency (FKAA) maintenance depot for 200 meters then continues on the same line along an overgrown track way for an additional 200 meters until it meets with the eastern perimeter. A small (50 x 50m) extension of the main project area protrudes from the southern perimeter along the eastern boundary of the FKAA depot. Almost the entire area is covered with dense semi-tropical vegetation. No sources of potable water occur in the project area.

Survey Methodology:

The area was surveyed at 50 meter intervals along 10 east-west transects. Transect 1 being defined by the southern boundary. Soil conditions, signs of disturbance and any visible evidence of cultural resources were noted. In addition to the ten transects, the small extension along the southern boundary was surveyed and the perimeter of the area was also inspected.

Results:

1) A significant portion of the project area has been subject to major disturbance. This disturbance is focused mainly in the southern third of the project area, but also occurs along the entire project boundary. The perimeter disturbance extends 10-15 meters into the project area, generally in the form of bulldozed piles of rock probably associated with the clearing of tracks and roadways. In addition to the bulldozer piles, numerous dumps of tires, construction and domestic waste occur particularly along the trackways bounding the southeast corner of the project. Along the southern boundary bulldozing disturbance extended up to 50 meters into the project area.

A number of large depressions were noted along the in the southwestern quadrant. These 'pits' were typically 10 to 15 meters in diameter and extended approximately 1 meter into the bedrock, which was at or near surface in all cases. All were flat bottomed with gently sloping sides. These pits appear to be of 'recent' date, the edges are still clearly defined

and bedrock is visible in all. It is thought probable the pits were mechanically excavated to provide material for road construction.

A number of smaller pits occur across the project area. These smaller pits are typically 1-3 meters in diameter and 0.5 - 1 meter deep. Fractured bedrock was noted in and around all of these pits. The vast majority of these smaller pits appear to have been formed by tree falls.

2) Soils throughout the area are extremely thin (50 -75mm). Fractured bedrock is apparent at the surface across the entire area and parent material is exposed along the trackways and outcrops frequently in the southern half of the project area.


3) One *possible* habitation site was noted approximately 50 meters north of the FKAA depot. A small clearing approximately 10 meters across marked this site. Bulldozed piles of rock, along with construction materials and domestic refuse surrounded the clearing. Two fiberglass boats were abandoned in the clearing. The assemblage *may* indicate a habitation site, although it may well mark represent more illegal dumping of trash, and construction waste. All materials and artifacts noted could be dated to the 2nd half of the 20th century.

4) The only other signs of occupation were several itinerant camps in the northern third of the project area. At least two of these campsites are currently occupied, while others appear to have been inhabited until recently.

Conclusions and Recommendations:

Much of the project area has been affected by significant disturbance mainly in the form of bulldozing to clear roadways and tracks. Several large pits in the southwest of the area probably indicate 'borrowing' activity also associated with road construction. Soils across the area are thin, especially in the south where bedrock outcrops are frequent. A small clearing and associated debris in the south of the project area *may* indicate a habitation site dating to the 2nd half of the 20th century. However there are no in-situ remains and it is equally possible that the features represent illegal dumping of construction and domestic waste, which was frequently noted in other areas. The absence of visible cultural resources and the highly deflated soils and the lack of potable water indicate that there is a very low probability of significant cultural resources occurring within the project area. Therefore no further archaeological survey is recommended.

Ent D (FMSF only)



Survey Log Sheet

Florida Master Site File

Version 2.0 8/97

Survey # (FMSF only)

Consult Guide to the Survey Log Sheet for detailed instructions.

Survey Project (Name and project phase) Key Largo Wastewater Treatment Plant, Florida

Report Title (exactly as on title page) Supplemental Environmental Assessment: FEMA 1249-DR-FL Umnet Needs

Report Author(s) (as on title page— individual or corporate; last names first) URS Corporation

Publication Date (year) 2001 Total Number of Pages in Report (Count text, figures, tables, not site forms) N/A

Publication Information (if relevant, series and no. in series, publisher, and city. For article or chapter, cite page numbers. Use the style of *American Antiquity*; see *Guide to the Survey Log Sheet*.) URS Corporation. 2001. Supplemental Environmental Assessment: FEMA 1249-DR-FL Umnet Needs. URS Corporation, Alpharetta, Georgia. Submitted to FEMA Region IV. Forthcoming.

Supervisor(s) of Fieldwork (whether or not the same as author(s); last name first) Bon-Harper, Nicholas and Cassidy, Daniel F., Ph.D.
Affiliation of Fieldworkers (organization, city) URS Corporation, Raleigh, North Carolina

Key Words/Phrases (Don't use the county, or common words like *archaeology*, *structure*, *survey*, *architecture*. Put the most important first. Limit each word or phrase to 26 characters.) Key Largo Wastewater Treatment Plant

Survey Sponsors (corporation, government unit, or person who is directly paying for fieldwork)

Name Federal Emergency Management Agency, Region IV

Address/Phone 3003 Chamblae-Tucker Road, Atlanta, Georgia 30341, (770) 220-3422

Recorder of Log Sheet Coleston, Heather M. Date Log Sheet Completed 05 / 09 / 2001

Is this survey or project a continuation of a previous project? No Yes: Previous survey #(s) (FMSF only)

Countries (list each one in which field survey was done - do not abbreviate; use supplement sheet if necessary) _____
Monroe County

USGS 1:24,000 Maps: Map Name/Date of Latest Revision (use supplement sheet if necessary): _____

Rock Harbor Quadrangle, 7.5 Minute Series, 1947, Photorevised 1969, Photoinspected 1990

Dates for Fieldwork: Start 01 / 10 / 2001 End 01 / 10 / 2001 Total Area Surveyed (fill in one) _____ hectares _____ ^{~20} acres
Number of Distinct Tracts or Areas Surveyed 1
If Corridor (fill in one for each): Width _____ meters _____ feet Length _____ kilometers _____ miles

DIVISIONS OF FLORIDA DEPARTMENT OF STATE

Office of the Secretary
 Office of International Relations
 Division of Elections
 Division of Corporations
 Division of Cultural Affairs
 Division of Historical Resources
 Division of Library and Information Services
 Division of Licensing
 Division of Administrative Services



FLORIDA DEPARTMENT OF STATE
 Katherine Harris
 Secretary of State

DIVISION OF HISTORICAL RESOURCES

MEMBER OF THE FLORIDA CABINET

State Board of Education
 Trustee of the Internal Improvement Trust Fund
 Administration Commission
 Florida Land and Water Adjudication Commission
 Siting Board
 Division of Bond Finance
 Department of Revenue
 Department of Law Enforcement
 Department of Highway Safety and Motor Vehicles
 Department of Veterans' Affairs

May 16, 2001

Ms. Heather M. Colston
 URS
 4005 Windward Plaza Drive, Suite 570
 Alpharetta, GA 30005

RE: DHR Project File No. 2001-01544

Additional Information Received by DHR May 10, 2001
*Cultural Resources Reconnaissance Survey of the Proposed Key Largo Wastewater
 Treatment Plant Site, Key Largo, Florida.* By URS, January 2001.

Dear Ms. Colston:

In accordance with the procedures contained in 36 C.F.R., Part 800 ("Protection of Historic Properties"), as well as the provisions contained in Chapter 267.061, *Florida Statutes*, implemented through 1A-46, *Florida Administrative Code*, we have reviewed the results of the field survey of the referenced project and find them to be complete and sufficient.

We note that no historic structures or archaeological sites were located as a result of the above field survey. We concur with the findings and determinations in the report. It is therefore the opinion of this agency that no historic properties are likely to be located within the proposed project area.

If you have any questions concerning our comments, please contact Ms. Robin Jackson, Historic Sites Specialist, by electronic mail at rjackson@mail.dos.state.fl.us, or at 850-487-2333 or 800-847-7278. Thank you for your interest in protecting Florida's historic properties.

Sincerely,

Janet Snyder Matthews

Janet Snyder Matthews, Ph.D., Director
 Division of Historical Resources
 State Historic Preservation Officer

JSM/rlj

R.A. Gray Building • 500 South Bronough Street • Tallahassee, Florida 32399-0250 • <http://www.flheritage.com>
 Director's Office (850) 488-1480 • FAX: 488-3355
 Archaeological Research (850) 487-2299 • FAX: 414-2207
 Historic Preservation (850) 487-2333 • FAX: 922-0496
 St. Augustine Regional Office (904) 825-5045 • FAX: 825-5144
 Tampa Regional Office (813) 272-3843 • FAX: 272-2340
 Palm Beach Regional Office (561) 279-1475 • FAX: 279-1476
 Historical Museums (850) 488-1484 • FAX: 921-2503

NI 03R 0M3F

91:11 2002-60-711



RECEIVED JUL 03 2003

FLORIDA DEPARTMENT OF STATE
Glenda E. Hood
Secretary of State
DIVISION OF HISTORICAL RESOURCES

Mr. Ramon Mendieta

June 26, 2003

URS Corporation
Eastern Financial Building, Suite 1000
700 South Royal Poinciana Boulevard
Miami Springs, Florida 33166

RE: DHR Project File Number: 2003-4954
Received by DHR June 9, 2003
Federal Emergency Management Agency
Notice of Draft Supplemental Environmental Assessment (SEA) for the Key Largo Wastewater System, Monroe County

Dear Mr. Mendieta:

Our office received and reviewed the above referenced project in accordance with Section 106 of the *National Historic Preservation Act of 1966*, as amended and *36 CFR Part 800: Protection of Historic Properties*. The State Historic Preservation Officer is to advise Federal agencies as they identify historic properties (listed or eligible for listing, in the *National Register of Historic Places*), assess effects upon them, and consider alternatives to avoid or minimize adverse effects.

Alternative 1 – No Action Alternative; It is the opinion of this office that this alternative will have no effect on historic properties.

Alternative 2 – New Wastewater Treatment Plant on Northern Site and Alternative 3 - New Wastewater Treatment Plant on Southern Site; Based upon comparison with environmentally similar areas of Monroe County, it is our opinion that the possibility of encountering a prehistoric archaeological site at the project locations is sufficiently high to justify a professional archaeological and historical survey prior to any ground disturbing activities.

Since potentially significant archaeological and historic sites may be present, it is our recommendation that, prior to initiating any project related land clearing or ground disturbing activities within the project areas, they should be subjected to a systematic, professional archaeological and historical survey. The purpose of this survey will be to locate and assess the significance of historic properties present. The resultant survey report shall conform to the specifications set forth in Chapter 1A-46, *Florida Administrative Code*, and will need to be forwarded to this agency in order to complete the process of reviewing the impact of this proposed project on historic properties.

500 S. Bronough Street • Tallahassee, FL 32399-0250 • <http://www.flheritage.com>

- | | | | |
|---|--|---|---|
| <input type="checkbox"/> Director's Office
(850) 245-6300 • FAX: 245-6435 | <input type="checkbox"/> Archaeological Research
(850) 245-6444 • FAX: 245-6436 | <input checked="" type="checkbox"/> Historic Preservation
(850) 245-6333 • FAX: 245-6437 | <input type="checkbox"/> Historical Museums
(850) 245-6400 • FAX: 245-6433 |
| <input type="checkbox"/> Palm Beach Regional Office
(561) 279-1475 • FAX: 279-1476 | <input type="checkbox"/> St. Augustine Regional Office
(904) 825-5045 • FAX: 825-5044 | <input type="checkbox"/> Tampa Regional Office
(813) 272-3943 • FAX: 272-2340 | |

Mr. Mendiera
June 26, 2003
Page 2

The results of the investigations will determine if significant historic properties would be disturbed by this project. In addition, if significant remains are located, the data described in the report and the consultant's conclusions will assist this office in determining measures that must be taken to avoid, minimize, or mitigate adverse impacts to historic properties listed, or eligible for listing in the *National Register of Historic Places*, or otherwise of historical or architectural significance.

Because this letter and its contents are a matter of public record, consultants who have knowledge of our recommendations may contact the project applicant. This should in no way be interpreted as an endorsement by this agency. The *Registry of Professional Archaeologists* (RPA) is the national certifying organization for archaeologists. A listing of archaeologists who are RPA members living or working in Florida can be accessed at <http://dhr.dos.state.fl.us/bhp/compliance>. In addition, the complete RPA Directory of Certified Professional Archaeologists is available at www.rpanel.org.

If you have any questions concerning our comments, please contact Scott Edwards, Historic Preservation Planner, by electronic mail sedwards@dos.state.fl.us, or at 850-245-6333 or 800-847-7278.

Sincerely,

A handwritten signature in black ink, appearing to read "Janet Snyder Matthews". The signature is written in a cursive style and is positioned above the typed name.

Janet Snyder Matthews, Ph.D., Director, and
State Historic Preservation Officer



FLORIDA DEPARTMENT OF STATE
Glenda E. Hood
Secretary of State
DIVISION OF HISTORICAL RESOURCES

August 18, 2003

Mr. Ramon Mendieta
URS Corporation
Eastern Financial Building, Suite 1000
700 South Royal Poinciana Boulevard
Miami Springs, Florida 33166

RE: DHR Project File Number: 2003-4954-C
Additional Information Received by DHR August 11, 2003
Federal Emergency Management Agency
Draft Supplemental Environmental Assessment (SEA) for the Key Largo Wastewater System,
Monroe County


Dear Mr. Mendieta:

Our office received and reviewed additional information for the above referenced project in accordance with Section 106 of the *National Historic Preservation Act of 1966*, as amended and *36 CFR Part 800: Protection of Historic Properties*. The State Historic Preservation Officer is to advise Federal agencies as they identify historic properties (listed or eligible for listing, in the *National Register of Historic Places*), assess effects upon them, and consider alternatives to avoid or minimize adverse effects.

Based on the additional information provided by Ms. Cassandra Michaud of your company, it is the opinion of this office that the *Alternative 3 - New Wastewater Treatment Plant on Southern Site* project will have no effect on historic properties.

If you have any questions concerning our comments, please contact Scott Edwards, Historic Preservation Planner, by electronic mail sewards@dos.state.fl.us, or at 850-245-6333 or 800-847-7278.

Sincerely,


Janet Snyder Matthews, Ph.D., Director, and
State Historic Preservation Officer

500 S. Bronough Street • Tallahassee, FL 32399-0250 • <http://www.flheritage.com>

- | | | | |
|---|--|---|---|
| <input type="checkbox"/> Director's Office
(850) 245-6300 • FAX: 245-6435 | <input type="checkbox"/> Archaeological Research
(850) 245-6444 • FAX: 245-6436 | <input checked="" type="checkbox"/> Historic Preservation
(850) 245-6333 • FAX: 245-6437 | <input type="checkbox"/> Historical Museums
(850) 245-6400 • FAX: 245-6433 |
| <input type="checkbox"/> Palm Beach Regional Office
(561) 279-1475 • FAX: 279-1476 | <input type="checkbox"/> St. Augustine Regional Office
(904) 825-5045 • FAX: 825-5044 | <input type="checkbox"/> Tampa Regional Office
(813) 272-3843 • FAX: 272-2340 | |



FLORIDA DEPARTMENT OF STATE
Glenda E. Hood
Secretary of State
DIVISION OF HISTORICAL RESOURCES

Mr. Ramon Mendieta

July 22, 2003

URS Corporation
Eastern Financial Building, Suite 1000
700 South Royal Poinciana Boulevard
Miami Springs, Florida 33166

RE: DHR Project File Number: 2003-4954-B
Additional Information Received by DHR July 10, 2003 *enc 7/22/03*
Federal Emergency Management Agency
Draft Supplemental Environmental Assessment (SEA) for the Key Largo Wastewater System,
Monroe County

Dear Mr. Mendieta:

Our office received and reviewed additional information for the above referenced project in accordance with Section 106 of the *National Historic Preservation Act of 1966*, as amended and *36 CFR Part 800: Protection of Historic Properties*.

We note that *Alternative 2 – New Wastewater Treatment Plant on Northern Site* project area has previously been surveyed (*Cultural Resources Reconnaissance Survey of the Proposed Key Largo Wastewater Treatment Plant Site -#6185*). No historic properties were recorded within the proposed project area. Therefore, it is the opinion of this office that *Alternative 2* will have no effect on historic properties. We wish to withdraw our survey recommendations of June 26, 2003 for the *Alternative 2* project area.

If you have any questions concerning our comments, please contact Scott Edwards, Historic Preservation Planner, by electronic mail sewards@doh.state.fl.us, or at 850-245-6333 or 800-847-7278.

Sincerely,

Janet Snyder Matthews, Ph.D., Deputy SHPO
Janet Snyder Matthews, Ph.D., Director, and
State Historic Preservation Officer

500 S. Bronough Street • Tallahassee, FL 32399-0250 • <http://www.flheritage.com>

- | | | | |
|---|--|---|---|
| <input type="checkbox"/> Director's Office
(850) 245-6300 • FAX: 245-6435 | <input type="checkbox"/> Archaeological Research
(850) 245-6444 • FAX: 245-6436 | <input checked="" type="checkbox"/> Historic Preservation
(850) 245-6333 • FAX: 245-6437 | <input type="checkbox"/> Historical Museums
(850) 245-6400 • FAX: 245-6433 |
| <input type="checkbox"/> Palm Beach Regional Office
(561) 279-1475 • FAX: 279-1476 | <input type="checkbox"/> St. Augustine Regional Office
(904) 825-5045 • FAX: 825-5044 | <input type="checkbox"/> Tampa Regional Office
(813) 272-3843 • FAX: 272-2340 | |

Secretary
International Relations
Division of Elections
Division of Corporations
Division of Cultural Affairs
Division of Historical Resources
Division of Library and Information Services
Division of Licensing
Division of Administrative Services



FLORIDA DEPARTMENT OF STATE
Glenda E. Hood
Secretary of State
DIVISION OF HISTORICAL RESOURCES

MEMBER OF THE FLORIDA CABINET
State Board of Education
Trustees of the Internal Improvement Trust Fund
Administration Commission
Florida Land and Water Adjudicatory Commission
Siting Board
Division of Bond Finance
Department of Revenue
Department of Law Enforcement
Department of Highway Safety and Motor Vehicles
Department of Veterans' Affairs

July 22, 2003

Ms. Cassandra Michaud
URS Corporation
7101 Wisconsin Ave., Ste 700
Bethesda, MD 20814
Fax # 301-656-8059

Dear Ms. Michaud:

In response to your inquiry of July 17, 2003, the Florida Master Site File lists no previously recorded cultural resources in the following parcel of Monroe County:

T62S, R39E, Section 06

In interpreting the results of our search, please remember the following points:

- Areas which have not been completely surveyed, such as yours, may contain unrecorded archaeological sites, unrecorded historically important structures, or both.
- As you may know, state and federal laws require formal environmental review for some projects. Record searches by the staff of the Florida Master Site File do not constitute such a review of cultural resources. If your project falls under these laws, you should contact the Compliance Review Section of the Bureau of Historic Preservation at 850-245-6333 or at this address.

Sincerely,

Neal Engel, 850-245-6440
Data Analyst, Florida Master Site File
Division of Historical Resources
R. A. Gray Building
500 South Bronough Street
Tallahassee, Florida 32399-0250

State SunCom: 205-6440
Fax line: 850-245-6439
Email: fmsfile@dos.state.fl.us
Web: <http://www.dos.state.fl.us/dhr/fmsfl>

500 S. Bronough Street • Tallahassee, FL 32399-0250 • <http://www.flheritage.com>

- Director's Office (850) 245-6300 • FAX: 245-6435
- Archaeological Research (850) 245-6444 • FAX: 245-6436
- Historic Preservation (850) 245-6333 • FAX: 245-6437
- Historical Museums (850) 245-6400 • FAX: 245-6433
- Palm Beach Regional Office (561) 279-1475 • FAX: 279-1476
- St. Augustine Regional Office (904) 825-5045 • FAX: 825-5044
- Tampa Regional Office (813) 272-3843 • FAX: 277-2740



August 5, 2003

Janet Snyder Matthews, Ph.D.,
State Historic Preservation Officer
Division of Historical Resources
R. A. Gray Building, Room 305
500 South Bronough Street
Tallahassee, FL 32399-0250

**Subject: Supplemental Environmental Assessment and Cultural Resources
Assessment, Key Largo Wastewater Treatment System, Monroe County,
Florida
DHR Project File Number: 2003-4954**

Dear Dr. Matthews:

This letter is to supply your office with additional information regarding a FEMA proposed Wastewater Treatment System on Key Largo in Monroe County, Florida. A Draft Supplemental Environmental Assessment (Draft SEA) is being prepared, and this document evaluates proposed wastewater management alternatives serving two neighborhoods in Key Largo. Recently, an additional Wastewater Treatment Plant (WWTP) site alternative (Alternative 3) was added to the Draft SEA. The following are the results of a cultural resource assessment for that Alternative and respond to your letter of June 26, 2003.

Pursuant to 36 CFR Part 800.2(a)(3), URS Group, Inc., on behalf of the Federal Emergency Management Agency (FEMA) Region IV, has performed a cultural resource assessment for the Alternative 3 site of the proposed Wastewater Treatment System. The assessment has been prepared in accordance with applicable state and federal standards by investigators who meet *The Secretary of Interior's Professional Qualification Standards*, per 36 CFR Part 61, in the discipline of archaeology.

The purpose of this assessment is to assist FEMA's project planning regarding the proposed wastewater treatment system on Key Largo, to ensure compliance with the National Environmental Policy Act (NEPA) and Section 106 of the National Historic Preservation Act (NHPA), and to provide your office with information regarding possible impacts to cultural resources. The Alternative 2 site has been previously surveyed for the presence of cultural resources and the results of this work were submitted to your office under separate cover.

URS Corporation
7101 Wisconsin Avenue, Suite 700
Bethesda, MD 20814-4870
Tel: 301.652.2215
Fax: 301.656.8059

Concurrence on the findings of that work was stated in a letter from your office dated May 16, 2001 (DHR Project File No. 2001-01544) and again on July 22, 2003 (DHR Project File No. 2001-4954-B).

Project Description

Alternative 3 consists of constructing a WWTP on a site to the south of the Alternative 2 site (Mile Marker 100.5) on Key Largo. The plant would be constructed on currently developed land, on the Oceanside of Key Largo at MM 98.0 (Figure 1). The WWTP, as with Alternative 2, would provide primary treatment, biological treatment, solids removal, nitrogen and phosphorus removal, filtration, effluent disinfection, and disposal to shallow injection wells. In addition to the new treatment plant, design elements at the site would include parking and paved access roads, as well as storage space for maintenance equipment, treatment chemicals, and other operations materials. The service areas, Key Largo Trailer Village and Key Largo Park, are delineated on the attached figure and are the same as those served by the previously reviewed Alternative 2 site. The wastewater collection and conveyance system would be installed throughout the service areas in existing utility or road right-of-ways.

Background Research and Site Visit

Research at the Florida Master Site File, maintained at the State Historic Preservation Office, indicates that there are no known historic properties within Township 62S, Range 39E, and Section 6 (Attachment A). The proposed project is located within this Section. Additionally, there are no historic properties located within one mile of the proposed project area.

URS staff conducted a site visit on April 24, 2003. The proposed plant site is a 200-foot wide by 900-foot long, 3.8 acre site, which is cleared, grubbed, and developed. It is presently used as a boatyard (Figure 2). U.S. 1 runs along the western property boundary; the northern and southern property boundaries border on undeveloped hardwood hammock. The closest private residence is located approximately 100 feet (0.02 miles) west of the site. The closest water source to the site is the Straits of Florida, immediately east of the site. Florida Bay is located about 1350 feet (0.26 miles) west of the site. Boats, trailers, lumber, and other construction debris is strewn about the entire property (Figures 3 and 4).


There is no source of potable water and no vegetation across most of the parcel. No historic features were noted during the visit. No historic properties were noted during the survey and it seems clear that the area had been intensively used during the second half of the 20th century. No subsurface testing was done on this parcel because of the extent of previous surface disturbance from site grubbing and grading.

Findings

Based on the background research and fieldwork, FEMA has determined that the proposed Alternative 3 action will have no effect on historic properties, and respectfully requests your review of these findings and you to return any comments within the next 30 days. All original fieldnotes and site photographs will remain with our office. Although it is not anticipated cultural resources will be discovered should the Alternative 3 site be selected, FEMA's grant approval will be conditioned on the subgrantee halting work should unexpected discoveries be made during construction, including human remains, and consulting with FEMA and your office.

If you have any questions regarding this project, please contact me at 301-652-2215 or Ms. Science Kilner, FEMA Lead Environmental Specialist, at 770-220-5357. Thank you for your continued assistance with this project.


Sincerely,
URS Group, Inc



Cassandra Michaud
Senior Archaeologist

attachments

cc: Ms. Science Kilner, FEMA Region IV, Lead Environmental Specialist
Mr. Stephen Carruth, URS Group, Inc., Environmental Planner
Mr. Ramon Mendieta, URS Group, Inc., Project Environmental Scientist



Alternative 3 Project Area

CLIENT	FEMA	TITLE	Project Location Map – Alternative 3	
PROJ	W/WTP – Key Largo			
REVISION NO		DES BY		PROJ NO
SCALE		DR BY		FIGURE
FILE		CHK BY		1

URS



Figure 2: View of Alternative 3 WWTTP site taken from across US-1, looking east.




Figure 3: Lumber and other debris present in proposed Alternative 3 WWTTP area, looking south.




Figure 4: View of proposed Alternative 3 WWTP site, looking south



Attachment A

Site Files Letter



FLORIDA DEPARTMENT OF STATE
 Glenda E. Hood
 Secretary of State
 DIVISION OF HISTORICAL RESOURCES

August 18, 2003

Mr. Ramon Mendiera
 URS Corporation
 Eastern Financial Building, Suite 1000
 700 South Royal Poinciana Boulevard
 Miami Springs, Florida 33166

RE: DHR Project File Number: 2003-4954-C
 Additional Information Received by DHR August 11, 2003
 Federal Emergency Management Agency
 Draft Supplemental Environmental Assessment (SEA) for the Key Largo Wastewater System,
 Monroe County

Dear Mr. Mendiera:

Our office received and reviewed additional information for the above referenced project in accordance with Section 106 of the *National Historic Preservation Act of 1966*, as amended and *36 CFR Part 800: Protection of Historic Properties*. The State Historic Preservation Officer is to advise Federal agencies as they identify historic properties (listed or eligible for listing, in the *National Register of Historic Places*), assess effects upon them, and consider alternatives to avoid or minimize adverse effects.

Based on the additional information provided by Ms. Cassandra Michaud of your company, it is the opinion of this office that the *Alternative 3 - New Wastewater Treatment Plant on Southern Site* project will have no effect on historic properties.

If you have any questions concerning our comments, please contact Scott Edwards, Historic Preservation Planner, by electronic mail scdwards@dos.state.fl.us, or at 850-245-6333 or 800-847-7278.

Sincerely,

Janet Snyder Matthews
 Janet Snyder Matthews, Ph.D., Director, and
 State Historic Preservation Officer

500 S. Bronough Street • Tallahassee, FL 32399-0250 • <http://www.flheritage.com>

- | | | | |
|---|--|---|---|
| <input type="checkbox"/> Director's Office
(850) 245-6300 • FAX: 245-6435 | <input type="checkbox"/> Archaeological Research
(850) 245-6444 • FAX: 245-6436 | <input checked="" type="checkbox"/> Historic Preservation
(850) 245-6333 • FAX: 245-6437 | <input type="checkbox"/> Historical Museums
(850) 245-6400 • FAX: 245-6433 |
| <input type="checkbox"/> Palm Beach Regional Office
(561) 279-1475 • FAX: 279-1476 | <input type="checkbox"/> St. Augustine Regional Office
(904) 825-5045 • FAX: 825-5044 | <input type="checkbox"/> Tampa Regional Office
(813) 272-3843 • FAX: 272-2340 | |