

APPENDICES

Appendix A
Census Information for Henderson County,
North Carolina

State & County QuickFacts

Henderson County, North Carolina

	Henderson County	North Carolina
People QuickFacts		
Population, 2009 estimate	103,669	9,380,884
Population, percent change, April 1, 2000 to July 1, 2009	16.2%	16.6%
Population estimates base (April 1) 2000	89,225	8,046,406
Persons under 5 years old, percent, 2008	6.2%	7.1%
Persons under 18 years old, percent, 2008	21.2%	24.3%
Persons 65 years old and over, percent, 2008	22.0%	12.4%
Female persons, percent, 2008	51.7%	51.0%
White persons, percent, 2008 (a)	94.5%	73.9%
Black persons, percent, 2008 (a)	3.3%	21.6%
American Indian and Alaska Native persons, percent, 2008 (a)	0.4%	1.3%
Asian persons, percent, 2008 (a)	0.8%	1.9%
Native Hawaiian and Other Pacific Islander, percent, 2008 (a)	Z	0.1%
Persons reporting two or more races, percent, 2008	0.9%	1.2%
Persons of Hispanic or Latino origin, percent, 2008 (b)	8.7%	7.4%
White persons not Hispanic, percent, 2008	86.2%	67.2%
Living in same house in 1995 and 2000, pct 5 yrs old & over	54.1%	53.0%
Foreign born persons, percent, 2000	5.9%	5.3%
Language other than English spoken at home, pct age 5+, 2000	8.0%	8.0%
High school graduates, percent of persons age 25+, 2000	83.2%	78.1%
Bachelor's degree or higher, pct of persons age 25+, 2000	24.1%	22.5%
Persons with a disability, age 5+, 2000	18,165	1,540,365
Mean travel time to work (minutes), workers age 16+, 2000	22.2	24.0
Housing units, 2008	50,631	4,201,378
Homeownership rate, 2000	78.8%	69.4%
Housing units in multi-unit structures, percent, 2000	8.3%	16.1%
Median value of owner-occupied housing units, 2000	\$130,100	\$108,300
Households, 2000	37,414	3,132,013
Persons per household, 2000	2.33	2.49
Median household income, 2008	\$46,047	\$46,574
Per capita money income, 1999	\$21,110	\$20,307
Persons below poverty level, percent, 2008	12.7%	14.6%
Business QuickFacts		
Private nonfarm establishments, 2007	2,789	227,906 ¹

Private nonfarm employment, 2007	33,396	3,586,552 ¹
Private nonfarm employment, percent change 2000-2007	11.3%	5.9% ¹
Nonemployer establishments, 2007	8,794	644,873
Total number of firms, 2002	8,707	642,597
Black-owned firms, percent, 2002	F	8.1%
American Indian and Alaska Native owned firms, percent, 2002	F	0.9%
Asian-owned firms, percent, 2002	F	2.1%
Native Hawaiian and Other Pacific Islander owned firms, percent, 2002	F	0.0%
Hispanic-owned firms, percent, 2002	F	1.4%
Women-owned firms, percent, 2002	21.5%	27.1%
Manufacturers shipments, 2002 (\$1000)	1,790,536	156,821,943
Wholesale trade sales, 2002 (\$1000)	465,150	104,331,152
Retail sales, 2002 (\$1000)	1,215,907	88,821,486
Retail sales per capita, 2002	\$13,154	\$10,686
Accommodation and foodservices sales, 2002 (\$1000)	128,335	11,237,386
Building permits, 2008	444	54,652
Federal spending, 2008	710,130	70,203,029 ¹
	Henderson County	North Carolina
Geography QuickFacts		
Land area, 2000 (square miles)	374.00	48,710.88
Persons per square mile, 2000	238.4	165.2
FIPS Code	089	37
Metropolitan or Micropolitan Statistical Area	Asheville, NC Metro Area	

1: Includes data not distributed by county.

(a) Includes persons reporting only one race.

(b) Hispanics may be of any race, so also are included in applicable race categories.

D: Suppressed to avoid disclosure of confidential information

F: Fewer than 100 firms

FN: Footnote on this item for this area in place of data

NA: Not available

S: Suppressed; does not meet publication standards

X: Not applicable

Z: Value greater than zero but less than half unit of measure shown

Source U.S. Census Bureau: State and County QuickFacts. Data derived from Population Estimates, Census of Population and Housing, Small Area Income and Poverty Estimates, State and County Housing Unit Estimates, County Business Patterns, Nonemployer Statistics, Economic Census, Survey of Business Owners, Building Permits, Consolidated Federal Funds Report
Last Revised: Thursday, 22-Apr-2010 08:35:20 EDT

Appendix B
Soil Map Unit Description

Henderson County, North Carolina

BaB—Bradson gravelly loam, 2 to 7 percent slopes

Map Unit Composition

Bradson and similar soils: 90 percent

Description of Bradson

Setting

Landform: Stream terraces, fans

Landform position (two-dimensional): Summit

Landform position (three-dimensional): Tread

Down-slope shape: Convex

Across-slope shape: Convex

Parent material: Old alluvium and/or old colluvium derived from igneous and metamorphic rock

Properties and qualities

Slope: 2 to 7 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water capacity: Moderate (about 8.6 inches)

Interpretive groups

Land capability (nonirrigated): 2s

Typical profile

0 to 6 inches: Gravelly loam

6 to 65 inches: Clay loam

65 to 80 inches: Loam

Data Source Information

Soil Survey Area: Henderson County, North Carolina

Survey Area Data: Version 8, Dec 14, 2009

Henderson County, North Carolina

BaC—Bradson gravelly loam, 7 to 15 percent slopes

Map Unit Composition

Bradson and similar soils: 85 percent

Description of Bradson

Setting

Landform: Stream terraces, fans

Landform position (two-dimensional): Summit, shoulder

Landform position (three-dimensional): Tread

Down-slope shape: Convex

Across-slope shape: Convex

Parent material: Old alluvium and/or old colluvium derived from igneous and metamorphic rock

Properties and qualities

Slope: 7 to 15 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water capacity: Moderate (about 8.6 inches)

Interpretive groups

Land capability (nonirrigated): 3s

Typical profile

0 to 6 inches: Gravelly loam

6 to 65 inches: Clay loam

65 to 80 inches: Loam

Data Source Information

Soil Survey Area: Henderson County, North Carolina

Survey Area Data: Version 8, Dec 14, 2009

Henderson County, North Carolina

BrE—Brevard loam, 15 to 25 percent slopes

Map Unit Setting

Elevation: 900 to 3,500 feet

Mean annual precipitation: 40 to 80 inches

Mean annual air temperature: 50 to 57 degrees F

Frost-free period: 150 to 180 days

Map Unit Composition

Brevard and similar soils: 80 percent

Description of Brevard

Setting

Landform: Fans, benches, stream terraces

Landform position (two-dimensional): Footslope, backslope

Landform position (three-dimensional): Base slope, riser

Down-slope shape: Convex

Across-slope shape: Linear, convex

Parent material: Colluvium derived from igneous and metamorphic
rock

Properties and qualities

Slope: 15 to 25 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water capacity: High (about 10.9 inches)

Interpretive groups

Land capability (nonirrigated): 4e

Typical profile

0 to 1 inches: Loam

1 to 4 inches: Loam

4 to 76 inches: Sandy clay loam

76 to 80 inches: Very gravelly loam

Data Source Information

Soil Survey Area: Henderson County, North Carolina

Survey Area Data: Version 8, Dec 14, 2009

Henderson County, North Carolina

Co—Codorus loam (Arkaqua)

Map Unit Setting

Elevation: 1,200 to 2,000 feet
Mean annual precipitation: 45 to 70 inches
Mean annual air temperature: 46 to 57 degrees F
Frost-free period: 116 to 170 days

Map Unit Composition

Arkaqua, undrained, and similar soils: 90 percent
Minor components: 5 percent

Description of Arkaqua, Undrained

Setting

Landform: Flood plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Loamy alluvium

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 44 to 72 inches to strongly contrasting textural stratification
Drainage class: Somewhat poorly drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 18 to 24 inches
Frequency of flooding: Frequent
Frequency of ponding: None
Available water capacity: Moderate (about 7.4 inches)

Interpretive groups

Land capability (nonirrigated): 3w

Typical profile

0 to 9 inches: Loam
9 to 30 inches: Clay loam
30 to 46 inches: Sandy clay loam
46 to 80 inches: Loam

Minor Components

Toxaway, undrained

Percent of map unit: 5 percent
Landform: Depressions on flood plains
Down-slope shape: Linear, concave

Across-slope shape: Concave

Data Source Information

Soil Survey Area: Henderson County, North Carolina
Survey Area Data: Version 8, Dec 14, 2009

Henderson County, North Carolina

DeB—Delanco (Dillard) loam, 2 to 7 percent slopes

Map Unit Setting

Elevation: 1,500 to 3,000 feet

Mean annual precipitation: 55 to 75 inches

Mean annual air temperature: 50 to 57 degrees F

Frost-free period: 150 to 185 days

Map Unit Composition

Dillard and similar soils: 90 percent

Description of Dillard

Setting

Landform: Depressions on stream terraces

Landform position (two-dimensional): Summit

Landform position (three-dimensional): Tread

Down-slope shape: Linear

Across-slope shape: Concave

Parent material: Alluvium and/or colluvium derived from igneous and metamorphic rock

Properties and qualities

Slope: 2 to 7 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Moderately well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: About 30 to 42 inches

Frequency of flooding: Occasional

Frequency of ponding: None

Available water capacity: Moderate (about 8.2 inches)

Interpretive groups

Land capability (nonirrigated): 2e

Typical profile

0 to 10 inches: Loam

10 to 30 inches: Clay loam

30 to 40 inches: Sandy loam

40 to 80 inches: Sandy loam

Data Source Information

Soil Survey Area: Henderson County, North Carolina

Survey Area Data: Version 8, Dec 14, 2009

Henderson County, North Carolina

EdF—Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes

Map Unit Setting

Elevation: 1,200 to 3,000 feet
Mean annual precipitation: 60 to 80 inches
Mean annual air temperature: 46 to 59 degrees F
Frost-free period: 160 to 205 days

Map Unit Composition

Edneytown and similar soils: 80 percent

Description of Edneytown

Setting

Landform: Mountain slopes, ridges
Landform position (two-dimensional): Summit, backslope
Landform position (three-dimensional): Upper third of mountain flank, side slope
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Creep deposits over residuum weathered from igneous and metamorphic rock

Properties and qualities

Slope: 25 to 45 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water capacity: Moderate (about 7.0 inches)

Interpretive groups

Land capability (nonirrigated): 6e

Typical profile

0 to 5 inches: Fine sandy loam
5 to 25 inches: Sandy clay loam
25 to 30 inches: Fine sandy loam
30 to 80 inches: Sandy loam

Data Source Information

Soil Survey Area: Henderson County, North Carolina
Survey Area Data: Version 8, Dec 14, 2009

Henderson County, North Carolina

HyC—Hayesville loam, 7 to 15 percent slopes

Map Unit Setting

Mean annual precipitation: 45 to 70 inches

Mean annual air temperature: 46 to 57 degrees F

Frost-free period: 130 to 180 days

Map Unit Composition

Hayesville and similar soils: 80 percent

Description of Hayesville

Setting

Landform: Mountain slopes, ridges

Landform position (two-dimensional): Summit, shoulder

Landform position (three-dimensional): Mountaintop, crest

Down-slope shape: Convex

Across-slope shape: Convex

Parent material: Residuum weathered from igneous and
metamorphic rock

Properties and qualities

Slope: 8 to 15 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water capacity: High (about 9.9 inches)

Interpretive groups

Land capability (nonirrigated): 3e

Typical profile

0 to 5 inches: Loam

5 to 38 inches: Clay

38 to 48 inches: Sandy clay loam

48 to 80 inches: Fine sandy loam

Data Source Information

Soil Survey Area: Henderson County, North Carolina

Survey Area Data: Version 8, Dec 14, 2009

Henderson County, North Carolina

HyE—Hayesville loam, 15 to 25 percent slopes

Map Unit Setting

Mean annual precipitation: 45 to 70 inches

Mean annual air temperature: 46 to 57 degrees F

Frost-free period: 130 to 180 days

Map Unit Composition

Hayesville and similar soils: 80 percent

Description of Hayesville

Setting

Landform: Mountain slopes, ridges

Landform position (two-dimensional): Summit, backslope

Landform position (three-dimensional): Upper third of mountainflank,
side slope

Down-slope shape: Convex

Across-slope shape: Linear

Parent material: Residuum weathered from igneous and
metamorphic rock

Properties and qualities

Slope: 15 to 30 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water capacity: High (about 9.9 inches)

Interpretive groups

Land capability (nonirrigated): 4e

Typical profile

0 to 5 inches: Loam

5 to 38 inches: Clay

38 to 48 inches: Sandy clay loam

48 to 80 inches: Fine sandy loam

Data Source Information

Soil Survey Area: Henderson County, North Carolina

Survey Area Data: Version 8, Dec 14, 2009



Appendix C
Representative Photographs of the Proposed
Project Site



Photograph 1. View of posted sign at site along Brevard Road, notifying community of proposed project.



Photograph 2. Overlooking view of proposed project site. Notice area has been recently logged.




Photograph 3. View of proposed project site from north east corner of property looking west.



Photograph 4. Site was visited May 4, 2010 (growing season) to identify if wetlands or threatened and endangered species are present. None were identified.





Photograph 5. View of Shaw Creek which will be at least 30 feet from the proposed project site with source coming from large culvert.



Photograph 6. Additional view of Shaw Creek which appears turbid.



Appendix D
Stuart Stepp, AIA Architect,
Drawing Number SP-1 and
Henderson County Correspondence



SILT FENCE DETAIL
NTS

SITE PLAN

SCALE: 1" = 30'



- HENDERSON COUNTY ZONING CHECKLIST**
- *OWNER - VALLEY HILL VOLUNTEER FIRE & RESCUE
PO BOX 726
HENDERSONVILLE, N.C. 28793
CONTACT - TIM GARREN - 692-2581 EXT. 104
 - *ARCHITECT - STUART STEPP AIA ARCHITECT
PO BOX 86
FLAT ROCK, N.C. 28731
698-4000
 - *ADJOINING PROPERTY OWNER'S NAMES LISTED ON PLAN.
 - *VICINITY MAP ON SITE PLAN - NO PHASING MAP.
 - *PLAN DATED
 - *SCALE ON PLAN
 - *NORTH ARROW ON PLAN.
 - *ZONING OF EACH PROPERTY LISTED.
 - *NEW BUILDING INDICATED.
 - *2.99 ACRES
 - *NEW BUILDING - 4320 SF
 - *FRONT OF PROPERTY FACES US54.
 - *WATERSHED DISTRICT SETBACK SHOWN - UPPER FRENCH BROAD RIVER WS VA PA
 - *PROPERTY LINE INFO SHOWN.
 - *BUILDING DIMENSIONS TO PL AND HIGHWAY SHOWN.
 - *COMMON AREA - WATERSHED DISTRICT SETBACKS.
 - *EXISTING & NEW CONTOURS SHOWN.
 - *PROPOSED LOT LINES - NA.
 - *LENGTH OF ROAD FRONTAGE - 340.58'
 - *NO BUFFER REQUIRED OTHER THAN WATERSHED SETBACK.
 - *DISTANCE TO PROPERTY LINE INDICATED.
 - *PARKING DIMENSIONS INDICATED.
 - *DRIVEWAYS INDICATED.
 - *PARKING SPACE SIZE SHOWN.
 - *LANDSCAPING - NA.
 - *STREETS, SIDEWALKS, BIKE LANES - NA
 - *WATER/SEWER - WATER LINE SHOWN
 - *NEW SEPTIC/DRAINFIELD - HENDERSON COUNTY HEALTH DEPT. SHOWN.
 - *FLOODWAY/FLOODPLAIN - NA
 - *STORMWATER CONTROL - NA
- NA - NOT APPLICABLE

LEGEND

- ⊕ = Iron Pin Set
- = Unmarked Point (unless otherwise noted)
- C_{PP} = Power or Utility Pole
- = Overhead Utility Lines
- = Sanitary Sewer Mainline
- R.C.P. = Reinforced Concrete Pipe
- C.M.P. = Corrugated Metal Pipe

NOTES:


1. SITE INFO SHOWN FROM SURVEY PROVIDED BY GARY L. CORN, INC. PLS
2. VERIFY LOCATION OF ANY UT UTILITIES.
3. VERIFY LOCATION OF UTILITY TIE-INS.
4. REPORT TO ARCHITECT ANY DOOR SOIL CONDITIONS ENCOUNTERED AFTER EXCAVATION.
5. NEW PAD TO HAVE STRUCTURAL FILL COMPACTED TO 95%.
6. VERIFY EXACT BLDG ELEVATION & LOCATION WITH OWNER.
7. VERIFY STORAGE AREA, SITE ACCESS & CONSTRUCTION SCHEDULE AT PRECONSTRUCTION MEETING.
8. ERECT & MAINTAIN DURING CONSTRUCTION TEMPORARY EROSION CONTROL MEASURES AS REQUIRED.
9. ERECT SAFETY BARRIERS AS REQUIRED TO PROTECT ALL ON SITE DURING CONSTRUCTION. CONFERENCE CENTER WILL BE IN USE DURING CONSTRUCTION.
10. NEW GRASSING ALL DISTURBED AREAS.
11. PAINT STRIPES WHITE.
12. ALL SITEWORK IN CONTRACT.

NORTH CAROLINA GRID COORDINATE "BELLWOOD"
GRID COORDINATES:
NORTHING: 599,748,791 FEET
EASTING: 99,962,302 FEET
(NAD 83)
CONVERSION FACTOR = 0.999731
REFERENCE MONUMENT "BELMONT AGRICULTURE MARK"
GRID COORDINATES:
NORTHING: 599,926,113 FEET
EASTING: 99,846,000 FEET
(NAD 83)

REVISIONS

NO.	DESCRIPTION

STUART STEPP AIA ARCHITECT
2686B SINGLETON CENTER
HISTORIC FLAT ROCK NC 28751
828-696-4000



VALLEY HILL VOLUNTEER FIRE & RESCUE
STATION #4 US 64 WEST
HENDERSON COUNTY, N.C.

JOB NO.

0911

DATE

4-21-09

DWG NO.

SP-1

**Henderson County
CODE ENFORCEMENT SERVICES**

240 2nd Ave East • Hendersonville, North Carolina 28792
Phone (828) 697-4857 Fax (828) 697-4658

May 8, 2009

Valley Hill Volunteer Fire and Rescue Department
PO Box 726
Hendersonville, NC 28793

Re: Major Site Plan Approval – Valley Hill Fire Dept., Brevard Rd.

Dear Valley Hill Fire Department:


This letter confirms the approval from the Henderson County Technical Review Committee (TRC), on May 5, 2009 of the Major Site Plan for a Fire and Rescue Station. The plan was approved subject to compliance with:

SR 5.9. Fire and Rescue Station

- (1) Site Plan. Major Site Plan required in accordance with §200A-299 (Major Site Plan Review).
- (2) Lighting. Adequate lighting shall be placed in areas used for vehicular/pedestrian access including, but not limited to: stairs, sidewalks, crosswalks, intersections, or changes in grade. Lighting mitigation required.
- (3) Accessibility. Roads shall be maintained for motor/emergency vehicle access.
- (4) Operations. No drills are to be held before 8:00 a.m. or after 10:00 p.m. on an existing residential zoning district. No fire trucks or other emergency vehicles are to be permanently stored outdoors.

The applicant can apply for Property Address, Zoning Permit, Erosion Control Permit, Environmental Health Permit, Building Permit and any other local, state, or federal permits as required. Major Site Plan approval shall be valid for two years, however, for just cause, the Technical Review Committee may grant extensions of development plan approval for a maximum of one (1) additional year.

Sincerely,



Toby Linville
Henderson County Code Enforcement

RECEIVED
MAY 11 2009

BY:

TL/kaa

Cc: Stuart Stepp, AIA

Appendix E
Henderson County Zoning Permit



Henderson County (Planning) – Zoning Permit
 100 N King Street, Hendersonville, N.C. 28792
 Phone :(828) 697-4857

Permit No: 09020100931
 Status: ISSUED

Appl. Dt.: 2/3/2009 Exp. Dt.:
 Status Dt.: 2/3/2009

Owner Information

Name : Michael Ruddy
 Address : 1910 Brevard Rd
 Hendersonville NC 28791
 Phone(W) :
 Phone(H) :
 Phone(M) :

Applicant Information

Name : Tim Garren
 Address :
 Phone(W) : 828 6922581 104
 Phone(H) :
 Phone(M) :

Property Information

PIN # : 9559607466
 Address : 0 Brevard Rd
 Hendersonville NC 28791
 Subdivision :
 Lot # :
 Acreage : 2.73
 Directions : 0 BREVARD RD; ON L JUST
 PAST WHITE PINE
 Zoning Districts : L-R2

Occupant Information

Name : Michael Ruddy

Permit Information

Type & Use : Fire And Rescue Station
 Permission : Permitted by Right, zoning
 permit required
 Purpose : Not Applicable
 Year of Manuf. :
 Home :
 Condition : BE AWARE OF COUNTY
 SETBACKS AND STAY IN
 SIDE OF THEM
 Work Desc. : BUILDING FIRE SUB
 STATION FOR VALLEY
 HILL FD

Notes : CLG

Inspections Conducted

Inspections	Signed Off/User ID	Date	Status	Reason
Zoning Inspection				

Payment Information

Permit	Receipt No.	Fee	Ref#1	Amount	Status	Ref#2	Amount	Status	Ref#3	Amount	Status
MAINPERMIT	09020100810	0	CASH	0	PAID						
Total		0									

READ CAREFULLY AND SIGN BELOW


The information shown herein and on any other application materials and plans submitted is, to the best of my knowledge, true and accurate, and is in compliance with the terms, requirements, standards and conditions of the Henderson County Zoning Ordinance for a zoning compliance permit. By my signature below, I agree to conform to all applicable ordinances of Henderson County, North Carolina, and the laws of the State of North Carolina related to the use of land and/or structure(s) indicated herein.

Signature: Tim Garren
 (Applicant/Occupant/Agent of owner)

Date: 2-3-09

Approved: _____

(Zoning Official Name & Title)



Date: _____

2-3-09

Denied: _____

(Zoning Official Name & Title)

Date: _____