

EXHIBIT 7

PHASE II ENVIRONMENTAL SITE ASSESSMENT

*MICTRON FACILITY, BUILDINGS G & H
COUNTY PARCEL NO. 0049-01-004
6050 PORTER WAY
SARASOTA COUNTY, FLORIDA*

FILE COPY

Date: October 15, 2010

Prepared For:

Sarasota County Planning Services
1660 Ringling Boulevard, 1st Floor
Sarasota, Florida 34236

Prepared By:

Dunkelberger Engineering & Testing, Inc.
1225 Omar Road
West Palm Beach, Florida 33405

Dunkelberger Project No. SAR-09-1103

Sarasota County Planning Services
1660 Ringling Boulevard, 1st Floor
Sarasota, Florida 34236

October 15, 2010
Project No. SAR-09-1103

Attention: Steve Kirk, AICP, ASLA

Subject: *Phase II Environmental Site Assessment*
Mictron Facility, Buildings G and H
County Parcel No. 0049-01-0004
6050 Porter Way
Sarasota County, Florida

LECOPI

Dear Mr. Kirk:

INTRODUCTION

Dunkelberger Engineering & Testing, Inc. (Dunkelberger) has completed a Phase II Environmental Site Assessment (ESA) of the above referenced site which is located at 6050 Porter Way in Sarasota County, Florida. In general, the evaluation involved collection of soil samples, field screening of the samples for volatile organic compounds (VOCs), installation of temporary wellpoints, recovery of groundwater samples from the wellpoints, laboratory analysis of samples of soil and groundwater for contaminants of concern and comparison of the analytical data in light of State of Florida cleanup target levels (CTLs) per Chapter 62-777, Florida Administrative Code (FAC).

PROJECT CONSIDERATIONS

Ardaman & Associates, Inc. completed a Phase I ESA of three County parcels (0048-16-0002, 0049-01-0004 and 0049-01-0005) located at the intersection of Cattleman Road and Porter Way in April 2010 on behalf of Sarasota County. The Phase I ESA identified a recognized environmental condition (REC) in connection with the Mictron facility located at 6050 Porter Way (currently occupies Building G and formerly occupied Building H) within parcel 0049-01-0004. Mictron, Inc. leases the property from Sarasota County. Specifically, the potential exists for historic use of solvents and cutting oils during machining and manufacturing of electronic components to have adversely impacted the soil and groundwater quality of the site.

Given this identified REC, Dunkelberger was contracted by Sarasota County to perform a Phase II ESA of the Mictron facility to check for soil or groundwater quality impacts from the historical use of solvents and cutting oils.

On September 14, 2010, Mr. Andrew Petric of Dunkelberger met with Mr. Rolf Kopp of Mictron, Inc. to discuss the past and present facility operations. Mr. Kopp has been associated with the property for over 33 years. Mr. Kopp gave Mr. Petric a tour of the facility and explained the machining operations and waste disposal practices. The housekeeping within the Mictron facility was excellent. Currently, bio-degradable coolants/solvents are used in the machining operations. New and spent cutting oils and other regulated substances (i.e. coolants/solvents) are stored within a stand-alone storage container located near the southeast corner of Building G.

Mr. Kopp stated that Building G (west building) was historically use for machining operations and Building H (east building) was used for product assembly. Thus, historical use of solvents and cutting oils mostly occurred within Building G. Building H is currently occupied by the Sarasota County History Center. Mr. Kopp informed us that in the past mop water from cleaning the floors in the machining areas was disposed of into an area termed the "sand box". This area is located just east of the south end of Building G underneath a large pine tree. He indicated that some type of soil remediation using microbes was performed many years ago to address contamination that was identified there but he did not have any details regarding these remedial operations.

SOIL SAMPLING AND ANALYSIS

Soil Sampling

On September 30, 2010, fourteen (14) soil borings were advanced throughout the site mainly adjacent to Building G which currently supports Mictron, Inc. The borings were strategically placed at locations perceived to have the highest potential for existing contamination from the machining operations. The locations of the borings are shown on Sheet 1. The soil boring designations and location descriptions are provided in the table below.

<i>Sample Designation</i>	<i>Nearest Building (G or H)</i>	<i>Location Description</i>
SB-1	G	Septic tank drainfield
SB-2	G	Low drainage area – southwest corner of building
SB-3	G	Adjacent to waste storage container
SB-4	G	Low area – southeast of building
SB-5	G	Adjacent to waste storage container
SB-6	G	Adjacent to garage bay door
SB-7	G	Adjacent to garage bay door
SB-8	G	"Sand box" (former mop water disposal area)
SB-9	G	"Sand box"

<i>Sample Designation</i>	<i>Nearest Building (G or H)</i>	<i>Location Description</i>
SB-10	G	"Sand box"
SB-11	H	Adjacent to garage bay door
SB-12	H	Septic tank drainfield
SB-13	G	20 feet north of the "sand box"
SB-14	G	20 feet east of the "sand box"

Given that the water table was encountered at about 4 feet below the land surface (bls) at the boring locations, soil samples were recovered over two 2-foot vertical intervals from the land surface to the water table (i.e. 0 - 2 feet and 2 - 4 feet bls).

The collection of the soil samples was accomplished utilizing Geoprobe Direct Push Technology®. One-inch diameter by four-foot long stainless steel casings lined with polyethelene tubes were hydraulically pushed into the ground to allow for the soil sample retrieval. Upon extraction of the Geoprobe sampler, the tubing insert was removed from the casing and cut open to allow for sample acquisition. The apparatus used to collect the soil specimens was cleaned prior to and between successive sample locations using potable water and a reagent grade detergent solution and rinsed with potable water.

Field Screening of Soils

The collected soil samples were screened in the field with a Photo-Ionization Detector (PID) to determine the presence and concentration of volatile organic compounds (VOCs). Visual and olfactory methods were also used to determine the presence of any solvent or petroleum impacted soils.

At each sample interval, specimens were prepared by half-filling a 16-ounce wide mouth glass mason jar with the collected soil. The soil samples were covered with aluminum foil and allowed to incubate for a 5-minute period. Following the incubation period, VOC concentrations were measured in the headspace of the jars using a MiniRAE 2000 PID.

A summary of the PID field screening results is provided in Table 1. As shown in the table, measurable levels of VOCs were found in both vertical depth intervals from samples SB-8, SB-9 and SB-10 located within the "sand box" area. The VOC concentrations ranged from 38.5 to 460 parts per million (ppm). The VOC levels in the remaining samples were mostly below the PID's detection limits and a few between 0.7 and 9.8 ppm.

Soil Quality Analysis

The soil sample from the "sand box" which yielded the highest PID reading (SB-10) as well as two other soil samples recovered from locations adjacent to the waste storage area (SB-5) and a garage bay door of Building G (SS-6) were transferred in laboratory supplied containers, placed in an ice filled, thermally insulated cooler and transported to Palm Beach Environmental Laboratories, Inc. (PBEL) in West Palm Beach, Florida for analysis. The soil samples collected from the borings were obtained from the approximate midpoint of the 0 - 2 foot interval (i.e. 1 foot bls).

The soil samples were analyzed for VOCs using EPA Method 8260C, total recoverable petroleum hydrocarbons (TRPH) using the FL-PRO Method and the 8 RCRA metals (arsenic, barium, cadmium, chromium, lead, mercury, selenium and silver).

The complete soil laboratory analytical report and associated chain-of-custody record are included in the Appendix of this report. A summary of the soil analytical results is provided in Table 2.

As shown in the table, the analysis yielded no VOC concentrations which exceed the laboratory method detection limits (MDLs). Measurable concentrations of TRPH were found in soil samples SS-6 and SS-10 but at levels well below its applicable soil cleanup target level (SCTL) per Chapter 62-777, FAC. The concentration of TRPH in soil sample SS-5 is below the laboratory MDL. Low levels of the metals arsenic, barium, cadmium, chromium and/or lead were also found in soil samples SS-5, SS-6 and SS-10 but at concentrations below their respective SCTLs. The concentrations of mercury, selenium and silver in the soil specimens were below their MDLs.

GROUNDWATER SAMPLING AND ANALYSIS

Wellpoint Installation and Groundwater Sampling

On September 30, 2010, temporary wellpoints were installed at soil boring locations 1 (Building G - septic tank drainfield), 6 (adjacent to Building G garage bay door) and 10 ("sand box") to allow for the collection of groundwater quality samples from these areas. The installation of the temporary wellpoints was accomplished utilizing Geoprobe Direct Push Technology®. The temporary wellpoints were advanced to a total depth of about 8 feet bls so that the four-foot wellpoint screens were set at 4 to 8 feet bls and spanned the upper portion of the water table.

A variable speed peristaltic pump was used to purge the wellpoints at a slow rate until the discharge water was relatively clear and free of sediments. Groundwater samples were then collected using a peristaltic pump and transferred into laboratory supplied sample containers. The samples were then placed in an ice filled, thermally insulated cooler and transported to PBEL's facility for analysis.

Groundwater Quality Analysis

The groundwater samples were analyzed for VOCs using EPA Method 8260C, TRPH using the FL-PRO Method and the 8 RCRA metals. The complete groundwater laboratory analytical report and associated chain-of-custody record are included in the Appendix. A summary of the groundwater laboratory analytical results is furnished in Table 3.

As shown in the table, the analysis found no VOC concentrations which exceeded the laboratory MDLs. Likewise, the concentrations of TRPH in the water samples were below the MDL for TMW-1 and TMW-10 and below the practical quantitation limit (PQL) for TMW-6. Measurable concentrations of the metals barium and/or chromium were also found in groundwater samples but at levels below their respective groundwater cleanup target level (GCTLs) per Chapter 62-777, FAC. The concentrations of the remaining metals were below their MDLs.

CONCLUSIONS AND RECOMMENDATIONS

The Phase II ESA did not identify any elevated concentrations of contaminants of concern in the soil or groundwater of the site as a result of the past machining operations. It should be noted that elevated PID readings were found in several soil samples collected from the "sand box" (mop water disposal) area. However, confirmatory analysis did not yield concentrations of contaminants above the laboratory MDLs or applicable SCTLs. We believe that the elevated PID readings are due to old weathered solvents which no longer have elevated regulated chemical concentrations as a result of the past remedial activities. Therefore, no further evaluation of soil or groundwater quality is warranted at this time.

LIMITATIONS OF STUDY

The Phase II ESA was completed for Sarasota County to evaluate a REC identified in an April 2010 Phase I ESA report completed by Ardaman & Associates, Inc. Dunkelberger warrants that the findings presented herein are based on recognized practice for conducting a Phase II ESA in general accordance with ASTM E1903 - 97(2002) Standard Guide for Environmental Site Assessments: Phase II Environmental Site Assessment Process. No other warranties are expressed or implied.

____oOo____

We trust that the information presented herein is clear and understandable. Should you have any questions concerning the report contents, please feel free to contact us.

Sincerely,

DUNKELBERGER ENGINEERING & TESTING, INC.



Andrew Petric
Project Environmental Scientist



Scott N. Parrish, P.E.
Branch Manager 10/15/10
FL Registration No. 69091

1103(31.10)rpvap

Attachments: Sheet 1 - Sampling Location Plan
Table 1 - Summary of PID Field Screening Results
Table 2 - Summary of Soil Analytical Results
Table 3 - Summary of Groundwater Analytical Results
Appendix - Laboratory Analytical Results

cc: addressee (4 copies)... *Express Mail*

TABLE 1
Summary of PID Field Screening Results
Mictron Facility
Sarasota County, Florida
Dunkelberger Project No. SAR-09-1103

Soil Boring Designation	Sample Date	Sample Depth Interval (feet)	PID Reading (PPM)	Remarks
SB-1	9/30/2010	0-2	ND	
		2-4	ND	
SB-2	9/30/2010	0-2	ND	
		2-4	ND	
SB-3	9/30/2010	0-2	ND	
		2-4	ND	
SB-4	9/30/2010	0-2	ND	
		2-4	ND	
SB-5	9/30/2010	0-2	9.8	Soil analytical sample collected at 1 feet bls
		2-4	0.7	
SB-6	9/30/2010	0-2	2.7	Soil analytical sample collected at 1 feet bls
		2-4	ND	
SB-7	9/30/2010	0-2	ND	
		2-4	ND	
SB-8	9/30/2010	0-2	170	
		2-4	52.4	
SB-9	9/30/2010	0-2	65.4	
		2-4	38.5	
SB-10	9/30/2010	0-2	460	Soil analytical sample collected at 1 feet bls
		2-4	38.6	
SB-11	9/30/2010	0-2	ND	
		2-4	ND	
SB-12	9/30/2010	0-2	ND	
		2-4	ND	
SB-13	9/30/2010	0-2	0.9	
		2-4	ND	
SB-14	9/30/2010	0-2	ND	
		2-4	ND	

Notes: ppm = parts per million; PID = Photo-Ionization Detector; ND = no detection; bls = below the land surface

TABLE 2
Summary of Soil Analytical Results
 Micron Facility
 Sarasota County, Florida
 Dunkelberger Project No. SAR-09-1103

Sample Name	Sample Date	Sample Depth (feet)	PID Reading (ppm)	VOCs	TRPH	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver
SCTL - Leachability ¹	-	-	-	N/A	340	**	1,600	7.5	38	**	2.1	5.2	17
SCTL - Residential ²	-	-	-	N/A	460	2.1	120	82	210	400	3.0	440	410
SCTL - Commercial ³	-	-	-	N/A	2,700	12	130,000	1,700	470	1,400	17	11,000	8,200
SS-5	9/30/2010	1	9.8	U	30.0 U	0.003 U	4.8	0.003 U	1.2	1.19	0.0005 U	0.004 U	0.002 U
SS-6	9/30/2010	1	2.7	U	50.2	0.60	31.7	0.232 U	10.8	7.34	0.0006 U	0.004 U	0.003 U
SS-10	9/30/2010	1	460	U	83.2	0.15 U	2.4 U	0.004 U	2.0	4.65	0.0006 U	0.004 U	0.003 U

Notes

All concentrations reported in milligrams of constituent per kilogram of soil (mg/kg)

SCTL = Soil Cleanup Target Level

PID = Photo-Ionization Detector

ppm = parts per million

TRPH = Total Recoverable Petroleum Hydrocarbons

** = Leachability values may be derived using the SPLP Test to calculate the site-specific SCTLs or may be determined using TCLP in the event oily wastes are present.

¹SCTL for leachability based on groundwater criteria as provided in Table 2, Chapter 62-777, FAC, February 2005

²SCTL for residential exposure as provided in Table 2, Chapter 62-777, FAC, February 2005

³SCTL for commercial/industrial exposure as provided in Table 2, Chapter 62-777, FAC, February 2005

U = Below the laboratory method detection limit for that parameter. The value preceding the U is the method detection limit.

1 = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit

TABLE 3
Summary of Groundwater Analytical Results
 Mictron Facility
 Sarasota County, Florida
 Dunkelberger Project No. SAR-09-1103

Well ID	Date	VOCs	TRPH	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver
GCTL (mg/L)		N/A	5	0.01	2	0.005	0.1	0.015	0.002	0.05	0.1
NADC (mg/L)		N/A	500	1	200	0.5	10	1.5	0.2	5	10
TMW-1	9/30/2010	U	0.040 U	0.004 U	0.108	0.00003 U	0.033	0.00001 U	0.00002 U	0.0005 U	0.00002 U
TMW-6	9/30/2010	U	0.069 I	0.004 U	0.0006 U	0.00003 U	0.00003 U	0.00001 U	0.00002 U	0.0005 U	0.00002 U
TMW-10	9/30/2010	U	0.040 U	0.004 U	0.021 I	0.00003 U	0.005	0.00001 U	0.00002 U	0.0005 U	0.00002 U

Notes

All concentrations are reported in milligrams per liter (mg/L)

GCTL = Groundwater Cleanup Target Level as listed in Chapter 62-777, Florida Administrative Code (FAC)

NADC = Naturally Attenuation Default Concentration as listed in Chapter 62-777, FAC

TRPH = Total Recoverable Petroleum Hydrocarbons

U = Below the laboratory method detection limit for that parameter. The value preceding the U is the method detection limit.

I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

APPENDIX

LABORATORY ANALYTICAL RESULTS



Palm Beach Environmental
Laboratories Inc.



Andrew Petric
Dunkelberger Engineering & Testing
West Palm Beach, FL 33405
(561) 689-4299
LOG #: 0007799

October 11, 2010

Enclosed is the laboratory report for your project. All results meet the requirements of the NELAC standards.

Please note the following:

- (1) The samples were received as stated on the chain of custody, correctly labeled and at the proper temperature unless otherwise noted. The results contained in this report relate only to the items tested or to the samples as received by the laboratory.
- (2) This report may not be reproduced except in full, without the written approval of the laboratory. Any anomalies are noted in the case narrative.
- (3) Results for all solid matrices are reported in dry weight unless otherwise noted.
- (4) Results for all liquid matrices are analyzed as received in the laboratory unless otherwise noted.
- (5) Samples are disposed of within 30 days of their receipt by the laboratory.
- (6) A statement of Qualifiers is available upon request.
- (7) Certain analyses are subcontracted to outside NELAC certified laboratories and are designated on your report.
- (8) Precision & Accuracy will be provided when clients require a measure of estimated uncertainty.
- (9) The issuance of the final Certificate of Analysis takes precedence over any previous Preliminary Report. Preliminary Data should not be used for regular purposes. Authorized signature(s) is provided on final report only

Please contact me if you have any questions or concerns regarding this report.

Sincerely,

Pamela Shore
QA Officer



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: TMW-10

Lab ID: 0007799-01

Sampled: 09/30/10 12:31

Matrix: Water

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction	Analysis	Analyst
									Date	Date	
	1,2-Dichloroethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
	1,2-Dichloropropane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
75-71-8	Dichlorodifluoromethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
74-67-3	Chloromethane	0.4	U	ug/L	EPA 8260C	1	0.4	1.0	10/04/10	10/08/10	PLS
75-01-4	Vinyl Chloride	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
74-83-9	Bromomethane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
75-00-3	Chloroethane	0.9	U	ug/L	EPA 8260C	1	0.9	1.0	10/04/10	10/08/10	PLS
75-69-4	Trichlorofluoromethane	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
75-35-4	1,1-Dichloroethene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
75-09-2	Methylene Chloride	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
1634-04-4	MTBE	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
156-60-5	trans-1,2-Dichloroethene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
75-34-3	1,1-Dichloroethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
590-20-7	2,2-Dichloropropane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
156-59-2	cis-1,2-Dichloroethene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
67-66-3	Chloroform	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
74-97-5	Bromochloromethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
71-55-6	1,1,1-Trichloroethane	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
563-58-6	1,1-Dichloropropene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
56-23-5	Carbon Tetrachloride	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
71-43-2	Benzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
79-01-6	Trichloroethene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
74-95-3	Dibromomethane	0.002	U	ug/L	EPA 8260C	1	0.002	0.002	10/04/10	10/08/10	PLS
75-27-4	Bromodichloromethane	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS
10061-01-5	cis-1,3-Dichloropropene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
108-88-3	Toluene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
10061-02-6	trans-1,3-Dichloropropene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
79-00-5	1,1,2-Trichloroethane	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
142-28-9	1,3-Dichloropropane	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
127-18-4	Tetrachloroethene	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS
124-48-1	Dibromochloromethane	0.4	U	ug/L	EPA 8260C	1	0.4	0.4	10/04/10	10/08/10	PLS
106-93-4	1,2-Dibromoethane (EDB)	0.02	U	ug/L	EPA 8260C	1	0.02	0.02	10/04/10	10/08/10	PLS
108-90-7	Chlorobenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
630-20-6	1,1,1,2-Tetrachloroethane	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS
100-41-4	Ethylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: TMW-10

Lab ID: 0007799-01

Sampled: 09/30/10 12:31

Matrix: Water

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
108-38-3/10 6-42-3	m,p-Xylene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
95-47-6	o-Xylene	0.9	U	ug/L	EPA 8260C	1	0.9	1.0	10/04/10	10/08/10	PLS
100-42-5	Styrene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
75-25-2	Bromoform	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
98-82-8	Isopropylbenzene	0.8	U	ug/L	EPA 8260C	1	0.8	0.8	10/04/10	10/08/10	PLS
79-34-5	1,1,2,2-Tetrachloroethane	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
96-18-4	1,2,3-Trichloropropane	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS
108-86-1	Bromobenzene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
103-65-1	N-Propylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
95-49-8	2-Chlorotoluene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
108-67-8	1,3,5-Trimethylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
106-43-4	4-Chlorotoluene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
98-06-6	tert-Butylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
95-63-6	1,2,4-Trimethylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
135-98-8	sec-Butylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
99-87-6	4-Isopropyltoluene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
541-73-1	1,3-Dichlorobenzene	0.3	U	ug/L	EPA 8260C	1	0.3	0.3	10/04/10	10/08/10	PLS
106-46-7	1,4-Dichlorobenzene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS
104-51-8	N-Butylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
95-50-1	1,2-Dichlorobenzene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS
96-12-8	1,2-Dibromo-3-Chloropropane	0.002	U	ug/L	EPA 8260C	1	0.002	0.002	10/04/10	10/08/10	PLS
120-82-1	1,2,4-Trichlorobenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
87-68-3	Hexachlorobutadiene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS
91-20-3	Naphthalene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
87-61-6	1,2,3-Trichlorobenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
107-02-8	Acrolein	0.4	U	ug/L	EPA 8260C	1	0.4	0.4	10/04/10	10/08/10	PLS
67-64-1	Acetone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
74-88-4	Iodomethane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
75-15-0	Carbon Disulfide	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
107-13-1	Acrylonitrile	1.1	U	ug/L	EPA 8260C	1	1.1	5.0	10/04/10	10/08/10	PLS
106-05-4	Vinyl Acetate	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
78-93-3	MEK	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
110-75-8	2-Chloroethyl Vinyl Ether	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
108-10-1	4-Methyl-2-Pentanone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
97-63-2	Ethyl Methacrylate	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: TMW-10

Lab ID: 0007799-01

Sampled: 09/30/10 12:31

Matrix: Water

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
591-78-6	2-Hexanone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
1476-11-5	cis-1,4-Dichloro-2-Butene	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
110-57-6	trans-1,4-Dichloro-2-Butene	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
		% Recovery	Q	% Recovery Limits							
1868-53-7	Surrogate: Dibromofluoromethane	98.2 %		Limit 62-136							
2037-26-5	Surrogate: Toluene-d8	100 %		Limit 66-144							
460-00-4	Surrogate: 4-Bromofluorobenzene	93.7 %		Limit 70-131							

FLPRO

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
NA	FLPRO Total	0.040	U	mg/L	EPA 3510C /RO	1	0.040	0.500	10/05/10	10/11/10	MH
		% Recovery	Q	% Recovery Limits							
638-68-6	Surrogate: n-Triacontane	112 %		Limit 37-142							

Metals by EPA 6000/7000 Series Methods

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
7440-38-2	Arsenic	0.0004	U	mg/L	EPA 6020B	1	0.0004	0.005	10/04/10	10/06/10	MH
7440-39-3	Barium	0.021	I	mg/L	EPA 6020B	1	0.0006	0.050	10/04/10	10/07/10	MH
7440-43-9	Cadmium	0.00003	U	mg/L	EPA 6020B	1	0.00003	0.005	10/04/10	10/07/10	MH
7440-47-3	Chromium	0.005		mg/L	EPA 6020B	1	0.00002	0.005	10/04/10	10/07/10	MH
7439-92-1	Lead	0.00001	U	mg/L	EPA 6020B	1	0.00001	0.005	10/04/10	10/07/10	MH
7439-97-6	Mercury	0.00002	U	mg/L	EPA 6020B	1	0.00002	0.0005	10/04/10	10/07/10	MH
7782-49-2	Selenium	0.0005	U	mg/L	EPA 6020B	1	0.0005	0.010	10/04/10	10/07/10	MH
7440-22-4	Silver	0.00002	U	mg/L	EPA 6020B	1	0.00002	0.010	10/04/10	10/07/10	MH

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-10

Lab ID: 0007799-02

Sampled: 09/30/10 12:40

Matrix: Soil

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction	Analysis	Analyst
									Date	Date	
	1,2-Dibromomethane (EDB)	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
	1,2-Dichloroethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
	1,2-Dichloropropane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-71-8	Dichlorodifluoromethane	0.0001	U	mg/kg	EPA 5035 / 8260C	1	0.0001	0.001	10/04/10	10/08/10	PLS
74-87-3	Chloromethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
75-01-4	Vinyl Chloride	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
74-83-9	Bromomethane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
75-00-3	Chloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
75-69-4	Trichlorofluoromethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
75-35-4	1,1-Dichloroethene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
75-09-2	Methylene Chloride	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
1634-04-4	MTBE	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
156-60-5	trans-1,2-Dichloroethene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-34-3	1,1-Dichloroethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
590-20-7	2,2-Dichloropropane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
156-59-2	cis-1,2-Dichloroethene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
67-66-3	Chloroform	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
74-97-5	Bromochloromethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
71-55-6	1,1,1-Trichloroethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
563-58-6	1,1-Dichloropropene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
56-23-5	Carbon Tetrachloride	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
71-43-2	Benzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
79-01-6	Trichloroethene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
74-95-3	Dibromomethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-27-4	Bromodichloromethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
10061-01-5	cis-1,3-Dichloropropene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
108-88-3	Toluene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
10061-02-6	trans-1,3-Dichloropropene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
79-00-5	1,1,2-Trichloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
142-28-9	1,3-Dichloropropane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
127-18-4	Tetrachloroethene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
124-48-1	Dibromochloromethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
108-90-7	Chlorobenzene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
630-20-6	1,1,1,2-Tetrachloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
100-41-4	Ethylbenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-10

Lab ID: 0007799-02

Sampled: 09/30/10 12:40

Matrix: Soil

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction	Analysis	Analyst
									Date	Date	
108-38-3/10 6-42-3	m,p-Xylene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
95-47-6	o-Xylene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
100-42-5	Styrene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-25-2	Bromoform	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
98-82-8	Isopropylbenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
79-34-5	1,1,2,2-Tetrachloroethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
96-18-4	1,2,3-Trichloropropane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
108-86-1	Bromobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
103-65-1	N-Propylbenzene	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
95-49-8	2-Chlorotoluene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
108-67-8	1,3,5-Trimethylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
106-43-4	4-Chlorotoluene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
98-06-6	tert-Butylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
95-63-6	1,2,4-Trimethylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
135-98-8	sec-Butylbenzene	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
99-87-6	4-Isopropyltoluene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
541-73-1	1,3-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
106-46-7	1,4-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
104-51-8	N-Butylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
95-50-1	1,2-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
96-12-8	1,2-Dibromo-3-Chloropropane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
120-82-1	1,2,4-Trichlorobenzene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
87-68-3	Hexachlorobutadiene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
91-20-3	Naphthalene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
87-61-6	1,2,3-Trichlorobenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
107-02-8	Acrolein	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
67-64-1	Acetone	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
74-88-4	Iodomethane	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
75-15-0	Carbon Disulfide	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
107-13-1	Acrylonitrile	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
108-05-4	Vinyl Acetate	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.005	10/04/10	10/08/10	PLS
78-93-3	MEK	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
110-75-8	2-Chloroethyl Vinyl Ether	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
108-10-1	4-Methyl-2-Pentanone	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
97-63-2	Ethyl Methacrylate	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-10

Lab ID: 0007799-02

Sampled: 09/30/10 12:40

Matrix: Soil

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	POL	Extraction	Analysis	Analyst
									Date	Date	
591-78-6	2-Hexanone	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
1476-11-5	cis-1,4-Dichloro-2-Butene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
110-57-6	trans-1,4-Dichloro-2-Butene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
		% Recovery	Q	% Recovery Limits							
1868-53-7	Surrogate: Dibromofluoromethane	76.7 %		Limit 62-136							
2037-26-5	Surrogate: Toluene-d8	101 %		Limit 66-144							
460-00-4	Surrogate: 4-Bromofluorobenzene	97.6 %		Limit 70-131							

FLPRO

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	POL	Extraction	Analysis	Analyst
									Date	Date	
NA	FLPRO Total	83.2		mg/kg	EPA 3545 / RO	1	30.0	40.0	10/04/10	10/11/10	MH
		% Recovery	Q	% Recovery Limits							
638-68-6	Surrogate: n-Triacontane	124 %		Limit 37-142							

Metals by EPA 6000/7000 Series Methods

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	POL	Extraction	Analysis	Analyst
									Date	Date	
7440-38-2	Arsenic	0.15	I	mg/kg dry	EPA 6020B	1	0.004	0.25	10/05/10	10/06/10	MH
7440-39-3	Barium	2.4	I	mg/kg dry	EPA 6020B	1	0.004	3.2	10/05/10	10/07/10	MH
7440-43-9	Cadmium	0.004	U	mg/kg dry	EPA 6020B	1	0.004	0.506	10/05/10	10/07/10	MH
7440-47-3	Chromium	2.0		mg/kg dry	EPA 6020B	1	0.004	0.05	10/05/10	10/07/10	MH
7439-92-1	Lead	4.65		mg/kg dry	EPA 6020B	1	0.008	0.253	10/05/10	10/07/10	MH
7439-97-6	Mercury	0.0005	U	mg/kg dry	EPA 6020B	1	0.0005	0.127	10/05/10	10/07/10	MH
7782-49-2	Selenium	0.004	U	mg/kg dry	EPA 6020B	1	0.004	0.4	10/05/10	10/07/10	MH
7440-22-4	Silver	0.003	U	mg/kg dry	EPA 6020B	1	0.003	0.01	10/05/10	10/07/10	MH

Percent Dry Weight

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	POL	Extraction	Analysis	Analyst
									Date	Date	
NA	% Solids	79.0		%	Calculation	1	1.0	1.0	10/01/10	10/01/10	AT



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: TMW-6

Lab ID: 0007799-03

Sampled: 09/30/10 12:58

Matrix: Water

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analysis	
									Date	Date	Date	Analyst
	1,2-Dichloroethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
	1,2-Dichloropropane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
75-71-8	Dichlorodifluoromethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
74-87-3	Chloromethane	0.4	U	ug/L	EPA 8260C	1	0.4	1.0	10/04/10	10/08/10	PLS	
75-01-4	Vinyl Chloride	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS	
74-83-9	Bromomethane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
75-00-3	Chloroethane	0.9	U	ug/L	EPA 8260C	1	0.9	1.0	10/04/10	10/08/10	PLS	
75-69-4	Trichlorofluoromethane	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
75-35-4	1,1-Dichloroethene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
75-09-2	Methylene Chloride	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
1634-04-4	MTBE	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
156-60-5	trans-1,2-Dichloroethene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
75-34-3	1,1-Dichloroethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
590-20-7	2,2-Dichloropropane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
156-59-2	cis-1,2-Dichloroethene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
67-66-3	Chloroform	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
74-97-5	Bromochloromethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
71-55-6	1,1,1-Trichloroethane	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS	
563-58-6	1,1-Dichloropropene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS	
56-23-5	Carbon Tetrachloride	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS	
71-43-2	Benzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
79-01-6	Trichloroethene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
74-95-3	Dibromomethane	0.002	U	ug/L	EPA 8260C	1	0.002	0.002	10/04/10	10/08/10	PLS	
75-27-4	Bromodichloromethane	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS	
10061-01-5	cis-1,3-Dichloropropene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
108-88-3	Toluene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
10061-02-6	trans-1,3-Dichloropropene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
79-00-5	1,1,2-Trichloroethane	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
142-28-9	1,3-Dichloropropane	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
127-18-4	Tetrachloroethene	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS	
124-48-1	Dibromochloromethane	0.4	U	ug/L	EPA 8260C	1	0.4	0.4	10/04/10	10/08/10	PLS	
106-93-4	1,2-Dibromoethane (EDB)	0.02	U	ug/L	EPA 8260C	1	0.02	0.02	10/04/10	10/08/10	PLS	
108-90-7	Chlorobenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
630-20-6	1,1,1,2-Tetrachloroethane	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS	
100-41-4	Ethylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: TMW-6

Lab ID: 0007799-03

Sampled: 09/30/10 12:58

Matrix: Water

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	POL	Extraction		Analysis	
									Date	Date	Analyst	
108-38-3/10 6-42-3	m,p-Xylene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS	
95-47-6	o-Xylene	0.9	U	ug/L	EPA 8260C	1	0.9	1.0	10/04/10	10/08/10	PLS	
100-42-5	Styrene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
75-25-2	Bromoform	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
98-82-8	Isopropylbenzene	0.8	U	ug/L	EPA 8260C	1	0.8	0.8	10/04/10	10/08/10	PLS	
79-34-5	1,1,2,2-Tetrachloroethane	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
96-18-4	1,2,3-Trichloropropane	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS	
108-86-1	Bromobenzene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS	
103-65-1	N-Propylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
95-49-8	2-Chlorotoluene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS	
108-67-8	1,3,5-Trimethylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
106-43-4	4-Chlorotoluene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
98-06-6	tert-Butylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
95-63-6	1,2,4-Trimethylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
135-98-8	sec-Butylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
99-87-6	4-Isopropyltoluene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS	
541-73-1	1,3-Dichlorobenzene	0.3	U	ug/L	EPA 8260C	1	0.3	0.3	10/04/10	10/08/10	PLS	
106-46-7	1,4-Dichlorobenzene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS	
104-51-8	N-Butylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
95-50-1	1,2-Dichlorobenzene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS	
96-12-8	1,2-Dibromo-3-Chloropropane	0.002	U	ug/L	EPA 8260C	1	0.002	0.002	10/04/10	10/08/10	PLS	
120-82-1	1,2,4-Trichlorobenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS	
87-68-3	Hexachlorobutadiene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS	
91-20-3	Naphthalene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
87-61-6	1,2,3-Trichlorobenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS	
107-02-8	Acrolein	0.4	U	ug/L	EPA 8260C	1	0.4	0.4	10/04/10	10/08/10	PLS	
67-64-1	Acetone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
74-88-4	Iodomethane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
75-15-0	Carbon Disulfide	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
107-13-1	Acrylonitrile	1.1	U	ug/L	EPA 8260C	1	1.1	5.0	10/04/10	10/08/10	PLS	
108-05-4	Vinyl Acetate	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
78-93-3	MEK	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
110-75-8	2-Chloroethyl Vinyl Ether	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
108-10-1	4-Methyl-2-Pentanone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	
97-63-2	Ethyl Methacrylate	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS	

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: TMW-6

Lab ID: 0007799-03

Sampled: 09/30/10 12:58

Matrix: Water

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction	Analysis	Analyst
									Date	Date	
591-78-6	2-Hexanone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
1476-11-5	cis-1,4-Dichloro-2-Butene	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
110-57-6	trans-1,4-Dichloro-2-Butene	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
		% Recovery		Q	% Recovery Limits						
1868-53-7	Surrogate: Dibromofluoromethane	97.9 %						Limit 62-136			
2037-26-5	Surrogate: Toluene-d8	99.2 %						Limit 66-144			
460-00-4	Surrogate: 4-Bromofluorobenzene	93.8 %						Limit 70-131			

FLPRO

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction	Analysis	Analyst
									Date	Date	
NA	FLPRO Total	0.069	I	mg/L	EPA 3510C/RO	1	0.040	0.530	10/05/10	10/11/10	MH
		% Recovery		Q	% Recovery Limits						
636-68-6	Surrogate: n-Triacontane	146 %						Limit 37-142			

Metals by EPA 6000/7000 Series Methods

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction	Analysis	Analyst
									Date	Date	
7440-38-2	Arsenic	0.0004	U	mg/L	EPA 6020B	1	0.0004	0.005	10/04/10	10/06/10	MH
7440-39-3	Barium	0.0006	U	mg/L	EPA 6020B	1	0.0006	0.050	10/04/10	10/07/10	MH
7440-43-9	Cadmium	0.00003	U	mg/L	EPA 6020B	1	0.00003	0.005	10/04/10	10/07/10	MH
7440-47-3	Chromium	0.00002	U	mg/L	EPA 6020B	1	0.00002	0.005	10/04/10	10/07/10	MH
7439-92-1	Lead	0.00001	U	mg/L	EPA 6020B	1	0.00001	0.005	10/04/10	10/07/10	MH
7439-97-6	Mercury	0.00002	U	mg/L	EPA 6020B	1	0.00002	0.0005	10/04/10	10/07/10	MH
7782-49-2	Selenium	0.0005	U	mg/L	EPA 6020B	1	0.0005	0.010	10/04/10	10/07/10	MH
7440-22-4	Silver	0.00002	U	mg/L	EPA 6020B	1	0.00002	0.010	10/04/10	10/07/10	MH



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-6	Lab ID: 0007799-04	Sampled: 09/30/10 12:47
Matrix: Soil	Sampled By: Randall Murphy	Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
	1,2-Dibromomethane (EDB)	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
	1,2-Dichloroethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
	1,2-Dichloropropane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-71-8	Dichlorodifluoromethane	0.0001	U	mg/kg	EPA 5035 / 8260C	1	0.0001	0.001	10/04/10	10/08/10	PLS
74-87-3	Chloromethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
75-01-4	Vinyl Chloride	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
74-83-9	Bromomethane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
75-00-3	Chloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
75-69-4	Trichlorofluoromethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
75-35-4	1,1-Dichloroethene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
75-09-2	Methylene Chloride	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
1634-04-4	MTBE	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
156-60-5	trans-1,2-Dichloroethene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-34-3	1,1-Dichloroethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
590-20-7	2,2-Dichloropropane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
156-59-2	cis-1,2-Dichloroethene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
67-66-3	Chloroform	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
74-97-5	Bromochloromethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
71-55-6	1,1,1-Trichloroethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
563-58-6	1,1-Dichloropropene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
56-23-5	Carbon Tetrachloride	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
71-43-2	Benzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
79-01-6	Trichloroethene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
74-95-3	Dibromomethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-27-4	Bromodichloromethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
10061-01-5	cis-1,3-Dichloropropene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
108-68-3	Toluene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
10061-02-6	trans-1,3-Dichloropropene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
79-00-5	1,1,2-Trichloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
142-28-9	1,3-Dichloropropane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
127-18-4	Tetrachloroethene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
124-48-1	Dibromochloromethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
108-90-7	Chlorobenzene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
630-20-6	1,1,1,2-Tetrachloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
100-41-4	Ethylbenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-6

Lab ID: 0007799-04

Sampled: 09/30/10 12:47

Matrix: Soil

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
108-38-3/10 6-42-3	m,p-Xylene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
95-47-6	o-Xylene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
100-42-5	Styrene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-25-2	Bromoform	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
98-82-8	Isopropylbenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
79-34-5	1,1,2,2-Tetrachloroethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
96-16-4	1,2,3-Trichloropropane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
108-86-1	Bromobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
103-65-1	N-Propylbenzene	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
95-49-8	2-Chlorotoluene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
108-67-8	1,3,5-Trimethylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
106-43-4	4-Chlorotoluene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
98-06-6	tert-Butylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
95-63-6	1,2,4-Trimethylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
135-98-8	sec-Butylbenzene	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
99-87-6	4-Isopropyltoluene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
541-73-1	1,3-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
106-46-7	1,4-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
104-51-8	N-Butylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
95-50-1	1,2-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
96-12-8	1,2-Dibromo-3-Chloropropane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
120-82-1	1,2,4-Trichlorobenzene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
67-68-3	Hexachlorobutadiene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
91-20-3	Naphthalene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
87-61-6	1,2,3-Trichlorobenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
107-02-8	Acrolein	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
67-64-1	Acetone	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
74-88-4	Iodomethane	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
75-15-0	Carbon Disulfide	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
107-13-1	Acrylonitrile	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
106-05-4	Vinyl Acetate	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.005	10/04/10	10/08/10	PLS
78-93-3	MEK	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
110-75-8	2-Chloroethyl Vinyl Ether	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
108-10-1	4-Methyl-2-Pentanone	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
97-63-2	Ethyl Methacrylate	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-6

Lab ID: 0007799-04

Sampled: 09/30/10 12:47

Matrix: Soil

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
591-78-6	2-Hexanone	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
1476-11-5	cis-1,4-Dichloro-2-Butene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
110-57-6	trans-1,4-Dichloro-2-Butene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
		% Recovery	Q	% Recovery Limits							
1868-53-7	Surrogate: Dibromofluoromethane	73.5 %		Limit 62-136							
2037-26-5	Surrogate: Toluene-d8	95.8 %		Limit 66-144							
460-00-4	Surrogate: 4-Bromofluorobenzene	98.2 %		Limit 70-131							

FLPRO

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
NA	FLPRO Total	50.2		mg/kg	EPA 3545 /RO	1	30.0	40.0	10/04/10	10/11/10	MH
		% Recovery	Q	% Recovery Limits							
638-68-6	Surrogate: n-Triacontane	163 %		Limit 37-142							

Metals by EPA 6000/7000 Series Methods

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
7440-38-2	Arsenic	0.60		mg/kg dry	EPA 6020B	1	0.003	0.23	10/05/10	10/06/10	MH
7440-39-3	Barium	31.7		mg/kg dry	EPA 6020B	1	0.003	2.8	10/05/10	10/07/10	MH
7440-43-9	Cadmium	0.232	I	mg/kg dry	EPA 6020B	1	0.003	0.455	10/05/10	10/07/10	MH
7440-47-3	Chromium	10.8		mg/kg dry	EPA 6020B	1	0.003	0.05	10/05/10	10/07/10	MH
7439-92-1	Lead	7.34		mg/kg dry	EPA 6020B	1	0.008	0.227	10/05/10	10/07/10	MH
7439-97-6	Mercury	0.0006	U	mg/kg dry	EPA 6020B	1	0.0006	0.114	10/05/10	10/07/10	MH
7782-49-2	Selenium	0.004	U	mg/kg dry	EPA 6020B	1	0.004	0.3	10/05/10	10/07/10	MH
7440-22-4	Silver	0.002	U	mg/kg dry	EPA 6020B	1	0.002	0.01	10/05/10	10/07/10	MH

Percent Dry Weight

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
NA	% Solids	88.0		%	Calculation	1	1.0	1.0	10/01/10	10/01/10	AT

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-5

Lab ID: 0007799-05

Sampled: 09/30/10 13:07

Matrix: Soil

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction Analysis		Analyst
									Date	Date	
	1,2-Dibromomethane (EDB)	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
	1,2-Dichloroethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
	1,2-Dichloropropane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-71-8	Dichlorodifluoromethane	0.0001	U	mg/kg	EPA 5035 / 8260C	1	0.0001	0.001	10/04/10	10/08/10	PLS
74-87-3	Chloromethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
75-01-4	Vinyl Chloride	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
74-83-9	Bromomethane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS
75-00-3	Chloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
75-69-4	Trichlorofluoromethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
75-35-4	1,1-Dichloroethene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
75-09-2	Methylene Chloride	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS
1634-04-4	MTBE	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
156-60-5	trans-1,2-Dichloroethene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-34-3	1,1-Dichloroethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
590-20-7	2,2-Dichloropropane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
156-59-2	cis-1,2-Dichloroethene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
67-66-3	Chloroform	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
74-97-5	Bromochloromethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
71-55-6	1,1,1-Trichloroethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
563-58-6	1,1-Dichloropropene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
56-23-5	Carbon Tetrachloride	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
71-43-2	Benzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
79-01-6	Trichloroethene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
74-95-3	Dibromomethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
75-27-4	Bromodichloromethane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
10061-01-5	cis-1,3-Dichloropropene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
108-88-3	Toluene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
10061-02-6	trans-1,3-Dichloropropene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
79-00-5	1,1,2-Trichloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
142-28-9	1,3-Dichloropropane	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS
127-18-4	Tetrachloroethene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
124-48-1	Dibromochloromethane	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS
108-90-7	Chlorobenzene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS
630-20-6	1,1,1,2-Tetrachloroethane	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10	PLS
100-41-4	Ethylbenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-5

Lab ID: 0007799-05

Sampled: 09/30/10 13:07

Matrix: Soil

Sampled By: Randall Murphy


Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analysis	
									Date	Date	Date	Analyst
108-38-3/10 6-42-3	m,p-Xylene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
95-47-6	o-Xylene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
100-42-5	Styrene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
75-25-2	Bromoform	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
98-82-8	Isopropylbenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
79-34-5	1,1,2,2-Tetrachloroethane	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS	
96-18-4	1,2,3-Trichloropropane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS	
108-86-1	Bromobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
103-65-1	N-Propylbenzene	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS	
95-49-8	2-Chlorotoluene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
108-67-8	1,3,5-Trimethylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS	
106-43-4	4-Chlorotoluene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS	
98-06-6	tert-Butylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS	
95-63-6	1,2,4-Trimethylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS	
135-98-8	sec-Butylbenzene	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS	
99-87-6	4-Isopropyltoluene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS	
541-73-1	1,3-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
105-46-7	1,4-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
104-51-8	N-Butylbenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS	
95-50-1	1,2-Dichlorobenzene	0.0003	U	mg/kg	EPA 5035 / 8260C	1	0.0003	0.001	10/04/10	10/08/10	PLS	
96-12-8	1,2-Dibromo-3-Chloropropane	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS	
120-82-1	1,2,4-Trichlorobenzene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS	
67-68-3	Hexachlorobutadiene	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS	
91-20-3	Naphthalene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS	
87-61-6	1,2,3-Trichlorobenzene	0.0002	U	mg/kg	EPA 5035 / 8260C	1	0.0002	0.001	10/04/10	10/08/10	PLS	
107-02-8	Acrolein	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS	
67-64-1	Acetone	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS	
74-88-4	Iodomethane	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS	
75-15-0	Carbon Disulfide	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS	
107-13-1	Acrylonitrile	0.0007	U	mg/kg	EPA 5035 / 8260C	1	0.0007	0.001	10/04/10	10/08/10	PLS	
108-05-4	Vinyl Acetate	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.005	10/04/10	10/08/10	PLS	
78-93-3	MEK	0.0004	U	mg/kg	EPA 5035 / 8260C	1	0.0004	0.001	10/04/10	10/08/10	PLS	
110-75-8	2-Chloroethyl Vinyl Ether	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS	
108-10-1	4-Methyl-2-Pentanone	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS	
97-63-2	Ethyl Methacrylate	0.001	U	mg/kg	EPA 5035 / 8260C	1	0.001	0.001	10/04/10	10/08/10	PLS	

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: SS-5

Lab ID: 0007799-05

Sampled: 09/30/10 13:07

Matrix: Soil

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in Soil

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analysis	
									Date	Date	Date	Analyst
591-76-6	2-Hexanone	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10		PLS
1476-11-5	cis-1,4-Dichloro-2-Butene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10		PLS
110-57-6	trans-1,4-Dichloro-2-Butene	0.0005	U	mg/kg	EPA 5035 / 8260C	1	0.0005	0.001	10/04/10	10/08/10		PLS
		% Recovery	Q	% Recovery Limits								
1868-53-7	Surrogate: Dibromofluoromethane	87.8 %		Limit 62-136								
2037-26-5	Surrogate: Toluene-d8	97.9 %		Limit 66-144								
460-00-4	Surrogate: 4-Bromofluorobenzene	91.0 %		Limit 70-131								

FLPRO

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analysis	
									Date	Date	Date	Analyst
NA	FLPRO Total	30.0	U	mg/kg	EPA 3545 /RO	1	30.0	40.0	10/04/10	10/11/10		MH
		% Recovery	Q	% Recovery Limits								
638-68-6	Surrogate: n-Triacontane	165 %		Limit 37-142								

Metals by EPA 6000/7000 Series Methods

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analysis	
									Date	Date	Date	Analyst
7440-38-2	Arsenic	0.003	U	mg/kg dry	EPA 6020B	1	0.003	0.22	10/05/10	10/06/10		MH
7440-39-3	Barium	4.8		mg/kg dry	EPA 6020B	1	0.003	2.7	10/05/10	10/07/10		MH
7440-43-9	Cadmium	0.003	U	mg/kg dry	EPA 6020B	1	0.003	0.440	10/05/10	10/07/10		MH
7440-47-3	Chromium	1.2		mg/kg dry	EPA 6020B	1	0.003	0.04	10/05/10	10/07/10		MH
7439-92-1	Lead	1.19		mg/kg dry	EPA 6020B	1	0.007	0.220	10/05/10	10/07/10		MH
7439-97-6	Mercury	0.0005	U	mg/kg dry	EPA 6020B	1	0.0005	0.110	10/05/10	10/07/10		MH
7782-49-2	Selenium	0.004	U	mg/kg dry	EPA 6020B	1	0.004	0.3	10/05/10	10/07/10		MH
7440-22-4	Silver	0.002	U	mg/kg dry	EPA 6020B	1	0.002	0.01	10/05/10	10/07/10		MH

Percent Dry Weight

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analysis	
									Date	Date	Date	Analyst
NA	% Solids	91.0		%	Calculation	1	1.0	1.0	10/01/10	10/01/10		AT



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: TMW-1

Lab ID: 0007799-06

Sampled: 09/30/10 13:23

Matrix: Water

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction	Analysis	Analyst
									Date	Date	
	1,2-Dichloroethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
	1,2-Dichloropropane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
75-71-8	Dichlorodifluoromethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
74-87-3	Chloromethane	0.4	U	ug/L	EPA 8260C	1	0.4	1.0	10/04/10	10/08/10	PLS
75-01-4	Vinyl Chloride	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
74-83-9	Bromomethane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
75-00-3	Chloroethane	0.9	U	ug/L	EPA 8260C	1	0.9	1.0	10/04/10	10/08/10	PLS
75-69-4	Trichlorofluoromethane	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
75-35-4	1,1-Dichloroethene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
75-09-2	Methylene Chloride	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
1634-04-4	MTBE	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
156-60-5	trans-1,2-Dichloroethene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
75-34-3	1,1-Dichloroethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
590-20-7	2,2-Dichloropropane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
156-59-2	cis-1,2-Dichloroethene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
67-66-3	Chloroform	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
74-97-5	Bromochloromethane	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
71-55-6	1,1,1-Trichloroethane	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
563-58-6	1,1-Dichloropropene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
56-23-5	Carbon Tetrachloride	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
71-43-2	Benzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
79-01-6	Trichloroethene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
74-95-3	Dibromomethane	0.002	U	ug/L	EPA 8260C	1	0.002	0.002	10/04/10	10/08/10	PLS
75-27-4	Bromodichloromethane	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS
10061-01-5	cis-1,3-Dichloropropene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
108-88-3	Toluene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
10061-02-6	trans-1,3-Dichloropropene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
79-00-5	1,1,2-Trichloroethane	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
142-26-9	1,3-Dichloropropane	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
127-18-4	Tetrachloroethene	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS
124-48-1	Dibromochloromethane	0.4	U	ug/L	EPA 8260C	1	0.4	0.4	10/04/10	10/08/10	PLS
106-93-4	1,2-Dibromoethane (EDB)	0.02	U	ug/L	EPA 8260C	1	0.02	0.02	10/04/10	10/08/10	PLS
108-90-7	Chlorobenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
630-20-6	1,1,1,2-Tetrachloroethane	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS
100-41-4	Ethylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing

1225 Omar Road

West Palm Beach, FL 33405

ATTN: Andrew Petric

PHONE: (561) 689-4299 FAX: (561) 689-5955

LOG #: 0007799

COC#: 14636

REPORTED: 10/11/2010 9:59:16AM

PROJECT #: [none]

PROJECT: Miltron Facility

Description: TMW-1

Lab ID: 0007799-06

Sampled: 09/30/10 13:23

Matrix: Water

Sampled By: Randall Murphy

Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
108-38-3/10 6-42-3	m,p-Xylene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
95-47-6	o-Xylene	0.9	U	ug/L	EPA 8260C	1	0.9	1.0	10/04/10	10/08/10	PLS
100-42-5	Styrene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
75-25-2	Bromoform	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
96-82-8	Isopropylbenzene	0.8	U	ug/L	EPA 8260C	1	0.8	0.8	10/04/10	10/08/10	PLS
79-34-5	1,1,2,2-Tetrachloroethane	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
96-18-4	1,2,3-Trichloropropane	0.2	U	ug/L	EPA 8260C	1	0.2	0.2	10/04/10	10/08/10	PLS
108-86-1	Bromobenzene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
103-65-1	N-Propylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
95-49-8	2-Chlorotoluene	0.5	U	ug/L	EPA 8260C	1	0.5	1.0	10/04/10	10/08/10	PLS
108-67-8	1,3,5-Trimethylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
106-43-4	4-Chlorotoluene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
98-06-6	tert-Butylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
95-63-6	1,2,4-Trimethylbenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
135-98-8	sec-Butylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
99-87-6	4-Isopropyltoluene	0.8	U	ug/L	EPA 8260C	1	0.8	1.0	10/04/10	10/08/10	PLS
541-73-1	1,3-Dichlorobenzene	0.3	U	ug/L	EPA 8260C	1	0.3	0.3	10/04/10	10/08/10	PLS
106-46-7	1,4-Dichlorobenzene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS
104-51-8	N-Butylbenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
95-50-1	1,2-Dichlorobenzene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS
96-12-8	1,2-Dibromo-3-Chloropropane	0.002	U	ug/L	EPA 8260C	1	0.002	0.002	10/04/10	10/08/10	PLS
120-82-1	1,2,4-Trichlorobenzene	0.7	U	ug/L	EPA 8260C	1	0.7	1.0	10/04/10	10/08/10	PLS
87-68-3	Hexachlorobutadiene	0.5	U	ug/L	EPA 8260C	1	0.5	0.5	10/04/10	10/08/10	PLS
91-20-3	Naphthalene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
87-61-6	1,2,3-Trichlorobenzene	0.6	U	ug/L	EPA 8260C	1	0.6	1.0	10/04/10	10/08/10	PLS
107-02-8	Acrolein	0.4	U	ug/L	EPA 8260C	1	0.4	0.4	10/04/10	10/08/10	PLS
67-64-1	Acetone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
74-88-4	Iodomethane	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
75-15-0	Carbon Disulfide	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
107-13-1	Acrylonitrile	1.1	U	ug/L	EPA 8260C	1	1.1	5.0	10/04/10	10/08/10	PLS
108-05-4	Vinyl Acetate	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
78-93-3	MEK	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
110-75-8	2-Chloroethyl Vinyl Ether	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
108-10-1	4-Methyl-2-Pentanone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
97-63-2	Ethyl Methacrylate	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS

EPA # FL01227 DOH# E86957 SFWMD# 48141 PBC # VC0000018083

1550 Latham Road, Suite 2, West Palm Beach, FL 33409, phone: (561)689-6701, fax: (561)689-6702



Palm Beach Environmental
Laboratories Inc.

CERTIFICATE OF ANALYSIS

Dunkelberger Engineering & Testing
1225 Omar Road
West Palm Beach, FL 33405

ATTN: Andrew Petric
PHONE: (561) 689-4299 **FAX:** (561) 689-5955

LOG #: 0007799
COC#: 14636
REPORTED: 10/11/2010 9:59:16AM
PROJECT #: [none]
PROJECT: Miltron Facility

Description: TMW-1	Lab ID: 0007799-06	Sampled: 09/30/10 13:23
Matrix: Water	Sampled By: Randall Murphy	Received: 10/01/10 11:24

EPA Method 8260B in water

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
591-78-6	2-Hexanone	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
1476-11-5	cis-1,4-Dichloro-2-Butene	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
110-57-6	trans-1,4-Dichloro-2-Butene	1.0	U	ug/L	EPA 8260C	1	1.0	1.0	10/04/10	10/08/10	PLS
		% Recovery	Q	% Recovery Limits							
1868-53-7	Surrogate: Dibromofluoromethane	98.1 %		Limit 62-136							
2037-26-5	Surrogate: Toluene-d8	99.2 %		Limit 66-144							
460-00-4	Surrogate: 4-Bromofluorobenzene	94.4 %		Limit 70-131							

FLPRO

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
NA	FLPRO Total	0.040	U	mg/L	EPA 3510C /RO	1	0.040	0.500	10/05/10	10/11/10	MH
		% Recovery	Q	% Recovery Limits							
638-68-6	Surrogate: n-Triacontane	98.3 %		Limit 37-142							

Metals by EPA 6000/7000 Series Methods

CAS #	Parameter	Results	Q	Units	Method	DF	MDL	PQL	Extraction		Analyst
									Date	Date	
7440-38-2	Arsenic	0.0004	U	mg/L	EPA 6020B	1	0.0004	0.005	10/04/10	10/06/10	MH
7440-39-3	Barium	0.108		mg/L	EPA 6020B	1	0.0006	0.050	10/04/10	10/07/10	MH
7440-43-9	Cadmium	0.00003	U	mg/L	EPA 6020B	1	0.00003	0.005	10/04/10	10/07/10	MH
7440-47-3	Chromium	0.033		mg/L	EPA 6020B	1	0.00002	0.005	10/04/10	10/07/10	MH
7439-92-1	Lead	0.00001	U	mg/L	EPA 6020B	1	0.00001	0.005	10/04/10	10/07/10	MH
7439-97-6	Mercury	0.00002	U	mg/L	EPA 6020B	1	0.00002	0.0005	10/04/10	10/07/10	MH
7782-49-2	Selenium	0.0005	U	mg/L	EPA 6020B	1	0.0005	0.010	10/04/10	10/07/10	MH
7440-22-4	Silver	0.00002	U	mg/L	EPA 6020B	1	0.00002	0.010	10/04/10	10/07/10	MH



Palm Beach Environmental
Laboratories Inc.

Notes and Definitions

- U Analyte included in the analysis, but not detected
- I The reported value is between the laboratory Method Detection Limit & the laboratory Practical Quantitation Limit

