

**APPENDIX B**  
**AGENCY COORDINATION**

---

**Eric Necaïse**

---

**From:** Zebryk, Tad M SAM [Tad.M.Zebryk@usace.army.mil]  
**Sent:** Thursday, February 21, 2013 11:41 AM  
**To:** Eric Necaïse  
**Subject:** Jurisdictional Determination; Lift Station 13, Diamondhead Water and Sewer District, Diamondhead, Hancock County, MS (SAM-2013-00059-TMZ) (UNCLASSIFIED)

Classification: UNCLASSIFIED  
Caveats: NONE

Mr. Necaïse:

We are in receipt of your request for a jurisdictional determination pertaining to the proposed site for Lift Station 13, to be located at the end of Apua Court, Diamondhead, Hancock County, Mississippi (USACE File Number SAM-2013-00059-TMZ). Your client is the Diamondhead Water and Sewer District.

Based on your delineation report dated January 9, 2013 and our site visit conducted on February 20, 2013, we concur with your conclusion that no wetlands subject to our jurisdiction occur at the proposed construction site for Lift Station 13; therefore, no Department of the Army permit pursuant to Section 404 of the Clean Water will be required to develop the proposed site. This determination is based on the methodology described in the 1987 Corps of Engineers Wetland Delineation Manual and the Atlantic and Gulf Coastal Plain Regional Supplement (Version 2.0) to the 1987 Manual. Please be aware that this determination does not obviate the need for your client to obtain any other necessary state, local and federal permits, and does not convey any property rights.

Thank you for cooperating with the Mobile District Regulatory program. If you have any questions regarding this determination, please call me at 251-694-3779.

Sincerely,

Tad M. Zebryk  
USACE, Mobile District  
Regulatory Division, Coastal Branch  
251-694-3779

Classification: UNCLASSIFIED  
Caveats: NONE



## United States Department of the Interior



### FISH AND WILDLIFE SERVICE

Mississippi Field Office  
6578 Dogwood View Parkway, Suite A  
Jackson, Mississippi 39213

January 11, 2013

IN REPLY REFER TO:  
04EM1000-2013-I-0219

FTN Associates, LTD.  
Attn: Eric Necaise  
6508 Dogwood View Parkway, Suite B  
Jackson, MS 39213

Dear Ms. Necaise:

The United States Fish and Wildlife Service (Service) has reviewed the information in your letter dated December 14, 2012, regarding the proposed replacement of a Lift Station located within the City of Diamondhead. The Diamondhead Water and Sewer District has applied to the Federal Emergency Management Agency for assistance to replace Lift Station number 13, which is located at the north end of a cul-de-sac on Apua Court in Diamondhead, Hancock County, Mississippi. Our comments are submitted in accordance with the Endangered Species Act (ESA) (87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.).

Based on the information provided in your letter, the Service has determined that the proposed project will have "No Effect" on federally listed species or their habitats. No further consultation under the ESA is required with this office unless there are changes in the scope or location of the proposed project.

If you have any questions, please contact Paul Necaise in our office, telephone: (228) 493-6631, or visit our website at <http://www.fws.gov/mississippiES/>.

Sincerely,

for Stephen M. Ricks  
Field Supervisor  
MS Field Office

MISSISSIPPI DEPARTMENT of ARCHIVES AND HISTORY



PO Box 571, Jackson, MS 39205-0571  
601-576-6850 • Fax 601-576-6975  
mdah.state.ms.us  
H.T. Holmes, Director

December 17, 2012

Mr. Eric F. Necaise  
FTN Associates, LTD  
6508 Dogwood View Parkway, Suite B  
Jackson, Mississippi 39213

RE: Project No. R05110-0008-002; Proposed replacement of a lift station on Aqua Court, Diamondhead, by the Diamondhead Water and Sewer District, MDAH Project Log #12-076-12, Hancock County

Dear Mr. Necaise:

We have reviewed your request for a cultural resources assessment, received on December 17, for the above referenced project in accordance with our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After reviewing the information provided, it is our determination that no cultural resources are likely to be affected, provided that work is limited to within thirty feet of existing rights-of-way. With that provision, we have no objection with the proposed undertaking.

Should there be additional work in connection with the project, or any changes in the scope of work, please let us know in order that we may provide you with appropriate comments in compliance with the above referenced regulations.

If you have any questions, please do not hesitate to contact us at (601) 576-6940.

Sincerely,

A handwritten signature in black ink that reads "Hal Bell".

Hal Bell  
Review and Compliance Assistant

FOR: Greg Williamson  
Review and Compliance Officer



STATE OF MISSISSIPPI

PHIL BRYANT  
GOVERNOR

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

TRUDY D. FISHER, EXECUTIVE DIRECTOR  
January 2, 2013

Eric F. Necaise  
FTN Associates  
6508 Dogwood View Pkwy  
Suite B  
Jackson, MS 39213

RE: Diamondhead Water and Sewer District Lift Station Replacement

Dear Mr. Necaise:

The Mississippi Department of Environmental Quality (MDEQ) has received your "Request for Environmental Assessment Statutory-Regulatory Compliance" determination request for the above referenced project in Hancock County. Enclosed is a copy of MDEQ's CERCLA/Uncontrolled Sites File List that identifies sites within Hancock County that have potential contamination issues related to them. There are, however, many abandoned sites around the State that we are not aware of. An environmental site assessment may be necessary to evaluate potential recognized environmental conditions within the proposed project. If recognized environmental conditions are encountered, please contact me at 601-961-5388.

You can obtain additional information by accessing the following web addresses:

<http://www.epa.gov/enviro> (RCRA report and others)

<http://opc.deq.state.ms.us/default.aspx>

<http://muster.deq.state.ms.us/webreportapplication/ustsearchwf.aspx>

This project may be eligible for environmental site assessment assistance from MDEQ through the Targeted Brownfield Assessment (TBA) Program. (See attachment). Should you desire additional information on the application process for the TBA, please contact me at 601-961-5388.

Sincerely,

A handwritten signature in black ink, appearing to read "Andy McCain".

Andy McCain

Enclosures

OFFICE OF POLLUTION CONTROL

POST OFFICE BOX 2261 • JACKSON, MISSISSIPPI 39225-2261 • TEL: (601) 961-5171 • FAX: (601) 354-6612 • [www.deq.state.ms.us](http://www.deq.state.ms.us)  
AN EQUAL OPPORTUNITY EMPLOYER



380	Bay Saint Louis HS Mercury	Bay St. Louis	Hancock	30	19	37	89	21	37
381	Blue Meadow Road - Former Boat Repair Yard	Bay St. Louis	Hancock	30	19	53	89	22	26
382	Brignac Property	Bay St. Louis	Hancock	30	17	54	89	20	7
383	CSX Railroad Property	Bay St. Louis	Hancock	30	18	27	89	20	11
384	Mississippi Army Ammunition Plant - Bay St. Louis	Bay St. Louis	Hancock						
385	Sheffield Park	Bay St. Louis	Hancock	30	19	9	89	20	29
	Tennessee Gas Pipeline #530 (See also General Correspondance)								
386		Bay St. Louis	Hancock	30	14	24	89	29	42
387	The Lane Agency	Bay St. Louis	Hancock	30	19	1	89	20	50
388	Thermal Associates Inc.	Bay St. Louis	Hancock	30	22	51	89	26	40
389	Hancock Co. Mercury Release	Kiln	Hancock	30	22	28	89	26	43
390	Sam Whitfield Tim Intn'l	Kiln	Hancock	30	23	30	89	25	12
391	Borg Warner Chemicals	Pearlrington	Hancock	30	12	47	89	34	30
392	Bergeron Marine Site	Pearlrington	Hancock	30	15	14	89	35	38
393	Blue Streak Industries Property	Pearlrington	Hancock	30	14	23	89	33	55
394	Halter Marine Port Bienville - 13151 Road E	Pearlrington	Hancock	30	14	44	89	33	22
395	McCarty Dean	Pearlrington	Hancock	30	15	52	89	34	59
396	Hancock Co. Bombing & Gunnery Range	Picayune	Hancock						
397	Stennis Space Center NASA	Stennis Space Ce	Hancock	30	22	33	89	36	21
398	Gulf South Waveland Treatment Plant	Waveland	Hancock	30	21	51	89	28	56
399	Phillips Petroleum	Waveland	Hancock						
400	Water Well Waveland	Waveland	Hancock						
401	GSPC- Ladner #27-1W (00861)		Hancock	30	19	22	89	28	55
402	GSPC- Marshall R. Young (00736)		Hancock	30	20	16	89	26	24
403	GSPC- NASA (00835)		Hancock	30	25	5	89	36	11
404	GSPC- Sales Meter (00715)		Hancock	30	21	53	89	29	1
405	GSPC- Texas Crude Low (00848)		Hancock	30	21	52	89	28	56

Note: SNFA-State No Further Action  
 FNFA-Federal No Further Action  
 Archived-Archived from CERCLIS  
 EPD-Environmental Permits Division  
 UST-UST Branch  
 SWB-Solid Waste Branch



**MISSISSIPPI  
DEPARTMENT OF MARINE RESOURCES**

January 22, 2013

Eric F. Necaise  
Environmental Specialist  
FTN Associates LTD  
6508 Dogwood View Parkway, Suite B  
Jackson, MS 39213

RE: DMR-130210

Dear Mr. Necaise:

The Department of Marine Resources in cooperation with other state agencies is responsible under the Mississippi Coastal Program (MCP) for managing the coastal resources of Mississippi. Proposed activities in the coastal area are reviewed to insure that the activities are in compliance with the MCP.

The Department has received a request to review a proposal for Diamonhead Water and Sewer District to construct a lift station adjacent to Apua Court in Diamonhead, Hancock County, Mississippi. The Department has no objections provided there are no direct or indirect impacts to coastal wetlands and no coastal program agency objects to the proposal. If wetland impacts are anticipated, an application should be submitted to this office for review. Thank you for the opportunity to comment on your project.

For more information, questions concerning this correspondence, or to obtain an application packet, contact Chris Pickering with the Bureau of Wetlands Permitting at (228) 523-4117 or [chris.pickering@dmr.ms.gov](mailto:chris.pickering@dmr.ms.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Willa J. Brantley", written over a horizontal line.

Willa J. Brantley  
Bureau Director, Wetlands Permitting

WJB/csp

## Eric Necaise

---

**From:** Willa Brantley [Willa.Brantley@dmr.ms.gov]  
**Sent:** Tuesday, March 05, 2013 2:50 PM  
**To:** Eric Necaise  
**Subject:** RE: Jurisdictional Determination; Lift Station 13, Diamondhead Water and Sewer District, Diamondhead, Hancock County, MS (SAM-2013-00059-TMZ) (UNCLASSIFIED)

Thanks, Eric. No authorization will be needed from DMR either. I will add this to the file for our records.

Willa

Willa J. Brantley  
Director, Bureau of Wetlands Permitting  
MS Department of Marine Resources  
1141 Bayview Ave., Biloxi, MS 39530  
office: 228-523-4108  
fax: 228-374-5008

---

**From:** Eric Necaise [<mailto:efn@ftn-assoc.com>]  
**Sent:** Tuesday, March 05, 2013 12:43 PM  
**To:** Willa Brantley  
**Subject:** FW: Jurisdictional Determination; Lift Station 13, Diamondhead Water and Sewer District, Diamondhead, Hancock County, MS (SAM-2013-00059-TMZ) (UNCLASSIFIED)

Willa,

Please find the message from Tad regarding the LS 13 project below. I have included your letter and the site plan.

As you can see there will be no impacts to the streams or wetlands within the site. If you have any questions, please feel free to give me a call at the number below.

Thanks,



Eric F. Necaise  
Environmental Specialist  
FTN Associates LTD  
Mobile 228-493-9500  
e-mail: [efn@ftn-assoc.com](mailto:efn@ftn-assoc.com)  
website: [www.ftn-assoc.com](http://www.ftn-assoc.com)  
*"We Know H<sub>2</sub>O!"*

---

**From:** Zebryk, Tad M SAM [<mailto:Tad.M.Zebryk@usace.army.mil>]

**Sent:** Thursday, February 21, 2013 11:41 AM

**To:** Eric Necaise

**Subject:** Jurisdictional Determination; Lift Station 13, Diamondhead Water and Sewer District, Diamondhead, Hancock County, MS (SAM-2013-00059-TMZ) (UNCLASSIFIED)

Classification: UNCLASSIFIED

Caveats: NONE

Mr. Necaise:

We are in receipt of your request for a jurisdictional determination pertaining to the proposed site for Lift Station 13, to be located at the end of Apua Court, Diamondhead, Hancock County, Mississippi (USACE File Number SAM-2013-00059-TMZ). Your client is the Diamondhead Water and Sewer District.

Based on your delineation report dated January 9, 2013 and our site visit conducted on February 20, 2013, we concur with your conclusion that no wetlands subject to our jurisdiction occur at the proposed construction site for Lift Station 13; therefore, no Department of the Army permit pursuant to Section 404 of the Clean Water will be required to develop the proposed site. This determination is based on the methodology described in the 1987 Corps of Engineers Wetland Delineation Manual and the Atlantic and Gulf Coastal Plain Regional Supplement (Version 2.0) to the 1987 Manual. Please be aware that this determination does not obviate the need for your client to obtain any other necessary state, local and federal permits, and does not convey any property rights.

Thank you for cooperating with the Mobile District Regulatory program. If you have any questions regarding this determination, please call me at 251-694-3779.

Sincerely,

Tad M. Zebryk  
USACE, Mobile District  
Regulatory Division, Coastal Branch  
251-694-3779

Classification: UNCLASSIFIED

Caveats: NONE