

Appendix F
Public Meeting Notices and Input



July 3, 2012

Notice of Public Meeting

To: Residents in the Mickelson Field Neighborhood.

The City of Fargo has been working to develop an improved flood protection plan for your neighborhood. This effort is being pursued in order to reduce reliance on temporary measures during emergency flood fighting efforts.

To accomplish this, a preliminary design for a permanent earthen levee within Mickelson Field area has been developed. This project would result in impacts to some of the existing fields and other park facilities. The city has been coordinating with the Fargo Park District to resolve the impacts of these losses.

To better inform the public, the City of Fargo has scheduled a meeting for all residents of the neighborhood to present a summary of the plan along with information regarding the next steps. This meeting will occur at the time and location listed below.

- Dates:** Thursday, July 12th
- Time:** 6:00-9:00 PM Open House
with presentation at 6:30 PM
- Location:** Fargo Public Library (Community Room),
102 3rd Street North
Fargo, ND

If you have any questions, please feel free to contact Jerry Bents at Houston Engineering, Inc at 701.237.5065 or Nathan Boerboom at the City of Fargo Engineering Department at 701.476.6743.



Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

- Yes
 No
 Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

I am very pleased to hear the North Terrace hldg with the dike will be reduced 10 ft. The drainage at the moment is messy and I'm relieved to see it will be sloped away from our hldg.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please Return to:

Jerry D. Bents
 Houston Engineering, Inc.
 1401 21st Avenue North
 Fargo, ND 58102
 Phone: (701) 237-5065
 Fax: (701) 237-5101
jbents@houstoneng.com

Name: Jan Kuster
 Address: 746 Elm St N #5
 Date: 7-12-12

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

- Yes No Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

BUT: PLEASE MOVE RECYCLING TO WET
SIDE (IS THERE ROOM ~~WAS~~ EAST OF DIAMOND 8 (or)?)
OR PERHAPS TO DRY SIDE AT END OF 9TH AVE.
IF DIAMOND ~~2~~ COULD BE PRESERVED THAT
WOULD BE GREAT.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: MARTY HOAG
Address: 1018 OAK ST. N.
Date: 7-12-12

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes

No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Thank for thorough presentation.

I'm entirely in favor of abandoning the diamonds & creating a neighborhood park

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please develop wet side of dike of park area - perhaps dog park? Recycling can go in Wildflower Grove area.

I like the idea of conversion to neighborhood park - let the diamonds go. Please make as many access points to the bike path as possible, & keep the bike path along the river

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Cheryl Bergian
Address: 703 N. 1st St.
Date: 7-12-12

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

- Yes
 - No
- Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

- Consider shifting 9th Ave if needed for more Ball field space
- Retention pond? make into a winter skating pond?
- Recycle? Why not just expand the area (main site + Lakeview site?)
- Instead of Recycle @ 11th Ave & Oak, why not make it a small parking lot for park? or park district staging area for flower planting, etc.)

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

- Skating pond?
- Maximize Bike friendly space on west side of Dike
- Dog park anyone - even if on "wet side" of Dike - most of the time it won't be flooded!
- Water park, anyone? ☺
- Diversify sports allowed @ this park - esp. for Park Dist.

Please Return to:

Jerry D. Bents
 Houston Engineering, Inc.
 1401 21st Avenue North
 Fargo, ND 58102
 Phone: (701) 237-5065
 Fax: (701) 237-5101
jbents@houstoneng.com

Name: LISA BROWN
 Address: 701 OAK ST N
 Date: 7-12-20

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

- Yes No Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Is there any other option for the recycling area? Wet grass from recycling, on a hot summer day, can be smelled 50 yds away! I know you have a small area to work with, but is there any way to put the recycling on the west side of the dike? I know it's less than ideal, but...

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please Return to:
 Jerry D. Bents
 Houston Engineering, Inc.
 1401 21st Avenue North
 Fargo, ND 58102
 Phone: (701) 237-5065
 Fax: (701) 237-5101
jbents@houstoneng.com

Name: Greg Jeffrey
 Address: 1020 1st N
 Date: 7-12-12

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes No Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Save Field 2! Grandstands not necessary on east side.

Relocate recycle center, preferably to the remaining field 7 area.

Leave existing slope and trees intact in NW corner.

Blend levee into dry pond more naturally.

Remove structures for abandoned lift stations if possible.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please retain as many programs as possible in the park, especially youth programs.

Insulate and finish existing buildings now that they will stay dry.

Please Return to:

Jerry D. Bents

Houston Engineering, Inc.

1401 21st Avenue North

Fargo, ND 58102

Phone: (701) 237-5065

Fax: (701) 237-5101

jbents@houstoneng.com

Name: Jordan Runsvold

Address: 1030 Oak St. N

Date: 7-16-12

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes No Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Mickelson Field has been a landmark in north Fargo and is utilized by many citizens - adults & youth - and should be protected from flooding - not eliminated.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Build flood protection around the park and save it.

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Nancy Slotter
Address: 97-18th Ave N
Date: 7-16-12

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

*Jim
Turn*

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Yes

No

I grew up on Oak + 7 Ave and continued with my husband playing softball for years. We use the recycle always.

Additional Comments:

*I like the winter play area plans
is there a warming house?
Jaze out adult ball park ASAP (not sure
the new site so far north is ideal)
Then - add more 6-18 yr old sports at
Mickelson
Keep as much as you can!*

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

*Keep diamond 2 as much as possible - it's
the "anchor" diamond
Move 1 set of bleachers from there across 9 Ave
to make seating off ground possible
Put the recycling center closer to where it
is now - Oak St + 11 is too close to homes
Landscape it all with grass, trees, native
grasses - whatever - and keep it up
especially the Condo side*

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: *Karol Hilkerbaumer*
Address: *1029-2 St N Fargo 58102*
Date: *7-16-12*

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

- Yes No Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

but with one major exception . . .

Additional Comments:

- I am opposed to the proposed plan for a recycling site at the corner of 11th Ave. and Oak.

There are too many homes (including our's) that will be affected by the STENCH.

I urge you to find another location that is not so close to residences.

- That intersection is also a bit dangerous. Traffic is fast through there and westbound cars on 11th that turn south onto Oak tend to cut the corner very close. Many times, I've been (facing north) on Oak, at the stop sign, and have had cars turning far into my lane. The addition of vehicles going in and out of a recycling site will make this much worse. The openness right now has been a welcome change for visibility.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

I like a lot of the ideas presented at the 7/12 meeting. While I enjoy the view of the ball fields, I don't have an emotional tie to what will be kept or not. I like the possibility of the super complex in far north Fargo and Mickelson kept for young kids and those events. I also like the suggestion of native-type grass rather than something that needs more maintenance.

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Agnes Vernon

Address: 1034 Oak St. N.

Date: 7/17/12

RECEIVED

JUL 18 2012

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



Houston Engineering General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes

No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

1 This map is not the same as what was shown at the Public Meeting on July 12th, eliminate the Recycle Center, Do not Remove any trees, and Leave the Land the same as shown at the Public Meeting. 2. Save Ball Dimond #2 3 The Lower Level Dike is Allready there and doing its job Extend the Drain pipe through to the other side. 4 Move the Recycle Center a little to the East, of where it is now

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Keep North West corner just off of Oak St. and 11th Ave N AS IS

Save Ball Dimond #2 with seating on the side of the dike

Area East of New Dike Needs to be protected By existing Low Level Dike

Please Return to:


Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Dale Myrvik

Address: 909 1 St. N

Date: 7-17-12

NOTE: Please return this form before July 20th



This Map is From the City Engineering Department Website it is Not the same as what was presented at the Public Meeting on July 12th

	Fargo	Drawn by	Date	MICKELSON FIELD COMPREHENSIVE PLAN CITY OF FARGO FARGO, NORTH DAKOTA	OVERALL PROJECT NO. 6059-035	SHEET 1 of 1
	P: 701.237.9065 F: 701.237.5101	KNS Checked by JDB	4-19-12 Scale AS SHOWN			

RECEIVED

JUL 18 2012

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



Houston Engineering, Inc.

General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes

No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Good Work!

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Don't place the recycle center on the corner!
Just move it west of where it is at, as close
to the new dike on the west side!

Too much traffic and close to
homes on corner!

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Danen Gjovik
Address: 746 N Elm St, SE
Date: 7/16/2012

NOTE: Please return this form before July 20th

RECEIVED

JUL 18 2012

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



Houston Engineering General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

- Yes No Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Please re-grade the levee around field #2 in order to save that field. - in addition to the fields you are planning to save

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please continue to utilize Mickelson Park as a primary space for summer sports programs (eg, girls soft ball, etc.)

Please Return to:

Jerry D. Bents
 Houston Engineering, Inc.
 1401 21st Avenue North
 Fargo, ND 58102
 Phone: (701) 237-5065
 Fax: (701) 237-5101
jbents@houstoneng.com

Name: Tracy Walvatne
 Address: ~~1123~~ 1123 4th St. N
 Date: 7/17/12

NOTE: Please return this form before July 20th

JUL 19 2012

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting

Houston Engineering, Inc.



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

- Yes
 - No
- Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

I have been down at Mickelson Park playing and managing fast pitch softball for forty four years. I have seen a lot of players and lot of young children using that park. Player's children & their children using that park. They are saving the American Legion Park, why not Mickelson.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Why not go higher on the old dike, or tear the old one down, and start over with a wider base.

Thank you,
Duane "ACE" Johnson

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Duane "ACE" Johnson
Address: 1513 12th St. So. Fargo
Date: 7-17-12

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Generally

Yes

No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

I would like to see some space allocated for football - not only baseball/softball. Allow no adult ^{softball} ball on diamonds where condos/homes could be damaged. My balcony door window + screen were broken by a softball!!

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

It will be good to lower the "dike" next to the condos but definitely need some promised landscaping there.

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: A. J. BUEIDE
Address: 746 ELM ST N, Fgo
Date: 7-18-2012

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

- Yes No Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Do we really have to wreck a great softball complex that most of us have been involved with our whole lives. It was a couple of floods big deal. Were in a drought now. Maybe we should build a lake there.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

If you have to do something there just try an keep as many demands playable as possible.
Thanks for all your hard work.

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Scott Trana
Address: 2855 Long Fellow Rd.
Date: 7-19-12

NOTE: Please return this form before July 20th

JUL 20 2012

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting

Houston Engineering, Inc.



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?
Yes No
with reservations

Additional Comments:

The modified plan that was discussed which would allow field #2 to remain (even if some bleachers were lost) seems appropriate & the best compromise.

Removing the building south of F 9th Ave seems reasonable & would save a lot of maintenance.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

IF the recycle facility is moved to corner of F 1st & Oak, can a barrier fence (NOT chain link) be built around it to screen the view? Or, how about moving them to Jack Williams lot that is north of 12th Avenue?

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Larry Audette
Address: 1119 2nd St N Fargo
Date: 7/19/12

NOTE: Please return this form before July 20th

Houston

Engineering Inc. P: 701.237.5065

Fargo

F: 701.237.5101 PROJECT NO. 6059-035

SHEET

Scale

Drawn by Date

Checked by

KNS

JDB

MICKELSON FIELD AREA FLOOD RISK

MANAGEMENT PROJECT

AS SHOWN FARGO, NORTH DAKOTA 2 of 45

7-10-12 OVERALL SITE PLAN

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting

General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood? **Yes**

Additional Comments:

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

 Please locate the recycle center away from residential areas. Thank You!

Please Return to:

Jerry D. Bents Name: _____

Houston Engineering, Inc.

1401 21st Avenue North Address: _____

Fargo, ND 58102

Phone: (701) 237-5065 Date: _____

Fax: (701) 237-5101

jbents@houstoneng.com

NOTE: Please return this form before July 20th

Mickelson Field Area Flood Risk Management – Project 5902

July 12, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes

No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

would like to keep as many playing fields as possible. Please keep #2 function & #1 #4 #7 so there remains a four (4) diamond complex for girls soft pitch & other players that use 60 ft diamonds

Thank you,

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

fine with 4:1 slope for sledding.

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Bill Williams
Address: 1326 1st St. N.
Date: 7/19/12

NOTE: Please return this form before July 20th



November 8, 2012

Notice of Public Meeting

To: Residents in the Mickelson Field Neighborhood.

The City of Fargo has been working to develop an improved flood protection plan for your neighborhood. This effort is being pursued in order to reduce reliance on temporary measures during emergency flood fighting efforts.

A meeting with your neighborhood was held in July 2012 to obtain public comments on the preliminary plan. Based on this feedback, the final design for a permanent earthen levee within Mickelson Field area has now been completed. Although the recent plan changes now preserve Field No. 2, the project still results in impacts to some of the other existing fields and park facilities. The city has been coordinating with the Fargo Park District to resolve these remaining impacts of these losses.

To better inform the public, the City of Fargo has scheduled a meeting for all residents of the neighborhood to present the proposed plan along with information regarding the next steps. This meeting will occur at the time and location listed below.

- Dates:** Monday, November 19, 2012
- Time:** 6:00-9:00 PM Open House
with presentation at 6:30 PM
- Location:** Fargo Public Library (Community Room),
102 3rd Street North
Fargo, ND

If you have any questions, please feel free to contact Jerry Bents at Houston Engineering, Inc at 701.237.5065 or Nathan Boerboom at the City of Fargo Engineering Department at 701.476.6743.





Mickelson Field Area
Flood Risk Management Project (5902)

Date: 11/19/2012

Please Sign In
(print clearly)

Name	Address	Representing	Phone
AUDREY BUEIDE	746 N Elm # 1W	self	235-3432
Doreen Johnson	746 N Elm # 6	self	232-8250
Ken Treichel	7 S Terrace	self	239 14481
JORDAN RUNSVOLD	1030 OAK ST N	SELF	298-2995
Mick Kester	746 N Elm # 5	self	237-6385
Julie J SAULSBURY	703 OAK ST N	SELF	701-232-6285
ROSEAL G. GRESS	J R P DIST.	RPD	999-6071
Alexander Wagner	37 N. Torman N	self	298 3027
MARK PEHL	1113 1st St N	SELF	234-1995
Bob Schlomann	40 South Terrace N	Self	280-1182
Ann Myjord	1102 Oak St	self	232 8478
Ann Myjord	1102 OAK ST	Self	232 8778
MARTY HOAG	1018 OAK ST. N.	Self	232-3811
Morris Schwedes	1260 1 st St. N	SELF	235-5464
Glen Krogman	746 1 st St N	self	605-595-3951
Cheryl Bergian	703 N. 1 st St.	self	701-793-2000
Dave Leker	701 Main Ave	Fargo Park Dist	201-499-6060
Harry Wadnjack	1110 Oak St	Self	237-9368

Mickelson Field Area Flood Risk Management – Project 5902

November 19, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes

No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Please try to add access to bike paths over dike for dog walkers, etc.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please include expansion or maintenance of bike paths on wet side of dike.

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Cheryl Bersian

Address: 703 N. 1st St.

Date: 11-19-12

Mickelson Field Area Flood Risk Management – Project 5902

November 19, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.



Yes



No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

said that the fill to the levee to low level dike
on S side of Jack Williams is in floodway
how is this mitigated

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Glen Krogman

Address: 746 1st St N

Date: 11-19-2012

Mickelson Field Area Flood Risk Management – Project 5902

November 19, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.



Yes



No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Curtis Moe

Address: 730 N Elm #2

Date: 11/19/12

Mickelson Field Area Flood Risk Management – Project 5902

November 19, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.



Yes



No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

move bike, walking path
on current levy by river

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

public sun park coffee shop
idea!

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Dirk Oehlhardt
Address: 1002 1st St N
Date: 11-19-12

Mickelson Field Area Flood Risk Management – Project 5902

November 19, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes

No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

SEE ATTACHED EMAIL

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: AUDREY J BUEIDE

Address: 749 ELM ST. N #1 W

Date: 11/25/12

NOTE: Please return this form before November 30th

Jerry Bents

From: Audrey B <ajb33@q.com>
Sent: Sunday, November 25, 2012 12:59 PM
To: Jerry Bents
Subject: Project 5902 reponse 11/19/12 meeting

YES I do support the "Recommended Plan" for providing improved permanent flood protection for my neighborhood.

Audrey J. Bueide
746 Elm St N #1-W
Fargo ND 58102

11/25/12

Mickelson Field Area Flood Risk Management – Project 5902

November 19, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.



Yes



No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

Thank you for making the changes for Diamond 2 and the recycling center.

It would be nice (but not a big deal) if the service road to the lift station could be used as a multi-use path (foot + bikes) with some sort of connection to the bike path on the east side (either to east or along to the north).* But I realize that might be expensive.

It would provide access in that 5 block span from 12th Ave to 7th Ave to Wildflower and Oak Grove school + park.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

see above.

* Also: The connector of the bike path from the 1000 block of Oak Street to the river bike path was listed as planned as I recall.

Thanks again.

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Marty Hoag

Address: 1018 Oak St. N.

Date: 11/19/2012

Mickelson Field Area Flood Risk Management – Project 5902

November 19, 2012 - Public Informational Meeting

General Project Response:

Please provide feedback for providing flood protection for the neighborhood.



Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?
Yes No

Additional Comments:

~~Save Field 2! Grandstands not necessary on east side.~~ **Done, thank you!**

~~Relocate recycle center, preferably to the remaining field 7 area.~~ **Done, thank you!**

Leave existing slope and trees intact in NW corner as much as possible.

Blend levee into dry pond more naturally.

Remove structures for abandoned lift stations if possible.

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Please retain as many programs as possible in the park, especially youth programs.

Insulate and finish existing buildings now that they will stay dry.

Other improvements would be great, including lighting and fencing as needed.

Please Return to:

Jerry D. Bents

Houston Engineering, Inc.

1401 21st Avenue North

Fargo, ND 58102

Phone: (701) 237-5065

Fax: (701) 237-5101

jbents@houstoneng.com

Name: Jordan Runsvold

Address: 1030 Oak St. N

Date: 11-29-12

NOTE: Please return this form before November 30th

Mickelson Field Area Flood Risk Management – Project 5902

November 19, 2012 - Public Informational Meeting



General Project Response:

Please provide feedback for providing flood protection for the neighborhood.

Yes

No

Do you support the "Recommended Plan" for providing improved permanent flood protection for your neighborhood?

Additional Comments:

1. Leave The Land and trees AS IS in the North West corner

2. the Lower Level Dike Needs to Be connected to the New Dike on North side of the Drain

Specific suggestions for the Fargo Park District regarding modifications to the remaining park:

Save The Land in Between the Low Level Dike and the New Dike

Please Return to:

Jerry D. Bents
Houston Engineering, Inc.
1401 21st Avenue North
Fargo, ND 58102
Phone: (701) 237-5065
Fax: (701) 237-5101
jbents@houstoneng.com

Name: Dale Myrvik

Address: 909 1st N

Date: 11-28-12

Mickelson Flood Risk Management



	Fargo	Drawn by KNS,SMH	Date 10-23-12	MICKELSON FIELD AREA FLOOD RISK MANAGEMENT PROJECT FARGO, NORTH DAKOTA	OVERALL SITE PLAN	SHEET
	P- 701.237.5085 F- 701.237.5101	Checked by JDB	Scale AS SHOWN		PROJECT NO. 5902-02	2 of 74