
SEWIP
Wetland Grouping
for Water Quality
and Wildlife
Attributes
Marysville
Everett
Snohomish River
Steamboat Slough
North Spencer
Smith Island
Ebey Slough
Union Slough
Ebey Island
Manilaby Swamp
Ferry-Baker Island
Everett Sewer Ponds
Lake Stevens Sewer Ponds
Port Gardner Bay
Simpson Lee Property
Pilchuck River
0'
5000'
Wetland Groupings
Veg. Units
1
2
3
Mudflat Units
1
2
3

Figure 4.3

Figure 4.3 Habitat quality score ranking by AU.



Figure 4.11 Habitat quality categories (IVA-score quartiles) within Everett and Marysville UGAs.




Figure 4.16
Potential tidal restoration sites.
5
16750
22
385
12
8178
21
761
2
20613
23
400
16
6670
3
26217
18
1201
13
10774
9
714
24
3287
4
30288
1
36926
15
19407
17
4973
19
8708
10
27259
11
2591
25
32801
20
11804
6
1293
7
20804
14
20884
8
4315
15 Restoration site
96.8 IVA-acre gain
Urban Growth Boundaries
Everett City Limits
* Restoration site not scored.
N
SEWIP SALMON OVERLAY
January 17, 2001