Reviewer Name: Letha Dawson

Applicant: Facility Planning and Control, State of Louisiana

Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina / Public Assistance Program / EOR0556 Kirsch-Rodney Stadium

Structure Complex

Record of Environmental Consideration

See 44 Code of Federal Regulation Part 10.

Project Name/Number: Kirsch-Rodney Stadium Structure Complex / PW 8819

<u>Project Location</u>: Delgado Community College, 615 City Park Ave., New Orleans, Louisiana, Orleans Parish 70119 (N29.987319, W-90.10682)

<u>Project Description</u>: Project activities include cleaning of all surfaces, painting of paneling and walls, and replacing 600 square feet of ribbed steel roofing panels, 400 square feet of VCT, 400 square feet of floor underlayment, 400 square feet of acoustic ceiling tiles, 400 square feet of wall paneling, 25 steel lockers, 1 air conditioner, and 1 water heater. 2 hazard mitigation proposals (HMP) are included in this project worksheet. HMP 1 addresses the flooring by installing water resistant plywood underlayment and more resistant tile flooring. HMP 2 addresses the ceiling by installing fiberglass film faced boards in lieu of mineral fiber board.

Dog	cumentation Requirements
	No Documentation Required (Review Concluded)
	(Short version) All consultation and agreements implemented to comply with the National Historic Preservation Act, Endangered Species Act, and Executive Orders 11988, 11990 and 12898 are completed and no other laws apply. (Review Concluded)
	(Long version) All applicable laws and executive orders were reviewed. Additional information for compliance is attached to this REC.
<u>Nat</u>	tional Environmental Policy Act (NEPA) Determination
	Statutorily excluded from NEPA review. (Review Concluded) Programmatic Categorical Exclusion - Category (Review Concluded) Categorical Exclusion - Category No Extraordinary Circumstances exist. Are project conditions required? Yes (see section V) No (Review Concluded) Extraordinary Circumstances exist (See Section IV). Extraordinary Circumstances mitigated. (See Section IV comments) Are project conditions required? Yes (see section V) No (Review Concluded) Environmental Assessment Supplemental Environmental Assessment (Reference EA or PEA in comments) Environmental Impact Statement
Comn	nents: This project meets the criteria for an Alternative Arrangement (Permanent Schools) type of project. This

project has conditions and requires mitigation under the other Environmental and Historic Preservation (EHP) laws.

Reviewer Name: Letha Dawson Applicant: Facility Planning and Control, State of Louisiana Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina / Public Assistance Program / EOR0556 Kirsch-Rodney Stadium Structure Complex **Reviewer and Approvals** Project is Non-Compliant (See attached documentation justifying selection). FEMA Environmental Reviewer. Name: Letha Dawson, Environmental Specialist What Gillos ... Date 06/29/2006 Signature FEMA Regional Environmental Officer or delegated approving official. Name: Donald Fairley, ELO . Date _____06/29/2006 Signature I. Compliance Review for Environmental Laws (other than NEPA) A. National Historic Preservation Act Not type of activity with potential to affect historic properties. (Review Concluded) Applicable executed Programmatic Agreement (12/03/2004) Otherwise, conduct standard Section 106 review. Activity meets Programmatic Allowance # Are project conditions required? Yes (see section V) No (Review Concluded) HISTORIC BUILDINGS AND STRUCTURES No historic properties that are listed or 45/50 years or older in project area. (Review Concluded) ☐ Building or structure listed or 45/50 years or older in project area and activity not exempt from review. Determination of No Historic Properties Affected (FEMA finding/SHPO/THPO concurrence on file) Yes (see section V) No (Review Concluded) Are project conditions required? Determination of Historic Properties Affected (FEMA finding/SHPO/THPO concurrence on file) Property a National Historic Landmark and National Park Service was provided early notification during the consultation process. If not, explain in comments No Adverse Effect Determination (FEMA finding/SHPO/THPO concurrence on file). Adverse Effect Determination (FEMA finding/SHPO/THPO concurrence on file) Resolution of Adverse Effect completed. (MOA on file) Are project conditions required Yes (see section V) No (Review Concluded) ARCHEOLOGICAL RESOURCES Project affects only previously disturbed ground. (Review Concluded) Project affects undisturbed ground. Project area has no potential for presence of archeological resources Determination of no historic properties affected (FEMA finding/SHPO/THPO concurrence or consultation on file). (Review Concluded) Project area has potential for presence of archeological resources Determination of no historic properties affected (FEMA finding/SHPO/THPO concurrence on file) Are project conditions required Yes (see section V) No (Review Concluded) Determination of historic properties affected NR eligible resources not present (FEMA finding/SHPO/THPO concurrence on file). Are project conditions required Yes (see section V) No (Review Concluded) NR eligible resources present in project area. (FEMA finding/ SHPO/THPO concurrence on file) No Adverse Effect Determination. (FEMA finding/ SHPO/THPO concurrence on file) Are project conditions required? \(\subseteq \text{Yes (see section V)} \) \(\subseteq \text{No (Review Concluded)} \)

Reviewer Name: Letha Dawson	Applicant: Facility Planning and Control, State of Louisiana
Disaster/Emergency/Program/Project Ti Structure Complex	itle: DR1603LA / Hurricane Katrina / Public Assistance Program / EOR0556 Kirsch-Rodney Stadium
Structure Complex	
	Are project conditions required? Yes (see section V) No (Review Concluded)
	Adverse Effect Determination. (FEMA finding/ SHPO/THPO concurrence on file)
	Resolution of Adverse Effect completed. (MOA on file)
	Are project conditions required? Yes (see section V) No
	(Review Concluded)
Comments: The sports program at Correspondence/Consultation/Refe	Delgado was not started until the early 1970's, per information provided by the applicant. <i>Perences:</i>
D. F. J. G. J.	
B. Endangered Species	
	ated critical habitat present in areas affected directly or indirectly by the Federal action.
(Review Concluded)	
	d critical habitat present in the areas affected directly or indirectly by the Federal action.
	r designated critical habitat. (See comments for justification)
	s required? Yes (see section V) No (Review Concluded)
	rely to adversely affect species or designated critical habitat (FEMA
	MFS concurrence on file) (Review Concluded)
	s required? Yes (see section V) No (Review Concluded)
	fect species or designated critical habitat Itation concluded. (Biological Assessment and Biological Opinion on file)
	onditions required? \(\subseteq \text{ YES (see section V)} \subseteq \text{NO (Review Concluded)} \)
Ale project of	stations required: 1 ES (see section 4) 1140 (Review Concluded)
Comments: None	
Correspondence/Consultation/Refe	erences:
Project is on or connected to Cl file) Proposed action an ex-	to CBRA Unit or Otherwise Protected Area (Review Concluded). BRA Unit or Otherwise Protected Area. (FEMA determination/USFWS consultation on ception under Section 3505.a.6? (Review Concluded) scepted under Section 3505.a.6. required? YES (see section V) NO (Review Concluded)
Comments: None	
Correspondence/Consultation/Refe	erences:
D. Clean Water Act	
	nters of the U.S. (Review Concluded)
Project would affect waters, inc	
	kind replacement or other exemption. (Review Concluded)
	on 404/401/or Section 9/10 (Rivers and Harbors Act) permit, including qualification
under Nationwide Perr	
Are project conditions	required? YES (see section V) NO (Review Concluded)
Comments: Project is not in or adia	poent to any waterways of the LIS
Comments: Project is not in or adja Correspondence/Consultation/Refe	
Correspondence Consultation Reje	a cricou.
E Canadal 77 Mari	
E. Coastal Zone Manag	
	al zone area and does not affect a coastal zone area (Review concluded)
	one area and/or affects the coastal zone
	ency does not require consistency review. (Review Concluded).
	ency requires consistency review.
Are project conditions	required? YES (see section V) NO (Review Concluded)

Reviewer Name: Letha Dawson

Applicant: Facility Planning and Control, State of Louisiana

Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina / Public Assistance Program / EOR0556 Kirsch-Rodney Stadium

Structure Complex

Comments: FEMA has determined that this project is consistent with the Coastal Zone Management Act (CZMA) and the Louisiana Coastal Management Plan (LCMP). Correspondence/Consultation/References:
Correspondence/Consultation/References:
F. Fish and Wildlife Coordination Act
Project does not affect, control, or modify a waterway/body of water. (Review Concluded)
Project affects, controls or modifies a waterway/body of water.
Coordination with USFWS conducted
No Recommendations offer ed by USFWS. (Review Concluded)
Recommendations provided by USFWS.
Are project conditions required? YES (see section V) NO (Review Concluded)
Comments: Project is not in or adjacent to any waterways of the US. Correspondence/Consultation/References:
Correspondence/Consultation/References.
G. Clean Air Act
Project will not result in permanent air emissions. (Review Concluded)
Project is located in an attainment area. (Review Concluded)
Project is located in a non-attainment area.
Coordination required with applicable state administering agency
Are project conditions required? YES (see section V) NO (Review Concluded)
Comments: None
Correspondence/Consultation/References:
H. Farmland Protection Policy Act
Project does not affect designated prime or unique farmland. (Review Concluded)
Project causes unnecessary or irreversible conversion of designated prime or unique farmland. Coordination with Natural Resource Conservation Commission required.
Farmland Conversion Impact Rating, Form AD-1006, completed.
Are project conditions required? YES (see section V) NO (Review Concluded)
Comments: None
Correspondence/Consultation/References:
I. Migratory Bird Treaty Act
Project not located within a flyway zone. (Review Concluded)
Project located within a flyway zone.
Project does not have potential to take migratory birds. (Review Concluded)
Are project conditions required? Yes (see section V) No (Review Concluded)
Project has potential to take migratory birds.
☐ Contact made with USFWS Are project conditions required? ☐ YES (see section V) ☐ NO (Review Concluded)
Are project conditions required? [] TES (see section v) [] NO (Review Concluded)
Comments: See letter from Don Fairley to Mr. Russ Watson with USF&WS, dated 09/14/2005. Specifically, FEMA has
determined that restoration projects funded with federal resources will not have adverse impacts on migratory birds or other
fish and wildlife reserves. These determinations are based on the understanding that the conditions outlined in the Louisiana

Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina / Public Assistance Program / EOR0556 Kirsch-Rodney Stadium Structure Complex
J. Magnuson-Stevens Fishery Conservation and Management Act Project not located in or near Essential Fish Habitat. (Review Concluded) Project located in or near Essential Fish Habitat. Project does not adversely affect Essential Fish Habitat. (Review Concluded) Are project conditions required? ☐ Yes (see section V) ☐ No (Review Concluded) ☐ Project adversely affects Essential Fish Habitat (FEMA determination/USFWS/NMFS concurrence on file) ☐ NOAA Fisheries provided no recommendation(s) (Review Concluded). Are project conditions required? ☐ Yes (see section V) ☐ No (Review Concluded) ☐ NOAA Fisheries provided recommendation(s) ☐ Written reply to NOAA Fisheries recommendations completed. Are project conditions required? ☐ YES (see section V) ☐ NO (Review Concluded)
Comments: None
Correspondence/Consultation/References:
 K. Wild and Scenic Rivers Act Project is not along and does not affect Wild or Scenic River (WSR) - (Review Concluded) Project is along or affects WSR Project adversely affects WSR as determined by NPS/USFS. FEMA cannot fund the action. (NPS/USFS/USFWS/BLM consultation on file) (Review Concluded) Project does not adversely affect WSR. (NPS/USFS/USFWS/BLM consultation on file) Are project conditions required? ☐ YES (see section V) ☐ NO (Review Concluded)
Comments: None
Correspondence/Consultation/References:
L. Other Relevant Laws and Environmental Regulations II. Compliance Review for Executive Orders A. E.O. 11988 - Floodplains No Effect on Floodplains/Flood levels and project outside Floodplain - (Review Concluded) Located in Floodplain or Effects on Floodplains/Flood levels No adverse effect on floodplain and not adversely affected by the floodplain. (Review Concluded), Are project conditions required? ☐ Yes (see section V) ☒ No (Review Concluded) ☐ Beneficial Effect on Floodplain Occupancy/Values (Review Concluded). ☐ Possible adverse effects associated with investment in floodplain, occupancy or modification of floodplain environment ☐ 8 Step Process Complete - documentation on file
Are project conditions required? YES (see section V) NO (Review Concluded) Comments: 06/15/06 -The City of New Orleans/Orleans Parish enrolled in the National Flood Insurance Program (NFIP) 05/01/1985 per Flood Insurance Rate Map 2252030095E, dated 09/28/1984, project is located in Zone B; area protected from the percent annual change (100-yr flood by levee, dike or other structures subject to possible failure or over topping during larger floods. This project is repair to pre-disaster footprint and should not affect the floodplain.
Rezwan Karim,CFM Correspondence/Consultation/References:
B. E.O. 11990 - Wetlands No Effects on Wetland(s) and project located outside Wetland(s) - (Review Concluded) Located in Wetland or effects Wetland(s)
Record of Environmental Consideration 5 06/29/06

Applicant: Facility Planning and Control, State of Louisiana

Reviewer Name: Letha Dawson

Reviewer Name: Letha Dawson Disaster/Emergency/Program/Project Title: DR1603LA / Hurrica Structure Complex	Applicant: Facility Planning and Control, State of Louisiana ane Katrina / Public Assistance Program / EOR0556 Kirsch-Rodney Stadium				
☐ Beneficial Effect on Wetland - (Review Con Possible adverse effect associated with con ☐ Review completed as part of floor	nstructing in or near wetland dplain review				
8 Step Process Complete - docum Are project conditions required?	□ YES (see section V) □ NO (Review Concluded)				
Comments: None Correspondence/Consultation/References:					
 No Low income or minority population in, near or a Low income or minority population in or near proje □ No disproportionately high and adverse im □ Disproportionately high or adverse effects 	ct area pact on low income or minority population- (Review Concluded)				
Comments: None Correspondence/Consultation/References:					
III. Other I	Environmental Issues				
Identify other potential environmental concerns in the comment box not clearly falling under a law or executive order (see environmental concerns scoping checklist for guidance).					
Comments: None Correspondence/Consultation/References:					
IV. Extraord	dinary Circumstances				
	environmental laws and Executive Orders, and in review the project for extraordinary circumstances.				
•	e an Environmental Assessment (EA) with the exception of (ii) which ersy on an environmental issue. If the circumstance can be mitigated,				
Yes (i) Greater scope or size than normally exp	erienced for a particular category of action				
(ii) Actions with a high level of public cont (iii) Potential for degradation, even though					
conditions; (iv) Employment of unproven technology v unique or unknown environme	with potential adverse effects or actions involving				
	species or their critical habitat, or archaeological,				
(vi) Presence of hazardous or toxic substan	nces at levels which exceed Federal, state or local ring action or attention;				
	ecial status areas adversely or other critical resources s, wildlife refuge and wilderness areas, wild and scenic rivers,				
(viii) Potential for adverse effects on health (ix) Potential to violate a federal, state, local	frinking water aquiters;				

Reviewer Name: Letha Dawson Applicant: Facility Planning and Control, State of Louisiana Disaster/Emergency/Program/Project Title: DR1603LA / Hurricane Katrina / Public Assistance Program / EOR0556 Kirsch-Rodney Stadium Structure Complex			
(x) Potential for significant cumulative impact when the proposed action is combined with other past, present and reasonably foreseeable future actions, even though the impacts of the proposed action may not be significant by themselves.			
Comments: None			
V. Environmental Review Project Conditions			
General comments: None			
Project Conditions: None			

Monitoring Requirements: None