

Record of Environmental Consideration

See 44 Code of Federal Regulation Part 10.

Project Name/Number: EPL 0082 Buras High School-Elementary / PW 12420

Project Location: 35655 SF-11 Buras, Louisiana Plaquemines Parish 77041 (N29.3538 W-89.5265)

Project Description: Project activities include demolition of footing and foundation 6” concrete slab (24,011 SF), treated wood piles (40 ea.), mobilization setup & complete pile driving setup, raise building 4 feet, structural concrete handicap access ramp, concrete wall (13,206 SF), roof deck insulation (24,011 SF), aluminum flashing (700 LF), 12.81 toilet partitions, ceramic tile (2,401 SF), carpet (6,000 SF), terrazzo (2,401 SF), vct (15,607 SF), lavatory (17), water cooler (6), a/c equipment, and electrical equipment. Hazard mitigation will be achieved by compliance with codes and standards.

Documentation Requirements

- No Documentation Required **(Review Concluded)**
- (Short version) All consultation and agreements implemented to comply with the National Historic Preservation Act, Endangered Species Act, and Executive Orders 11988, 11990 and 12898 are completed and no other laws apply. **(Review Concluded)**
- (Long version) All applicable laws and executive orders were reviewed. Additional information for compliance is attached to this REC.

National Environmental Policy Act (NEPA) Determination

- Statutorily excluded from NEPA review. **(Review Concluded)**
- Programmatic Categorical Exclusion - Category **(Review Concluded)**
- Categorical Exclusion - Category
 - No Extraordinary Circumstances exist.
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - Extraordinary Circumstances exist (See Section IV).
 - Extraordinary Circumstances mitigated. (See Section IV comments)
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**
- Environmental Assessment
- Supplemental Environmental Assessment (Reference EA or PEA in comments)
- Environmental Impact Statement

Comments: This project meets the criteria for an alternative arrangement (Permanent Schools) type of project. This project has conditions and requires mitigation under the other EHP laws.

Reviewer and Approvals

Project is Non-Compliant (See attached documentation justifying selection).


FEMA Environmental Reviewer.

Name: Catherine Jones, Environmental Specialist

Signature  Date 8/11/2006

FEMA Regional Environmental Officer or delegated approving official.

Name: Howard R. Bush, ELO

Signature  Date 8/11/2006

I. Compliance Review for Environmental Laws (other than NEPA)

A. National Historic Preservation Act

- Not type of activity with potential to affect historic properties. **(Review Concluded)**
- Applicable executed Programmatic Agreement Otherwise, conduct standard Section 106 review.
 - Activity meets Programmatic Allowance #
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**

HISTORIC BUILDINGS AND STRUCTURES

- No historic properties that are listed or 45/50 years or older in project area. **(Review Concluded)**
- Building or structure listed or 45/50 years or older in project area and activity not exempt from review.
 - Determination of No Historic Properties Affected (FEMA finding/SHPO/THPO concurrence on file)
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - Determination of Historic Properties Affected (FEMA finding/SHPO/THPO concurrence on file)
 - Property a National Historic Landmark and National Park Service was provided early notification during the consultation process. If not, explain in comments
 - No Adverse Effect Determination (FEMA finding/SHPO/THPO concurrence on file).
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - Adverse Effect Determination (FEMA finding/SHPO/THPO concurrence on file)
 - Resolution of Adverse Effect completed. (MOA on file)
 - Are project conditions required Yes (see section V) No **(Review Concluded)**

ARCHEOLOGICAL RESOURCES

- Project affects only previously disturbed ground. **(Review Concluded)**
- Project affects undisturbed ground.
 - Project area has no potential for presence of archeological resources
 - Determination of no historic properties affected (FEMA finding/SHPO/THPO concurrence or consultation on file). **(Review Concluded)**
 - Project area has potential for presence of archeological resources
 - Determination of no historic properties affected (FEMA finding/SHPO/THPO concurrence on file)
 - Are project conditions required Yes (see section V) No **(Review Concluded)**
 - Determination of historic properties affected
 - NR eligible resources not present (FEMA finding/SHPO/THPO concurrence on file).
 - Are project conditions required Yes (see section V) No **(Review Concluded)**
 - NR eligible resources present in project area. (FEMA finding/ SHPO/THPO concurrence on file)
 - No Adverse Effect Determination. (FEMA finding/ SHPO/THPO concurrence on file)
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - Adverse Effect Determination. (FEMA finding/ SHPO/THPO concurrence on file)

- Resolution of Adverse Effect completed. (MOA on file)
Are project conditions required? Yes (see section V) No
(Review Concluded)

Comments: 08/7/2006 - FEMA, in consultation with the State Historic Preservation Office (SHPO), has determined that none of the structures associated with the proposed demolition are listed on or eligible for the National Register of Historic Places (see attached correspondence dated 11/08/2005) and finds that this scope of work will have no effect on standing historic properties. Scope of work indicates ground disturbing activities associated with the demolition and rebuild of the structure within its pre-disaster footprint. Upon consultation of SHPO data, there are no known archaeological sites within .5 miles of the project area. Demolition must follow the lower impact demolition stipulations & additional protocols which are attached. The stipulations and protocols should be explicit in the demolition contract. Failure to comply with these stipulations & additional protocols will jeopardize receipt of federal funding. If during the course of work, archaeological artifacts (prehistoric or historic) or human remains are discovered, the applicant shall stop work in the vicinity of the discovery and take all reasonable measures to avoid or minimize harm to the finds. The applicant shall inform their Public Assistance (PA) contacts at FEMA, who will in turn contact FEMA historic preservation staff. The applicant will not proceed with work until FEMA historic preservation staff has completed consultation with the Louisiana State Preservation Officer (SHPO). In addition, if unmarked graves are present, compliance with the Louisiana Unmarked Human Burial Sites Preservation Act (R.S. 8:671 et seq.) is required. The applicant shall notify the law enforcement agency of the jurisdiction where the remains are located within twenty-four hours of the discovery. The applicant shall also notify FEMA and the Louisiana Unmarked Burial Sites Board (call the Louisiana Division of Archeology at 225-342-8170) within seventy-two hours of the discovery. If this scope of work and/or the footprint/location of the new building changes, this project will need to be resubmitted for further Section 106 review prior to ground disturbing activities taking place outside of the pre-disaster footprint of the building. V. Gomez, Historic Preservation Specialist and Katherine Zeringue, Historic Preservation Specialist/Archaeologist.

Correspondence/Consultation/References:

B. Endangered Species Act

- No listed species and/or designated critical habitat present in areas affected directly or indirectly by the Federal action.
(Review Concluded)
- Listed species and/or designated critical habitat present in the areas affected directly or indirectly by the Federal action.
 - No effect to species or designated critical habitat. (See comments for justification)
Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - May affect, but not likely to adversely affect species or designated critical habitat (FEMA determination/USFWS/NMFS concurrence on file) **(Review Concluded)**
Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - Likely to adversely affect species or designated critical habitat
 - Formal consultation concluded. (Biological Assessment and Biological Opinion on file)
Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: None

Correspondence/Consultation/References:

C. Coastal Barrier Resources Act

- Project is not on or connected to CBRA Unit or Otherwise Protected Area **(Review Concluded)**.
- Project is on or connected to CBRA Unit or Otherwise Protected Area. (FEMA determination/USFWS consultation on file)
 - Proposed action an exception under Section 3505.a.6? **(Review Concluded)**
 - Proposed action not excepted under Section 3505.a.6.
Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: None

Correspondence/Consultation/References:

D. Clean Water Act

- Project would not affect any waters of the U.S. **(Review Concluded)**

- Project would affect waters, including wetlands, of the U.S.
 - Project exempted as in kind replacement or other exemption. **(Review Concluded)**
 - Project requires Section 404/401/or Section 9/10 (Rivers and Harbors Act) permit, including qualification under Nationwide Permits.
- Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: Project is not in or adjacent to any waterways of the US.

Correspondence/Consultation/References:

E. Coastal Zone Management Act

- Project is not located in a coastal zone area and does not affect a coastal zone area **(Review concluded)**
- Project is located in a coastal zone area and/or affects the coastal zone
 - State administering agency does not require consistency review. **(Review Concluded)**.
 - State administering agency requires consistency review.
- Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: This project is located within the Louisiana Coastal Management Zone. La DNR has determined that receipt of federal assistance is consistent with the Louisiana Coastal Resource Program. Projects within the coastal zone may still require a coastal use permit or other authorization from DNR. Projects may be coordinated by contacting LA DNR at 1-800-267-4019.)

Correspondence/Consultation/References:

F. Fish and Wildlife Coordination Act

- Project does not affect, control, or modify a waterway/body of water. **(Review Concluded)**
- Project affects controls or modifies a waterway/body of water.
 - Coordination with USFWS conducted
 - No Recommendations offered by USFWS. **(Review Concluded)**
 - Recommendations provided by USFWS.
- Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: Project is not in or adjacent to any waterways of the US.

Correspondence/Consultation/References:

G. Clean Air Act

- Project will not result in permanent air emissions. **(Review Concluded)**
- Project is located in an attainment area. **(Review Concluded)**
- Project is located in a non-attainment area.
 - Coordination required with applicable state administering agency..
- Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: None

Correspondence/Consultation/References:

H. Farmland Protection Policy Act

- Project does not affect designated prime or unique farmland. **(Review Concluded)**
- Project causes unnecessary or irreversible conversion of designated prime or unique farmland.
 - Coordination with Natural Resource Conservation Commission required.
 - Farmland Conversion Impact Rating, Form AD-1006, completed.
- Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: None

Correspondence/Consultation/References:

I. Migratory Bird Treaty Act

- Project not located within a flyway zone. **(Review Concluded)**
- Project located within a flyway zone.
 - Project does not have potential to take migratory birds. **(Review Concluded)**
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - Project has potential to take migratory birds.
 - Contact made with USFWS
 - Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: See letter from Don Fairley to Mr. Russ Watson with USF&WS, dated 09/14/2005. Specifically, FEMA has determined that restoration projects funded with federal resources will not have adverse impacts on migratory birds or other fish and wildlife reserves. These determinations are based on the understanding that the conditions outlined in the Louisiana Endangered Species Summary are met.

Correspondence/Consultation/References: http://pacificflyway.gov/Documents/Mississippi_map.pdf,

J. Magnuson-Stevens Fishery Conservation and Management Act

- Project not located in or near Essential Fish Habitat. **(Review Concluded)**
- Project located in or near Essential Fish Habitat.
 - Project does not adversely affect Essential Fish Habitat. **(Review Concluded)**
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - Project adversely affects Essential Fish Habitat (FEMA determination/USFWS/NMFS concurrence on file)
 - NOAA Fisheries provided no recommendation(s) **(Review Concluded)**.
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**
 - NOAA Fisheries provided recommendation(s)
 - Written reply to NOAA Fisheries recommendations completed.
 - Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: None

Correspondence/Consultation/References:

K. Wild and Scenic Rivers Act

- Project is not along and does not affect Wild or Scenic River (WSR) - **(Review Concluded)**
- Project is along or affects WSR
 - Project adversely affects WSR as determined by NPS/USFS. **FEMA cannot fund the action.** (NPS/USFS/USFWS/BLM consultation on file) **(Review Concluded)**
 - Project does not adversely affect WSR. (NPS/USFS/USFWS/BLM consultation on file)
 - Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: None

Correspondence/Consultation/References:

L. Other Relevant Laws and Environmental Regulations

II. Compliance Review for Executive Orders

A. E.O. 11988 - Floodplains

- No Effect on Floodplains/Flood levels and project outside Floodplain - **(Review Concluded)**
- Located in Floodplain or Effects on Floodplains/Flood levels
 - No adverse effect on floodplain and not adversely affected by the floodplain. **(Review Concluded)**.
 - Are project conditions required? Yes (see section V) No **(Review Concluded)**

- Beneficial Effect on Floodplain Occupancy/Values **(Review Concluded)**.
 - Possible adverse effects associated with investment in floodplain, occupancy or modification of floodplain environment
 - 8 Step Process Complete - documentation on file
- Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: 07/25/2006 - The Parish of Plaquemines is enrolled in the National Flood Insurance Program (NFIP) as of 05/01/1985. Per Flood Insurance Rate Map (FIRM) panel number 2201390885c dated 09/28/1990, project is located within an "A99" zone, areas of 100-year flood to be protected by flood protection system under construction, base flood elevations and flood hazard factors not determined. Project is replacement of building, including electrical components. In compliance with EO 11988, a completed 8-step process showing considered alternatives is attached. Applicant is required to coordinate with local floodplain administrator regarding floodplain permit(s) prior to the start of any activities. Applicant is responsible for meeting all requirements of the permit(s). All coordination pertaining to these permit(s) should be documented to the local floodplain administrator and copies provided to LA GOHSEP and FEMA as part of the permanent project files. Per 44 CFR 9.11 (d)(9), the replacement of building contents, materials and equipment should be, where possible, wet or dry-proofed, elevated, or relocated to or above the Advisory Base Flood Elevation (ABFE) per the ABFE maps. Per 44 CFR 9.12, applicant must publish a final public notice 15 days prior to the start of construction activities. Final public notice is to be forwarded to the LA GOHSEP and FEMA for inclusion in the permanent project files. K. Roof, Floodplain Management Specialist.

Correspondence/Consultation/References:

B. E.O. 11990 - Wetlands

- No Effects on Wetland(s) and project located outside Wetland(s) - **(Review Concluded)**
 - Located in Wetland or effects Wetland(s)
 - Beneficial Effect on Wetland - **(Review Concluded)**
 - Possible adverse effect associated with constructing in or near wetland
 - Review completed as part of floodplain review
 - 8 Step Process Complete - documentation on file
- Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: None

Correspondence/Consultation/References:

C. E.O. 12898 - Environmental Justice For Low Income and Minority Populations

- No Low income or minority population in, near or affected by the project - **(Review Concluded)**
 - Low income or minority population in or near project area
 - No disproportionately high and adverse impact on low income or minority population- **(Review Concluded)**
 - Disproportionately high or adverse effects on low income or minority population
- Are project conditions required? YES (see section V) NO **(Review Concluded)**

Comments: None

Correspondence/Consultation/References:

III. Other Environmental Issues

Identify other potential environmental concerns in the comment box not clearly falling under a law or executive order (see environmental concerns scoping checklist for guidance).

Comments: None

Correspondence/Consultation/References:

IV. Extraordinary Circumstances

Based on the review of compliance with other environmental laws and Executive Orders, and in consideration of other environmental factors, review the project for extraordinary circumstances.

* A "Yes" under any circumstance may require an Environmental Assessment (EA) with the exception of (ii) which should be applied in conjunction with controversy on an environmental issue. If the circumstance can be mitigated, please explain in comments. If no, leave blank.

- (i) Greater scope or size than normally experienced for a particular category of action
- (ii) Actions with a high level of public controversy
- (iii) Potential for degradation, even though slight, of already existing poor environmental conditions;
- (iv) Employment of unproven technology with potential adverse effects or actions involving unique or unknown environmental risks;
- (v) Presence of endangered or threatened species or their critical habitat, or archaeological, cultural, historical or other protected resources;
- (vi) Presence of hazardous or toxic substances at levels which exceed Federal, state or local regulations or standards requiring action or attention;
- (vii) Actions with the potential to affect special status areas adversely or other critical resources such as wetlands, coastal zones, wildlife refuge and wilderness areas, wild and scenic rivers, sole or principal drinking water aquifers;
- (viii) Potential for adverse effects on health or safety; and
- (ix) Potential to violate a federal, state, local or tribal law or requirement imposed for the protection of the environment.
- (x) Potential for significant cumulative impact when the proposed action is combined with other past, present and reasonably foreseeable future actions, even though the impacts of the proposed action may not be significant by themselves.

Comments: None

V. Environmental Review Project Conditions

Project Conditions:

1. Applicant is required to coordinate with local floodplain administrator regarding floodplain permit(s) prior to the start of any activities. Applicant is responsible for meeting all requirements of the permit(s). All coordination pertaining to these permit(s) should be documented to the local floodplain administrator and copies provided to LA GOHSEP and FEMA as part of the permanent project files. Per 44 CFR 9.11 (d)(9), the replacement of building contents, materials and equipment should be, where possible, wet or dry-proofed, elevated, or relocated to or above the Advisory Base Flood Elevation (ABFE) per the ABFE maps. Per 44 CFR 9.12, applicant must publish a final public notice 15 days prior to the start of construction activities. Final public notice is to be forwarded to the LA GOHSEP and FEMA for inclusion in the permanent project files.
2. If during the course of work, archaeological artifacts (prehistoric or historic) or human remains are discovered, the applicant shall stop work in the vicinity of the discovery and take all reasonable measures to avoid or minimize harm to the finds. The applicant shall inform their Public Assistance (PA) contacts at FEMA, who will in turn contact FEMA historic preservation staff. The applicant will not proceed with work until FEMA historic preservation staff has completed consultation with the Louisiana State Preservation Officer

(SHPO). In addition, if unmarked graves are present, compliance with the Louisiana Unmarked Human Burial Sites Preservation Act (R.S. 8:671 et seq.) is required. The applicant shall notify the law enforcement agency of the jurisdiction where the remains are located within twenty-four hours of the discovery. The applicant shall also notify FEMA and the Louisiana Unmarked Burial Sites Board (call the Louisiana Division of Archeology at 225-342-8170) within seventy-two hours of the discovery. If this scope of work and/or the footprint/location of the new building changes, this project will need to be resubmitted for further Section 106 review prior to ground disturbing activities taking place outside of the pre-disaster footprint of the building.

Monitoring Requirements: None