

# Potential Impact and Damage From a Tornado



Managing Risk	EF Scale	Description of Damage
The Threat to Property and Personal Safety Can Be Minimized Through Compliance With Up-To-Date Model Building Codes and Engineering Standards	EF0	<b>Light:</b> Chimneys are damaged, tree branches are broken, shallow-rooted trees are toppled.
	EF1	<b>Moderate:</b> Roof surfaces are peeled off, windows are broken, some tree trunks are snapped, unanchored mobile homes are overturned, attached garages may be destroyed.
	EF2	<b>Considerable:</b> Roof structures are damaged, mobile homes are destroyed, debris becomes airborne (missiles are generated), large trees are snapped or uprooted.
Property and Personal Protection Can Be Improved Through Wind Hazard Mitigation Techniques Not Normally Required by Current Building Codes	EF3	<b>Severe:</b> Roofs and some walls are torn from structures, some small buildings are destroyed, non-reinforced masonry buildings are destroyed, most trees in forest are uprooted.
	EF4	<b>Devastating:</b> Well-constructed houses are destroyed, some structures are lifted from foundations and blown some distance, cars are blown some distance, large debris becomes airborne.
	EF5	<b>Incredible:</b> Strong frame houses are lifted from foundations, reinforced concrete structures are damaged, automobile-sized missiles become airborne, trees are completely debarked.