

2023 Building Code Adoption Tracking: FEMA Region 4

This fact sheet provides a high-level overview of the status of hazard-resistant building code adoption in each state and territory within a FEMA region. The regional fact sheets show an annual metric of the percent of communities adopting hazard-resistant¹ building codes.

Why Building Codes?

Disaster resilience starts with building codes because they enhance public safety and property protection.

Why Track Codes?

- Represent the best evidence for disaster resistance
- Create best overall return on investment
- Comply with [Technology Transfer Act](#)
- Cornerstone of effective mitigation to reduce losses in future disasters
- Codes = better built buildings, better performance
- Hazard codes for seismic, high winds, water and fire enable uniformity, efficiencies, and predictable performance
- Recognize the disaster preparedness of communities when determining level of federal funding



Figure 1. FEMA Region 4

Purpose of Building Code Adoption Tracking

- Track the adoption rate of the latest consensus-based codes across the nation
- Track the results of adoption in improving disaster-resistant buildings in natural hazard areas
- Use the emerging data to inform FEMA policies and laws in pre-disaster and post-disaster goals
- Federal funding assistance requirements may be correlated to adoption of the latest published building code editions as required by legislation and/or FEMA policies such as the [Disaster Recovery Reform Act of 2018](#) and the associated Federal Cost Share Reform Incentive

¹ Hazard-resistant codes mean the 2018 or later International Building Code and International Residential Code, without weakening of any resilience provisions related to any of the five tracked hazards for which the jurisdiction is at high risk.



FEMA’s Role Will Be Continuous

- Proposing building code changes to maintain consistency with the National Flood Insurance Program (NFIP) and to incorporate best practices identified in post-disaster investigations.
- Defending against changes that weaken flood, wind, and seismic provisions.
- Contributing to requests for interpretations by International Code Council.
- Supporting the training of state, local, tribal and territorial officials.



Figure 2. Building Code Adoption Tracking Process

The following percentages indicate the tracked jurisdictions which have adopted hazard-resistant² building codes within each state. The percentages are based upon jurisdictions within each state which are at high risk³ to one or more hazard types (Region 4’s hazards are flood, damaging wind, hurricane wind, tornado, and seismic):

FLORIDA

HIGHER RESISTANCE	
 <p>98.8%</p>	<p>IBC</p> <p>State adopts the 2018 International Building Code (IBC). State strengthens wind resilience in IBC Sections 1507.1.1, 1507.1.1.1, 1507.1.1.2, and 1507.1.1.3 by providing more stringent requirements for roof underlayment, and strengthens wind loads compared to model 2018 IBC Figure 1609.3(1). State has begun the 2021 IBC review and adoption process with an anticipated effective date of December 31, 2023.</p>
	<p>IRC</p> <p>State adopts the 2018 International Residential Code (IRC). State has begun the 2021 IRC review and adoption process with an anticipated effective date of December 31, 2023. <i>Note that Florida amends R322.1.9, which contains flood provisions regulating manufactured homes in flood hazard areas, such that the IRC defers to local floodplain ordinances and other state requirements for regulation of manufactured home installation (effectively deletes R322.1.9).</i></p>
<p>Note: State is not fully resistant because some jurisdictions with high flood risk do not participate in the NFIP.</p>	

² Hazard-resistant codes mean the 2018 or later IBC and IRC, without weakening of any resilience provisions related to any of the five tracked hazards for which the jurisdiction is at high risk.

³ High-risk is defined according to national consensus-based standards, the National Flood Insurance Program, and the Building Code Effectiveness Grading Schedule. For a detailed description of the high-risk methodology, visit the FEMA Building Code Adoption Tracking landing page at www.fema.gov/emergency-managers/risk-management/building-science/bcat/.

GEORGIA

91.9%

HIGHER RESISTANCE

IBC

State adopts the 2018 IBC.

Note that Georgia deletes Chapter 1 entirely, losing NFIP-related administrative provisions for Flood Hazard Areas, including criteria for issuing a variance (Sec. 104.10.1) and inspection/documentation of lowest floor elevation (Secs. 107.2.5, 107.5, 110.3.3, 110.10.1).

IRC

State adopts the 2018 IRC.

Note that Georgia deletes R322.1.9, which contains flood provisions regulating manufactured homes in flood hazard areas. Note also that Georgia deletes Chapter 1 entirely, losing NFIP-related administrative provisions for Flood Hazard Areas, including criteria for issuing a variance (R104.10.1), inspection/documentation of lowest floor elevation (R106.1.4, R109.1.3), and determination of substantial improvement or repair (R105.3.1.1).

Note: State is not fully resistant because some jurisdictions with high flood risk do not participate in the NFIP.

SOUTH CAROLINA

50.9%

MODERATE RESISTANCE

IBC

State adopts the 2018 IBC.

IRC

State adopts the 2018 IRC. State weakens hurricane resilience by using alternative hurricane maps with less conservative wind contour lines for the following seven counties: Aiken, Chesterfield, Fairfield, Kershaw, Lancaster, Lexington, Richland. State weakens seismic resilience by using alternative seismic maps with less conservative seismic contour lines for the following eleven counties: Beaufort, Berkeley, Charleston, Clarendon, Colleton, Dorchester, Georgetown, Hampton, Jasper, Orangeburg, Williamsburg.

TENNESSEE

23.1%

LOWER RESISTANCE

IBC

State adopts an outdated IBC (2012 edition). State also allows jurisdictions to opt out of the state building code.

IRC

State adopts the 2018 IRC. State allows jurisdictions to opt out of the state building code. Those that opt out, if they choose to enforce their own building code, must use a code that is no older than seven years from the most recently published edition (with the publication of the 2021 IRC, this means the (outdated) 2015 IRC.) If their code is older than the seven year cutoff, then the code adopted by the state (2018 IRC) applies instead.

ALABAMA

10.0%

LOWER RESISTANCE

IBC

No statewide building code. The Alabama Division of Construction Management adopts the 2021 IBC, but the Division does not have jurisdiction over commercial construction except for certain categories including hotels, motels, and movie theaters.

IRC

State adopts the (outdated) 2015 IRC as part of the Alabama Energy and Residential Codes (AERC), but allows jurisdictions that already had a residential code in effect on March 10, 2010 to continue enforcing and amending that pre-existing code. Jurisdictions which did not have a code in effect on that date were prohibited from adopting a residential code other than the one adopted in the AERC.

MISSISSIPPI

6.2%

LOWER RESISTANCE

IBC State building code requires jurisdictions to adopt one of the three most recent editions as adopted and amended by the Mississippi Building Codes Council (MBCC). The three most recent IBC editions adopted by the MBCC are currently the 2018 and the (outdated) 2015 and 2012 editions. However, jurisdictions were permitted to opt out of the state code when it was passed.

IRC State residential code requires jurisdictions to adopt one of the three most recent editions as adopted and amended by the Mississippi Building Codes Council (MBCC). The three most recent IRC editions adopted by the MBCC are currently the 2018 and the (outdated) 2015 and 2012 editions. However, jurisdictions were permitted to opt out of the state code when it was passed.

KENTUCKY

0.0%

LOWER RESISTANCE

IBC Commonwealth adopts the (outdated) 2015 IBC, and weakens seismic resistance by: (1) amending Sec. 1613.3.3 to not require irregular structures to use S_s values exceeding 1.5, thus expanding the limitation of ASCE 7 12.8.1.3, and (2) amending Sec. 1613.3.5 to not require Risk Category I and II buildings with S_1 greater than or equal to 0.75 to be Seismic Design Category E.

IRC Commonwealth adopts the (outdated) 2015 IRC, and weakens seismic resistance by (1) reducing the Seismic Design Categories of Figure R301.2(2) from the model code values for some counties, and (2) narrowing the scope of the “irregular structure” definition by expanding exceptions to it in R301.2.2.2.5.

Note that commonwealth also removes NFIP-specified criteria for granting a variance in a flood hazard area from R104.10.1.

NORTH CAROLINA

0.0%

LOWER RESISTANCE

IBC State adopts the (outdated) 2015 IBC. State weakens hurricane resistance by reducing area of Wind-Borne Debris Region in Chapter 2, and by allowing prescriptive opening protection to apply beyond the model code limitations in Sec. 1609.1.2.

Note that state also removes many Chapter 1 administrative provisions, including NFIP-related Flood Hazard Area provisions such as: criteria for issuing a variance (Sec. 104.10.1) and inspection/documentation of lowest floor elevation (Secs. 107.2.5, 107.5, 110.3.3, 110.10.1).

IRC State adopts the (outdated) 2015 IRC. State weakens hurricane resistance by redefining in R202 Wind-Borne Debris Region so as to reduce its coverage area, and by allowing a prescriptive design to apply to taller buildings than allowed by the model code in Table R301.2.1.2, and by weakening the wind speed delineation lines for some counties compared with model code Figure R301.2(4) A. State weakens flood resistance by removing the 1-foot freeboard requirement for A Zones in R322.2.1 and for the lowest horizontal structural member in V Zones and Coastal A Zones in R322.3.2.

Note that state also removes many NFIP-related flood administrative provisions from Chapter 1.